






Jackson County

2007 County Adult Health Survey





Arkansas
Center for
Health
Statistics



STAMP OUT SMOKING

Arkansas Department of Health
www.stampoutsmoking.com

Your Tobacco Settlement Dollars at Work

What is the BRFSS


- The BRFSS is the world's largest continuously conducted telephone survey.
- It covers issues surrounding chronic illness, premature mortality, and other health-related topics.
- All 50 states, Puerto Rico, Guam, the Virgin Islands, and Washington D.C. participate.
- Jackson County participated in county level BRFSS studies sponsored by Hometown Health.

In Jackson County...



- Interviews were conducted in February and March of 2007.
- A telephone survey of 833 randomly selected adults from Jackson County.
- Of the 833 interviews, 274 were with men and 559 were with women.

Survey demographics by Age



Source: CAHS

Outline


- Compared selected Jackson county results to neighboring counties, most recent statewide and nationwide data.

Risk Factors

- Health Care Access
- Hypertension
- Arthritis
- Colorectal Screening
- Tobacco Smoking
- Physical Activity and Overweight
- Oral Health

Health Care Access


Persons who reported no health care coverage: Jackson County (2007), comparison with Arkansas (2006), and U.S. (2006).



Source: CAHS, BRFSS


Health Care Access

Persons who reported no health care coverage: Jackson County (2007), comparison with neighboring County A, and County B.




Hypertension

Persons who have been told by a doctor, nurse, or other health care professional that they have high blood pressure: Jackson County (2007), comparison with Arkansas (2006), and U.S. (2006).




Hypertension

Persons who have been told by a doctor, nurse, or other health care professional that they have high blood pressure: Jackson County (2007), and comparison with two neighboring counties (2006-2007).




Hypertension

Persons who have been told by a doctor, nurse, or other health care professional that they have high blood pressure: Jackson County (2007)




Arthritis

Persons who have been told by a doctor that they have arthritis: Jackson County (2007), comparison with Arkansas (2006), and U.S. (2006).




Arthritis

Persons who have been told by a doctor that they have arthritis: Jackson County (2007), and comparison with two neighboring counties (2006-2007).




Arthritis

Persons who have been told by a doctor that they have arthritis: Jackson County (2007)




Colorectal Cancer Screening

Persons reported never been screened for colorectal cancer among respondents over 50 years of age: Jackson County (2007), comparison with Arkansas (2006), and U.S. (2006).




Colorectal Cancer Screening

Persons reported never been screened for colorectal cancer among respondents over 50 years of age: Jackson County (2007), comparison with two neighboring counties (2006-2007).




Colorectal Cancer Screening

Persons reported never been screened for colorectal cancer among respondents over 50 years of age: Jackson County (2007), comparison with Arkansas (2006), and U.S. (2006).



Tobacco Use


Persons who are current smokers: Jackson County (2007), comparison with Arkansas (2006), and U.S. (2006).



Source: CAHS, BRFSS

Tobacco Use


Persons who are current smokers: Jackson County (2007), comparison with two neighboring counties (2006-2007).



Source: CAHS

Tobacco Use


Persons who are current smokers by gender: Jackson County (2007)



Source: CAHS


Oral Health

Persons reported permanent tooth extraction: Jackson County (2007), Arkansas (2006), and U.S. (2006).




Oral Health

Persons reported permanent tooth extraction: Jackson County (2007), comparison with two neighboring counties (2006-2007).



Oral Health


Persons reported permanent tooth extraction: Jackson County (2007)



Source: CAHS, BRFSS


Bodyweight

Persons who are overweight and obese as measured by the Body Mass Index (BMI): Jackson County (2007), Arkansas (2006), and U.S. (2006).




Bodyweight

Persons who are overweight and obese as measured by the Body Mass Index (BMI): Jackson County (2007) and comparison with two neighboring counties (2006-2007).




Bodyweight

Persons who are overweight and obese as measured by the Body Mass Index (BMI) by gender: Jackson County (2007)



Physical Activity


Persons who did not participate in any physical activity during the past 30 days besides activity related to regular job: Jackson County (2007), Arkansas (2006), and U.S. (2006).



Source: CAHS, BRFSS


Physical Activity

Persons who did not participate in any physical activity during the past 30 days besides activity related to regular job: Jackson County (2007) and comparison with two neighboring counties (2006-2007).



Physical Activity

Persons who did not participate in any physical activity during the past 30 days besides activity related to regular job by gender: Jackson County (2007).




Other Risk Factors

- Alcohol Consumption
- Asthma prevalence
- Diabetes


Alcohol Consumption

Persons reported consumption of any alcoholic drink in the thirty days preceding the survey: Jackson County (2007), Arkansas (2006), and U.S. (2006).




Asthma

Persons reported asthma diagnosed by a doctor, nurse, or other health care professional: Jackson County (2007), Arkansas (2006), and U.S. (2006).



Diabetes

Persons reported diabetes diagnosed by a doctor, nurse, or other health care professional: Jackson County (2007), Arkansas (2006), and U.S. (2006).




Women's Health

- These are compared to the most recent statewide and nationwide data.
 - Mammogram data
 - Pap Smear data


Mammogram

Women over 40 who reported that they had not had a mammogram in the past two years: Jackson County (2007), Arkansas (2006), and U.S. (2006) and comparison with two neighboring counties (2006-2007).



Pap Smear

Women who reported that they had not had a pap smear in the past three years: Jackson County (2007), Arkansas (2006), and U.S. (2006) and comparison with two neighboring counties (2006-2007).



Source: CAHS, BRFSS

How is the BRFSS used?

- Determine priority health issues and identify populations at risk.
- Develop plans to target prevention programs.
- Monitor the effectiveness of intervention programs.
- Educate the public, health community about disease prevention.

Jackson County

Thanks to the Participants

End of the Presentation

