

2004-2005 Calhoun County Youth Health Survey

Coordinated by:

Calhoun County Hometown Health Improvement

and

Arkansas Department of Health
Center for Health Statistics

July, 2005

2004-2005 Calhoun County Youth Health Survey

Table of Contents

What is the County Youth Health Survey?	1
Why did Calhoun County conduct the CYHS?.....	1
How was the CYHS conducted?	2
About This Report.....	2
Demographics of survey participants:	5
Summary of Calhoun County CYHS Findings	6
Key findings	8
■ Vehicle Safety	11
■ Vehicle Safety – Drinking and Driving.....	12
■ Violence-Related Behaviors.....	13
■ Violence – Physical Fighting.....	15
■ Violence – Sexual Violence	16
■ Depression and Suicide.....	17
■ Tobacco Use – Cigarette Smoking.....	20
■ Tobacco Use – Smokeless Tobacco	23
■ Tobacco Use – Cigar.....	23
■ Alcohol Use.....	24
■ Drug Use.....	26
■ Sexual Activity.....	30
■ Contraception.....	32
■ AIDS, HIV, & STDs	33
■ Obesity.....	34
■ Nutrition.....	38
■ Violence-Related Behaviors at School.....	44
■ Tobacco Use at School	46
■ Alcohol Use at School.....	47
 2004-2005 Calhoun County Youth Health Survey Questionnaire	 51

What is the County Youth Health Survey?

The County Youth Health Survey (CYHS) was designed to measure health risk behaviors, such as smoking, drinking and driving, and obesity, among the nation's youth. Developed by the United States Centers for Disease Control and Prevention (CDC) in Atlanta, Georgia, the 87-item, multiple-choice Youth Risk Behavior Survey questionnaire was tested and revised several times prior to implementation to assure that results would be both accurate and useful. The survey has been used nationally, at a statewide level, and locally. It is known as the County Youth Health Survey (CYHS) at the local level.

During March, 2005, 282 seventh through twelfth grade students throughout Calhoun County public schools completed usable CYHS questionnaires. The information provided by those students is presented in this report.

Why did Calhoun County conduct the CYHS?

Calhoun County was selected by the Arkansas Department of Health (ADH) to participate in Hometown Health Improvement (HHI), a new community health assessment project. Calhoun County HHI is working to assess the specific health needs of Calhoun County residents. In order to collect information on the health behaviors of the community's youth, HHI coalition members asked that the County Youth Health Survey be administered to the students in the seventh through twelfth grades at Calhoun County schools.

The CYHS will help Calhoun County identify students' current health and safety habits so that improvements can be made where needed. Healthy lifestyles for Calhoun County students mean longer, more productive lives for the county's young people, as well as improved learning in the classroom.

The 2004-2005 CYHS also provides Calhoun County with measures for evaluating future trends in health habits of youth. Survey results can now serve as a valuable tool, particularly for legislators, policy makers, school administrators, and teachers as they make decisions about new disease-prevention and health-promotion policies, services, programs, and educational activities. Parents and students can use these results to evaluate potential changes toward better health. Specifically, CYHS' findings form a valuable base upon which Calhoun County can strengthen its ability to:

- Establish disease prevention and health promotion policies;
- Plan and implement programs and services;

2004-2005 Calhoun County Youth Health Survey

- Secure funding for programs;
- Allocate limited resources toward targeted needs and priorities;
- Conduct future research and note progress or deficiencies, and
- Enact laws to prevent injuries and unnecessary deaths.

How was the CYHS conducted?

During March, 2005, seventh through twelfth grade students enrolled in Calhoun County public schools completed the CYHS. All students who attended school on the day that their school administered the test to their grade were eligible to participate, but their participation was voluntary. The following Calhoun County schools' students participated in the survey:

- Hampton

About This Report

This report entitled "2004-2005 Calhoun County Youth Health Survey" summarizes the overall answers Calhoun County's students reported about safety, diet and exercise, alcohol, tobacco, and other health risk behaviors. Calhoun County's survey of public schools provides a "snapshot" of students' behaviors. The survey contains questions related to:

- Behaviors that result in intentional and unintentional injuries;
- Tobacco use;
- Alcohol and other drug use;
- Sexual behaviors that result in HIV infection, other sexually-transmitted diseases (STD's), and unintentional pregnancies; and
- Physical activity and nutrition.

This report summarizes Calhoun County's findings on the priority health risks that result in the most significant causes of death and disability of youth in Arkansas. Written for concerned educators, policy makers, parents, and youth, this CYHS report provides a brief overview of:

- The survey's process and procedures;
- Survey questions;

2004-2005 Calhoun County Youth Health Survey

- Students' answers;
- Percentage of CYHS participants giving those answers; and
- Major summary findings.

How Results Can Be Interpreted

Calhoun County's 2004-2005 County Youth Health Survey is a "snapshot in time" showing those health-risk behaviors reported by Calhoun County students in March, 2005. Answers in this survey were only as accurate as students' reporting. Each student interpreted the terms in each question according to his or her own definitions. For instance, is a pocketknife a "weapon?" What area does "on school property" include? Some students chose not to answer certain questions, meaning that not all students surveyed were represented in every response.

Answers were edited for consistency using the Center for Disease Control and Prevention's CYHS data editing guidelines. For example, if a student reported that he or she had driven under the influence of alcohol, but reported that he or she had never had a drink of alcohol, the answers for those questions were deleted from the survey. Additionally, some students chose not to answer certain questions.

The percentages presented in this report were rounded to the nearest whole percent. For example, 75.5% would be reported as 76%, while 75.4% would be reported as 75%. Due to this rounding, total percentages may add up to 99% or 101%.

2004-2005 Calhoun County Youth Health Survey

Sincere Appreciation To:

- The superintendents, principals, counselors, nurses, and teachers of Calhoun County schools who so graciously gave of their time and energy to see this survey through to its completion;
- The Calhoun County students who completed the CYHS questionnaires;
- The United States Centers for Disease Control and Prevention, Division of Adolescent and School Health's Surveillance Research Section, which developed the survey process and questionnaire;
- Kathleen Courtney and the Arkansas Department of Education for support and assistance with this project.

Interested individuals may request additional information. Researchers and professional wanting to build upon Calhoun County's 2004-2005 CYHS data may request additional data from:

Calhoun County Hometown Health Improvement
Glenda Gotcher
1119 Prestress
Hampton, AR 71744

870-798-2808
ggotcher@healthyarkansas.com

For more information about the County Youth Health Survey or analysis of the survey data, please contact:


Arkansas Center for Health Statistics
Sharon Rose Donovan, Lead Programmer Analyst
Ph. (501) 661-2971
sjudah@healthyarkansas.com

2004-2005 Calhoun County Youth Health Survey


Demographics of survey participants:

Total number of survey participants = 282


Gender



Age




Grade



2004-2005 Calhoun County Youth Health Survey

Summary of Calhoun County CYHS Findings

Percentage of students who:




* of those who had ever had sexual intercourse.

2004-2005 Calhoun County Youth Health Survey

Summary of Behaviors Relating to School Property

Percentage of students who:



Key findings

The following summaries highlight Calhoun county students' responses on the County Youth Health Survey in key areas and provide an overview of Calhoun county students' current activities that impact their health.

Behaviors that result in injuries

- Ninety-six percent of the students who had ridden a bicycle in the year prior to the survey indicated that they never or rarely wore a helmet.
- Thirty-eight percent of the students surveyed said that during the previous month they had ridden in a vehicle driven by someone who had been drinking alcohol. Fourteen indicated they had driven a vehicle after drinking alcohol during the past 30 days.
- Thirty-six percent of students carried a weapon such as a gun, knife, or club in the past 30 days, and 7% carried a weapon on school property during that time.
- During the 12 months preceding the survey, 39% of the students had been in a physical fight one or more times. Of those students who had been in a physical fight, 9% had to be treated for injuries sustained while fighting.
- Nineteen percent of the students surveyed reported they had been hit, slapped, or physically hurt on purpose by a boyfriend or girlfriend at least once during their lives.
- Nine percent of the students indicated being forced to have sexual intercourse when they did not want to at least once during their lives.

Depression and suicide

- Thirty-two percent of students indicated they had felt so sad or hopeless for two weeks or longer that they stopped doing some of their usual activities.
- During the 12 months before being surveyed, 17% of students had seriously considered attempting suicide, 15% had made a plan about how they would attempt suicide, and 7% actually attempted to commit suicide. Three percent of students surveyed reported they were treated by a doctor or nurse for an injury, overdose, or poisoning resulting from a suicide attempt.

2004-2005 Calhoun County Youth Health Survey

Tobacco use

- Sixty-six percent of the students surveyed said they had tried smoking a cigarette. Twenty-four percent reported smoking cigarettes on one or more of the past 30 days. Of the students who smoked during the past month, 56% said they usually smoked two or more cigarettes on the days they smoked, and 22% said they usually got their own cigarettes by purchasing them at a store.
- Seventeen percent of the students had used chewing tobacco or snuff on one or more of the past 30 days, and 8% had used it on school property.
- Eleven percent of the students surveyed indicated they had smoked cigars, cigarillos, or little cigars at least once during the previous month.

Alcohol and other drug use

- Seventy-five percent of the students surveyed indicated they had at least one drink of alcohol other than just a few sips at least once during their lives, and 45% had taken their first drink by the age of 13.
- Forty percent of the students had taken at least one drink of alcohol in the month before the survey, and 24% had five or more drinks in a row, that is, within a couple of hours, on one or more of the past 30 days.
- Thirty-one percent of the students said they had used marijuana at least once during their lives. Twelve percent said they had smoked marijuana at least once during the last month.
- Eighteen percent said they had sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high at least once during their lives. Four percent of the students surveyed had tried methamphetamines, 1% tried heroin, and 3% had tried cocaine at least once during their lives. One percent had used a needle to inject an illegal drug into their bodies at least once.
- Four percent of the students surveyed had taken steroid pills or shots without a doctor's prescription.

2004-2005 Calhoun County Youth Health Survey

Sexual activity

- Fifty-three percent of the students who completed the survey said they had sexual intercourse. Nineteen percent of the students reported having four or more sexual partners during their lifetimes. Of the students who had sexual intercourse, 16% had used drugs or alcohol before their last sexual encounter, and 61% used a condom the last time they had sex.

Dietary behaviors

- Thirty-four percent of the students surveyed were overweight, as measured by body mass index. The body mass index, or BMI, is a ratio of weight to height that allows people of different heights to be compared.
- While only 34% of the students are considered overweight as measured by BMI, 42% of the students perceived themselves as slightly to very overweight, and 56% reported that they were trying to lose weight.
- Forty-two percent of the students ate less during the past 30 days to lose or keep from gaining weight, and 66% exercised, 9% vomited or took laxatives, 9% took diet pills, and 14% went without eating for 24 hours or more to lose weight or keep from gaining weight.

Physical activity


- Sixty-six percent of the students surveyed said they had participated in a physical activity for at least 30 minutes that made them sweat and breathe hard on three or more of the past 7 days. Thirty-six percent said they participated in a physical activity for at least 30 minutes on three or more days during the past week that did not make them sweat or breathe hard.
- Sixty-two percent of the students attended a physical education (PE) class at least once during an average school week, and 67% said they had played on one or more sports teams during the past year.

2004-2005 Calhoun County Youth Health Survey


■ Vehicle Safety

These questions measure the frequency with which students take safety precautions when riding in a motor vehicle, riding a motorcycle or a bicycle.

Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else.



Of students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet.




2004-2005 Calhoun County Youth Health Survey


■ Vehicle Safety – Drinking and Driving

These questions measure the frequency with which students ride as a passenger or driver in a motor vehicle operated under the influence of alcohol.

Percentage of students who during the past 30 days rode one or more times in a car or other vehicle driven by someone who had been drinking alcohol.



Percentage of students who during the past 30 days drove a car or other vehicle one or more times when they had been drinking alcohol.




2004-2005 Calhoun County Youth Health Survey

■ Violence-Related Behaviors


These questions measure violence-related behaviors.

Percentage of students who carried a weapon* on one or more of the past 30 days.

* such as a gun, knife, or club




Percentage of students who carried a gun on one or more of the past 30 days.



2004-2005 Calhoun County Youth Health Survey

Percentage of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school.




2004-2005 Calhoun County Youth Health Survey


■ Violence – Physical Fighting

These questions measure the frequency and severity of physical fights.

Percentage of students who were in a physical fight one or more times during the past 12 months.



Of students who had been in a physical fight in the past 12 months, the percentage who had to be treated by a doctor or nurse one or more times.




2004-2005 Calhoun County Youth Health Survey


■ Violence – Sexual Violence

These questions measure rape and domestic violence.

Percentage of students who were hit, slapped, or physically hurt on purpose by a boyfriend or girlfriend.



Percentage of students who have ever been forced to have sexual intercourse when they did not want to.




2004-2005 Calhoun County Youth Health Survey


■ Depression and Suicide

These questions measure depression, suicide, suicide attempts, and the seriousness of those attempts.

Percentage of students who felt so sad or hopeless for two weeks or longer that they stopped doing some of their usual activities.




Percentage of students who seriously considered attempting suicide during the past 12 months.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who made a plan about how they would attempt suicide during the past 12 months.




Percentage of students who actually attempted suicide one or more times during the past 12 months.



2004-2005 Calhoun County Youth Health Survey

Percentage of students who attempted suicide during the past 12 months resulting in injury, poisoning or overdose that had to be treated by a doctor or nurse.




2004-2005 Calhoun County Youth Health Survey


■ Tobacco Use – Cigarette Smoking

These questions measure smoking experimentation, current smoking patterns, age of initiation and attempt to quit smoking cigarettes.

Percentage of students who ever tried cigarette smoking, even one or two puffs.




Percentage of students who smoked a whole cigarette for the first time before age 13.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days.




Of the students who smoked during the past 30 days, the percentage that smoked two or more cigarettes per day on the days they smoked.




2004-2005 Calhoun County Youth Health Survey

Of students who smoked during the past 30 days, percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days.



Of the students who have smoked regularly, the percentage who ever tried to quit smoking cigarettes.




2004-2005 Calhoun County Youth Health Survey

■ Tobacco Use – Smokeless Tobacco

This question measures smokeless tobacco use.


Percentage of students who used chewing tobacco or snuff on one or more of the past 30 days.



■ Tobacco Use – Cigar

This question measures cigar smoking.

Percentage of students who smoked cigars, cigarillos, or little cigars during the past 30 days.




2004-2005 Calhoun County Youth Health Survey


■ Alcohol Use

These questions measure frequency of alcohol use, age of initiation of drinking, and heavy drinking.

Percentage of students who had at least one drink of alcohol on one or more days during their life.




Percentage of students who had their first drink of alcohol other than a few sips before age 13.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days.



Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days.




2004-2005 Calhoun County Youth Health Survey


■ Drug Use

These questions measure the frequency of illegal drug use.

Percentage of students who used marijuana one or more times during their life.




Percentage of students who tried marijuana for the first time before age 13.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who used marijuana one or more times during the past 30 days.




Percentage of students, who sniffed glue, breathed the contents of aerosol spray cans or inhaled any paints or sprays to get high during their life.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who used methamphetamines one or more times during their life.




Percentage of students who used ecstasy one or more times during their life.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who used heroin one or more times during their life.



Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life.




2004-2005 Calhoun County Youth Health Survey


■ Sexual Activity

These questions measure the prevalence of sexual activity, number of sexual partners, age of first intercourse and alcohol and drug use related to sexual activity.

Percentage of students who have had sexual intercourse.




Percentage of students who had sexual intercourse for the first time before age 13.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who had sexual intercourse with four or more people during their life.




Percentage of students who had sexual intercourse during the past three months.



2004-2005 Calhoun County Youth Health Survey


Of those who had sexual intercourse, the percentage that drank alcohol or used drugs before last sexual intercourse.



■ Contraception

These questions measure use of contraception and identify whether a student has been pregnant or gotten someone pregnant.

Of students who had sexual intercourse, the percentage who used a condom during the last sexual intercourse.




2004-2005 Calhoun County Youth Health Survey

■ AIDS, HIV, & STDs

This question measures whether students have received HIV information at school.

Percentage of students who were ever taught about AIDS or HIV infection in school.




2004-2005 Calhoun County Youth Health Survey


■ Obesity

These questions measure self-perception of and efforts to modify body weight, including behaviors that may lead to eating disorders and other health problems.

Percentage of students who are overweight, as calculated by Body Mass Index.




Percentage of students who describe themselves as slightly or very overweight.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who were trying to lose weight.




Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days.




Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who took diet pills to lose weight or to keep from gaining weight during the past 30 days.



Percentage of students who fasted, or went without eating, for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days.




2004-2005 Calhoun County Youth Health Survey


■ Nutrition

These questions measure food choices.

Percentage of students who ate fruit four or more times during the past 7 days.




Percentage of students who drank fruit juices four or more times during the past 7 days.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who ate green salad four or more times during the past 30 days.




Percentage of students who ate potatoes four or more times during the past 30 days.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who ate carrots four or more times during the past 7 days.




Percentage of students who ate other vegetables four or more times during the past 7 days.



2004-2005 Calhoun County Youth Health Survey

Percentage of students who drank milk four or more times during the past 7 days.




2004-2005 Calhoun County Youth Health Survey


■ Physical Activity

These questions measure students' physical activity, including team sports, physical education class, and sports injuries.

Percentage of students who participated in a physical activity for at least 30 minutes that made them sweat and breathe hard on 3 or more of the past 7 days.




Percentage of students who participated in a physical activity for at least 30 minutes that did not make them sweat or breathe hard 3 or more of the past 7 days.




2004-2005 Calhoun County Youth Health Survey

Percentage of students who attended physical education (PE) class one or more days during an average school week.



Percentage of students who played on one or more sports teams during the past 12 months.




2004-2005 Calhoun County Youth Health Survey

■ Violence-Related Behaviors at School


These questions measure violence related behaviors at school.

Percentage of students who carried a weapon* on school property on one or more of the past 30 days.

*such as a gun, knife, or club.




Percentage of students who have had their property stolen or deliberately damaged during the past 12 months?




2004-2005 Calhoun County Youth Health Survey

Percentage of students who had been threatened or injured with a weapon on school property one or more times during the past 12 months.



Percentage of students who were in a physical fight on school property one or more times during the past 12 months.




2004-2005 Calhoun County Youth Health Survey


■ Tobacco Use at School

These questions measure tobacco use on school property.

Percentage of students who smoked cigarettes on school property on one or more of the past 30 days.



Percentage of students who used chewing tobacco or snuff on school property on one or more of the past 30 days




2004-2005 Calhoun County Youth Health Survey

■ Alcohol Use at School

This question measures alcohol use on school property.


Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days.



■ Drug Use at School


These questions measure drug use and availability on school property.

Percentage of students who used marijuana on school property on one or more of the past 30 days.



2004-2005 Calhoun County Youth Health Survey

Percentage of students who had someone offer, sell, or give them an illegal drug on school property during the past 12 months.



2004-2005 Calhoun County Youth Health Survey

2004-2005 Calhoun County Youth Health Survey Questionnaire

1. How old are you?		
	Number of Students	Percent of Total
12 OR YOUNGER	17	6
13	44	16
14	67	24
15	45	16
16	37	13
17	40	14
18 OR OLDER	32	11

2. What is your sex?		
	Number of Students	Percent of Total
FEMALE	132	47
MALE	146	53

Frequency Missing = 4

2004-2005 Calhoun County Youth Health Survey

3. In what grade are you?		
	Number of Students	Percent of Total
7TH	50	18
8TH	60	22
9TH	43	15
10TH	45	16
11TH	40	14
12TH	41	15

Frequency Missing = 3

5. How do you describe your health in general?		
	Number of Students	Percent of Total
EXCELLENT	51	18
VERY GOOD	82	30
GOOD	105	38
FAIR	28	10
POOR	10	4

Frequency Missing = 6

2004-2005 Calhoun County Youth Health Survey

8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
	Number of Students	Percent of Total
DID NOT RIDE	83	30
NEVER WORE	187	67
RARELY WORE	2	1
SOMETIMES WORE	4	1
WORE MOST OF THE TIME	2	1
ALWAYS WORE	1	0

Frequency Missing = 3

9. How often do you wear a seat belt when riding in a car driven by someone else?		
	Number of Students	Percent of Total
NEVER	24	9
RARELY	56	20
SOMETIMES	73	26
MOST OF THE TIME	84	30
ALWAYS	42	15

Frequency Missing = 3

2004-2005 Calhoun County Youth Health Survey

10. During the past 30 days,
how many times did you ride
in a car or other
vehicle driven by someone who
had been drinking alcohol?

	Number of Students	Percent of Total
0 TIMES	171	62
1 TIME	31	11
2-3 TIMES	38	14
4-5 TIMES	14	5
6+ TIMES	23	8

Frequency Missing = 5

11. During the past 30 days,
how many times did you drive
a car or other
vehicle when you had been drinking
alcohol?

	Number of Students	Percent of Total
0 TIMES	233	86
1 TIME	20	7
2-3 TIMES	11	4
4-5 TIMES	1	0
6+ TIMES	5	2

Frequency Missing = 12

2004-2005 Calhoun County Youth Health Survey

12. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
	Number of Students	Percent of Total
0 TIMES	171	64
1 TIME	18	7
2-3 TIMES	21	8
4-5 TIMES	8	3
6+ TIMES	49	18

Frequency Missing = 15

13. During the past 30 days, on how many days did you carry a gun?		
	Number of Students	Percent of Total
0 TIMES	231	84
1 TIME	13	5
2-3 TIMES	17	6
4-5 TIMES	2	1
6+ TIMES	11	4

Frequency Missing = 8

2004-2005 Calhoun County Youth Health Survey

14. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
	Number of Students	Percent of Total
0 TIMES	258	93
1 TIME	7	3
2-3 TIMES	3	1
4-5 TIMES	2	1
6+ TIMES	6	2

Frequency Missing = 6

15. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
	Number of Students	Percent of Total
0 TIMES	267	95
1 TIME	9	3
2-3 TIMES	4	1
4-5 TIMES	1	0
6+ TIMES	1	0

2004-2005 Calhoun County Youth Health Survey

16. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
	Number of Students	Percent of Total
0 TIMES	260	93
1 TIME	9	3
2-3 TIMES	8	3
4-5 TIMES	1	0
8-9 TIMES	1	0
12+ TIMES	1	0

Frequency Missing = 2

17. During the past 12 months, how many times has someone stolen or deliberately damaged your property?		
	Number of Students	Percent of Total
0 TIMES	199	71
1 TIME	37	13
2-3 TIMES	30	11
4-5 TIMES	6	2
6-7 TIMES	4	1
8-9 TIMES	1	0
12+ TIMES	2	1

Frequency Missing = 3

2004-2005 Calhoun County Youth Health Survey

18. During the past 12 months, how many times were you in a physical fight?		
	Number of Students	Percent of Total
0 TIMES	165	61
1 TIME	54	20
2-3 TIMES	36	13
4-5 TIMES	9	3
6-7 TIMES	3	1
8-9 TIMES	1	0
12+ TIMES	2	1

Frequency Missing = 12

19. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?		
	Number of Students	Percent of Total
0 TIMES	262	97
1 TIME	8	3
2-3 TIMES	1	0

Frequency Missing = 11

2004-2005 Calhoun County Youth Health Survey

20. During the past 12 months, how many times were you in a physical fight on school property?		
	Number of Students	Percent of Total
0 TIMES	230	82
1 TIME	35	12
2-3 TIMES	11	4
4-5 TIMES	1	0
6-7 TIMES	2	1
12+ TIMES	3	1

21. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
	Number of Students	Percent of Total
YES	53	19
NO	228	81

Frequency Missing = 1

22. Have you ever been forced to have sexual intercourse when you did not want to?		
	Number of Students	Percent of Total
YES	24	9
NO	256	91

Frequency Missing = 2

2004-2005 Calhoun County Youth Health Survey

23. During the past 12 months, did you ever feel sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?

	Number of Students	Percent of Total
YES	89	32
NO	193	68

24. During the past 12 months, did you ever seriously consider attempting suicide?

	Number of Students	Percent of Total
YES	44	17
NO	216	83

Frequency Missing = 22

25. During the past 12 months, did you make a plan about how you would attempt suicide?

	Number of Students	Percent of Total
YES	41	15
NO	241	85

2004-2005 Calhoun County Youth Health Survey

26. During the past 12 months, how many times did you actually attempt suicide?		
	Number of Students	Percent of Total
0 TIMES	205	93
1 TIME	7	3
2-3 TIMES	5	2
4-5 TIMES	2	1
6+ TIMES	2	1

Frequency Missing = 61

27. If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
	Number of Students	Percent of Total
N/A	206	91
YES	6	3
NO	15	7

Frequency Missing = 55

2004-2005 Calhoun County Youth Health Survey

28. Have you ever tried cigarette smoking, even one or two puffs?		
	Number of Students	Percent of Total
YES	181	66
NO	94	34

Frequency Missing = 7

29. How old were you when you smoked a whole cigarette for the first time?		
	Number of Students	Percent of Total
NEVER TRIED	145	54
8 OR YOUNGER	20	7
AGE 9-10	15	6
AGE 11-12	32	12
AGE 13-14	30	11
AGE 15-16	20	7
17 OR OLDER	8	3

Frequency Missing = 12

2004-2005 Calhoun County Youth Health Survey

30. During the past 30 days, on how many days did you smoke cigarettes?		
	Number of Students	Percent of Total
0 DAYS	207	76
1-2 DAYS	19	7
3-5 DAYS	9	3
6-9 DAYS	11	4
10-19 DAYS	3	1
20-29 DAYS	6	2
ALL 30 DAYS	16	6

Frequency Missing = 11

31. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
	Number of Students	Percent of Total
NONE IPM	207	77
LT 1 PER DAY	16	6
1/DAY	12	4
2-5/DAY	26	10
6-10/DAY	7	3
11-20/DAY	1	0
21+ /DAY	1	0

Frequency Missing = 12

2004-2005 Calhoun County Youth Health Survey

32. During the past 30 days, how did you usually get your own cigarettes?

	Number of Students	Percent of Total
NONE IN THE PAST MONTH	208	76
STORE BOUGHT	14	5
MACHINE BOUGHT	2	1
SOMEONE ELSE BOUGHT	17	6
BORROWED THEM	13	5
PERSON 18 OR OLDER GAVE THEM	7	3
TOOK FROM A STORE OR FAMILY MEMBER	5	2
SOME OTHER WAY	6	2

Frequency Missing = 10

33. During the past 30 days, on how many days did you smoke cigarettes on school property?

	Number of Students	Percent of Total
0 DAYS	273	98
1-2 DAYS	2	1
3-5 DAYS	2	1
6-9 DAYS	1	0
20-29 DAYS	1	0
ALL 30 DAYS	1	0

Frequency Missing = 2

2004-2005 Calhoun County Youth Health Survey

34. Have you ever smoked cigarettes regularly, that is, at least one cigarette every day for 30 days?		
	Number of Students	Percent of Total
YES	36	13
NO	237	87

Frequency Missing = 9

35. Have you ever tried to quit smoking cigarettes?		
	Number of Students	Percent of Total
N/A	195	71
YES	42	15
NO	37	14

Frequency Missing = 8

2004-2005 Calhoun County Youth Health Survey

36. During the past 30 days, on how many days did you use chewing tobacco or snuff, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
	Number of Students	Percent of Total
0 DAYS	231	83
1-2 DAYS	13	5
3-5 DAYS	10	4
6-9 DAYS	5	2
10-19 DAYS	2	1
20-29 DAYS	1	0
ALL 30 DAYS	16	6

Frequency Missing = 4

37. During the past 30 days, on how many days did you use chewing tobacco or snuff on school property?		
	Number of Students	Percent of Total
0 DAYS	257	92
1-2 DAYS	7	3
3-5 DAYS	2	1
6-9 DAYS	2	1
10-19 DAYS	3	1
20-29 DAYS	2	1
ALL 30 DAYS	5	2

Frequency Missing = 4

2004-2005 Calhoun County Youth Health Survey

38. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
	Number of Students	Percent of Total
0 DAYS	250	89
1-2 DAYS	13	5
3-5 DAYS	9	3
6-9 DAYS	2	1
10-19 DAYS	4	1
20-29 DAYS	1	0
ALL 30 DAYS	2	1

Frequency Missing = 1

39. During your life, on how many days have you had at least one drink of alcohol?		
	Number of Students	Percent of Total
0 DAYS	61	25
1-2 DAYS	33	14
3-9 DAYS	45	18
10-19 DAYS	29	12
20-39 DAYS	26	11
40-99 DAYS	26	11
100+ DAYS	24	10

Frequency Missing = 38

2004-2005 Calhoun County Youth Health Survey

40. How old were you when you had your first drink of alcohol other than a few sips?		
	Number of Students	Percent of Total
NEVER TRIED	61	25
8 OR YOUNGER	37	15
AGE 9-10	35	15
AGE 11-12	36	15
AGE 13-14	37	15
AGE 15-16	33	14
17 OR OLDER	1	0

Frequency Missing = 42

41. During the past 30 days, on how many days did you have at least one drink of alcohol?		
	Number of Students	Percent of Total
0 DAYS	157	60
1-2 DAYS	51	20
3-5 DAYS	32	12
6-9 DAYS	8	3
10-19 DAYS	7	3
20-29 DAYS	5	2
ALL 30 DAYS	1	0

Frequency Missing = 21

2004-2005 Calhoun County Youth Health Survey

42. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
	Number of Students	Percent of Total
0 DAYS	208	76
1 DAY	25	9
2 DAYS	20	7
3-5 DAYS	8	3
6-9 DAYS	5	2
10-19 DAYS	3	1
20+ DAYS	3	1

Frequency Missing = 10

43. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		
	Number of Students	Percent of Total
0 DAYS	270	97
1-2 DAYS	7	3

Frequency Missing = 5

2004-2005 Calhoun County Youth Health Survey

44. During you life, how many times have you used marijuana?		
	Number of Students	Percent of Total
0 TIMES	188	69
1-2 TIMES	23	8
3-9 TIMES	23	8
10-19 TIMES	8	3
20-39 TIMES	14	5
40-99 TIMES	5	2
100+ TIMES	10	4

Frequency Missing = 11

45. How old were you when you tried marijuana for the first time?		
	Number of Students	Percent of Total
NEVER TRIED	190	69
8 OR YOUNGER	1	0
AGE 9-10	6	2
AGE 11-12	17	6
AGE 13-14	31	11
AGE 15-16	25	9
17 OR OLDER	6	2

Frequency Missing = 6

2004-2005 Calhoun County Youth Health Survey

46. During the past 30 days, how many times did you use marijuana?		
	Number of Students	Percent of Total
0 TIMES	240	88
1-2 TIMES	13	5
3-9 TIMES	11	4
10-19 TIMES	3	1
20-39 TIMES	2	1
40+ TIMES	5	2

Frequency Missing = 8

47. During the past 30 days, how many times did you use marijuana on school property?		
	Number of Students	Percent of Total
0 TIMES	274	98
1-2 TIMES	2	1
3-9 TIMES	2	1
10-19 TIMES	1	0
40+ TIMES	1	0

Frequency Missing = 2

2004-2005 Calhoun County Youth Health Survey

48. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

	Number of Students	Percent of Total
0 TIMES	269	97
1-2 TIMES	5	2
20-39 TIMES	1	0
40+ TIMES	2	1

Frequency Missing = 5

49. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?

	Number of Students	Percent of Total
0 TIMES	274	98
1-2 TIMES	2	1
3-9 TIMES	2	1
40+ TIMES	1	0

Frequency Missing = 3

2004-2005 Calhoun County Youth Health Survey

50. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?

	Number of Students	Percent of Total
0 TIMES	230	82
1-2 TIMES	22	8
3-9 TIMES	10	4
10-19 TIMES	6	2
20-39 TIMES	1	0
40+ TIMES	10	4

Frequency Missing = 3

51. During your life, how many times have your used heroin (also called smack, junk, or China White)?

	Number of Students	Percent of Total
0 TIMES	274	99
1-2 TIMES	1	0
3-9 TIMES	1	0
40+ TIMES	2	1

Frequency Missing = 4

2004-2005 Calhoun County Youth Health Survey

52. During your life, how many times have you used methamphetamines(also called speed, crystal, crank or ice)?

	Number of Students	Percent of Total
0 TIMES	263	96
1-2 TIMES	4	1
3-9 TIMES	2	1
10-19 TIMES	3	1
40+ TIMES	2	1

Frequency Missing = 8

53. During your life, how many times have you used ecstasy?

	Number of Students	Percent of Total
0 TIMES	261	94
1-2 TIMES	6	2
3-9 TIMES	5	2
20-39 TIMES	3	1
40+ TIMES	3	1

Frequency Missing = 4

2004-2005 Calhoun County Youth Health Survey

54. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
	Number of Students	Percent of Total
0 TIMES	271	96
1-2 TIMES	6	2
3-9 TIMES	1	0
10-19 TIMES	2	1
40+ TIMES	1	0

Frequency Missing = 1

55. During your life, how many times have you used a needle to inject any illegal drug into your body?		
	Number of Students	Percent of Total
0 TIMES	277	99
1 TIME	1	0
2+ TIMES	3	1

Frequency Missing = 1

56. During the past 12 months, has anyone offered, sold or given you an illegal drug on school property?		
	Number of Students	Percent of Total
YES	68	24
NO	214	76

2004-2005 Calhoun County Youth Health Survey

57. Have you ever had sexual intercourse?		
	Number of Students	Percent of Total
YES	134	53
NO	118	47

Frequency Missing = 30

58. How old were you when you had sexual intercourse for the first time?		
	Number of Students	Percent of Total
NEVER	118	47
AGE 11 OR YOUNGER	20	8
AGE 12	23	9
AGE 13	32	13
AGE 14	16	6
AGE 15	23	9
AGE 16	14	6
AGE 17+	7	3

Frequency Missing = 29

2004-2005 Calhoun County Youth Health Survey

59. During your life, with how many people have you had sexual intercourse?		
	Number of Students	Percent of Total
NONE	118	47
1 PERSON	37	15
2 PEOPLE	26	10
3 PEOPLE	23	9
4 PEOPLE	12	5
5 PEOPLE	8	3
6 OR MORE PEOPLE	28	11

Frequency Missing = 30

60. During the past 3 months, with how many people did you have sexual intercourse?		
	Number of Students	Percent of Total
NONE AT ALL	118	47
NONE IN PAST 3 MONTHS	42	17
1 PERSON	57	23
2 PEOPLE	21	8
3 PEOPLE	5	2
4 PEOPLE	1	0
5 PEOPLE	1	0
6 OR MORE PEOPLE	7	3

Frequency Missing = 30

2004-2005 Calhoun County Youth Health Survey

61. Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
	Number of Students	Percent of Total
N/A	118	48
YES	21	9
NO	108	44

Frequency Missing = 35

62. The last time you had sexual intercourse, did you or your partner use condom?		
	Number of Students	Percent of Total
N/A	118	47
YES	79	32
NO	52	21

Frequency Missing = 33

2004-2005 Calhoun County Youth Health Survey

63. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
	Number of Students	Percent of Total
NEVER HAD SEX	118	48
NO BIRTH CONTROL USED	23	9
BIRTH CONTROL PILLS	22	9
CONDOMS	54	22
DEPO-PROVERA	2	1
WITHDRAWAL	20	8
OTHER	2	1
NOT SURE	5	2

Frequency Missing = 36

64. How do you describe your weight?		
	Number of Students	Percent of Total
VERY UNDERWEIGHT	10	4
SLIGHTLY UNDERWEIGHT	25	9
ABOUT THE RIGHT WEIGHT	127	45
SLIGHTLY OVERWEIGHT	104	37
VERY OVERWEIGHT	14	5

Frequency Missing = 2

2004-2005 Calhoun County Youth Health Survey

65. Which of the following are you trying to do about your weight?		
	Number of Students	Percent of Total
LOSE WEIGHT	158	56
GAIN WEIGHT	41	15
STAY THE SAME WEIGHT	48	17
NOT TRYING TO DO ANYTHING	34	12

Frequency Missing = 1

66. During the past 30 days, did you exercise to lose weight or to keep from gaining weight?		
	Number of Students	Percent of Total
YES	183	66
NO	95	34

Frequency Missing = 4

67. During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight?		
	Number of Students	Percent of Total
YES	116	42
NO	161	58

Frequency Missing = 5

2004-2005 Calhoun County Youth Health Survey

68. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?

	Number of Students	Percent of Total
YES	38	14
NO	241	86

Frequency Missing = 3

69. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight?

	Number of Students	Percent of Total
YES	25	9
NO	255	91

Frequency Missing = 2

2004-2005 Calhoun County Youth Health Survey

70. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
	Number of Students	Percent of Total
YES	25	9
NO	255	91

Frequency Missing = 2

71. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
	Number of Students	Percent of Total
NONE	83	30
1-3 TIMES	100	36
4-6 TIMES	43	15
ONCE PER DAY	14	5
TWICE PER DAY	18	6
3 TIMES PER DAY	7	3
4+ TIMES PER DAY	14	5

Frequency Missing = 3

2004-2005 Calhoun County Youth Health Survey

72. During the past 7 days, how many times did you eat fruit?		
	Number of Students	Percent of Total
NONE	65	23
1-3 TIMES	119	43
4-6 TIMES	47	17
ONCE PER DAY	18	6
TWICE PER DAY	15	5
3 TIMES PER DAY	5	2
4+ TIMES PER DAY	10	4

Frequency Missing = 3

73. During the past 7 days, how many times did you eat green salad?		
	Number of Students	Percent of Total
NONE	138	49
1-3 TIMES	94	34
4-6 TIMES	30	11
ONCE PER DAY	10	4
TWICE PER DAY	5	2
3 TIMES PER DAY	2	1

Frequency Missing = 3

2004-2005 Calhoun County Youth Health Survey

74. During the past 7 days, how many times did you eat potatoes?		
	Number of Students	Percent of Total
NONE	97	35
1-3 TIMES	126	45
4-6 TIMES	35	12
ONCE PER DAY	9	3
TWICE PER DAY	6	2
3 TIMES PER DAY	3	1
4+ TIMES PER DAY	5	2

Frequency Missing = 1

75. During the past 7 days, how many times did you eat carrots?		
	Number of Students	Percent of Total
NONE	183	66
1-3 TIMES	71	25
4-6 TIMES	8	3
ONCE PER DAY	7	3
TWICE PER DAY	2	1
3 TIMES PER DAY	2	1
4+ TIMES PER DAY	6	2

Frequency Missing = 3

2004-2005 Calhoun County Youth Health Survey

76. During the past 7 days, how many times did you eat other vegetables?		
	Number of Students	Percent of Total
NONE	78	28
1-3 TIMES	109	39
4-6 TIMES	66	24
ONCE PER DAY	10	4
TWICE PER DAY	8	3
3 TIMES PER DAY	3	1
4+ TIMES PER DAY	4	1

Frequency Missing = 4

77. During the past 7 days, how many glasses of milk did you drink?		
	Number of Students	Percent of Total
NONE	63	23
1-3 TIMES	73	26
4-6 TIMES	59	21
ONCE PER DAY	24	9
TWICE PER DAY	25	9
3 TIMES PER DAY	14	5
4+ TIMES PER DAY	19	7

Frequency Missing = 5

2004-2005 Calhoun County Youth Health Survey

78. On how many of the past
7 days did you exercise or
participate in physical activity
for at least
20 minutes that made you
sweat and breathe hard, such
as basketball, soccer
running, swimming
laps, fast bicycling, fast
dancing or similar aerobics activities?

	Number of Students	Percent of Total
0 DAYS	54	20
1 DAY	23	8
2 DAYS	15	6
3 DAYS	30	11
4 DAYS	18	7
5 DAYS	37	14
6 DAYS	14	5
7 DAYS	81	30

Frequency Missing = 10

2004-2005 Calhoun County Youth Health Survey

79. On how many of the past
7 days did you participate
in physical activity for
at least
30 minutes that did not make
you sweat or breathe hard,
such as fast walking,
slow bicycling,
skating, pushing a lawn mower/mopping
floors?

	Number of Students	Percent of Total
0 DAYS	114	41
1 DAY	42	15
2 DAYS	21	8
3 DAYS	20	7
4 DAYS	14	5
5 DAYS	18	6
6 DAYS	4	1
7 DAYS	44	16

Frequency Missing = 5

2004-2005 Calhoun County Youth Health Survey

80. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
	Number of Students	Percent of Total
0 DAYS	70	25
1 DAY	25	9
2 DAYS	29	10
3 DAYS	29	10
4 DAYS	25	9
5 DAYS	32	11
6 DAYS	9	3
7 DAYS	61	22

Frequency Missing = 2

81. On an average school day, how many hours do you watch TV?		
	Number of Students	Percent of Total
NO TV	22	8
LT ONE HOUR	37	14
1 HOUR	34	12
2 HOURS	56	20
3 HOURS	56	20
4 HOURS	29	11
5+ HOURS	40	15

Frequency Missing = 8

2004-2005 Calhoun County Youth Health Survey

82. In an average week when you are in school, on how many days do you go to physical education classes?		
	Number of Students	Percent of Total
0 DAYS	98	38
1 DAY	8	3
2 DAYS	3	1
3 DAYS	2	1
5 DAYS	147	57

Frequency Missing = 24

83. In an average week when you are in school, on how many minutes do you spend actually exercising or playing sports?		
	Number of Students	Percent of Total
NO PE CLASS	98	38
LT 10 MINUTES	6	2
10-20 MINUTES	8	3
21-30 MINUTES	16	6
31-40 MINUTES	26	10
41-50 MINUTES	66	25
51-60 MINUTES	28	11
OVER 60 MINUTES	12	5

Frequency Missing = 22

2004-2005 Calhoun County Youth Health Survey

84. During the past 12 months, on how many sports teams did you play?		
	Number of Students	Percent of Total
0 TEAMS	92	33
1 TEAM	85	31
2 TEAMS	56	20
3+ TEAMS	45	16

Frequency Missing = 4

85. Have you ever been taught about AIDS or HIV infection in school?		
	Number of Students	Percent of Total
YES	224	82
NO	34	12
NOT SURE	15	5

Frequency Missing = 9

86. Has a doctor or nurse ever told you that you have asthma?		
	Number of Students	Percent of Total
YES	44	16
NO	223	81
NOT SURE	8	3

Frequency Missing = 7

2004-2005 Calhoun County Youth Health Survey

87. During the past
12 months, have you had an episode of asthma
or an asthma attack?

	Number of Students	Percent of Total
I DO NOT HAVE ASTHMA	220	81
NO, I HAVE ASTHMA, BUT NO EPISODE OF ASTHMA OR AN ASTHMA ATTACK DURING THE PAST 12 MONTHS	32	12
YES, I HAVE HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK DURING THE PAST 12 MONTHS	11	4
NOT SURE	9	3

Frequency Missing = 10

Internet Resources for Educators, Parents, and Teens

For more information about the County Youth Health Survey (CYHS) and the risk behaviors it covers, please see the following Internet resources.

The Youth Risk Behavior Study

This page is the United States Centers for Disease Control and Prevention's (CDC's) overview of the methods, results, and uses of CYHS data.

<http://www.cdc.gov/healthyyouth/yrbs/index.htm>

Violence

These sites include information about warning signs and prevention of violence among adolescents.

The American Psychological Association's site about youth violence warning signs, and information about how to get help for violent youth.

<http://helping.apa.org/warningsigns/index.html>

This information about understanding violent behavior among youth is provided by the American Academy of Adolescent and Child Psychiatry.

<http://www.aacap.org/publications/factsfam/behavior.htm>

Tobacco , Alcohol, and Other Drug Use

These pages provide information about tobacco, alcohol, and other drug use prevention, and treatment for youth and their families.

The Campaign for Tobacco-Free Kids is the country's largest non-government initiative ever launched to protect children from tobacco addiction and exposure to second-hand smoke.

<http://www.tobaccofreekids.org>

Arkansans for Drug Free Youth is an organization dedicated to educating and motivating Arkansas youth, families, and communities in the development of healthy, drug free youth.

<http://www.adfy.com>

PREVline (Prevention Online) offers hundreds of files about alcohol, tobacco, and other drugs from the National Clearinghouse for Alcohol and Drug Information.

<http://www.health.org>

Teen Pregnancy and Sexual Behavior

These sites provide information about teen sexuality, pregnancy, and STD's.

The Alan Guttmacher Institute provides reliable, balanced, nonpartisan information on sexual activity, contraception, abortion, and childbearing. <http://www.agi-usa.org/home.html>

The mission of the National Campaign to Prevent Teen Pregnancy is to prevent teen pregnancy by supporting values and stimulating actions that are consistent with a pregnancy-free adolescence. Their site contains tips for teens, parents, and faith communities on ways they can help prevent teen pregnancy and the spread of sexually transmitted diseases.

<http://www.teenpregnancy.org/>

Nutrition and Physical Activity

The following sites are dedicated to providing information about healthy eating and exercise.

The American Dietetic Association promotes optimal nutrition and well being for all people.

<http://www.eatright.org>

The American Council on Exercise (ACE) is committed to promoting active, healthy lifestyles and their positive effects on the mind, body and spirit.

<http://www.acefitness.org/>

Mental Health Issues

This sites provides information regarding mental health issues including depression, suicide, mental illnesses, and how to get help.

The National Mental Health Association is dedicated to promoting mental health, preventing mental disorders and achieving victory over mental illnesses through advocacy, education, research and service.

<http://www.nmha.org>

2004-2005 Calhoun County Youth Health Survey

Parenting Teens

These links connect to sites for parents of teenagers. Issues covered include tips for communicating with teens, health, education, substance abuse, eating disorders, and other topics of interest to parents of teenagers.

From About.com, a site with original articles about parenting and links to other sites of interest to parents of teens.

<http://parentingteens.about.com/home/parenting/parentingteens/>

From Parent's Soup, a site with articles and information from educators, experts, and parents.

<http://www.parentsoup.com/community/teens.html>

Links for Teens

The following sites are designed for teenagers with content by teens covering a variety of topics including health and education, creative expression, and practical advice.

About.com's site for teenagers, including message boards and creative writing from real teens.

<http://teenexchange.about.com/kidsteens/ktteens/teenexchange/>

Teen Voice is a youth magazine covering issues facing teenage girls and young women today including topics such as health, education, substance abuse, and body image.

<http://www.teenvoices.com>

Miscellaneous

The Annie E. Casey Foundation is a private charitable organization dedicated to helping build better futures for disadvantaged children in the U.S.

<http://www.aecf.org>

The U.S. Department of Health & Human Services

<http://www.dhhs.gov>