

ARKANSAS

2005 Diabetes Module Variables Report

Behavioral Risk Factor Surveillance System

April 10, 2006



MODULE 1: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

MODULE 1: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30
	WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
28	MALES AND FEMALES	31
29	MALES ONLY	32
30	FEMALES ONLY	33
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	34
32	MALES ONLY	35
33	FEMALES ONLY	36
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	37

MODULE 1: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
35	MALES ONLY	38
36	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	511	162,219	13	2.9	1.26-4.64	38	11.6	7.42-15.8	131	27.6	23.1-32.2	194	35.0	30.4-39.7	135	22.8	19.0-26.7
Male	200	80,711	3	1.3	0.00-2.92	12	10.1	3.93-16.2	44	24.8	18.0-31.7	80	38.0	30.6-45.4	61	25.7	19.5-32.0
Female	311	81,508	10	4.5	1.61-7.45	26	13.1	7.41-18.9	87	30.4	24.4-36.3	114	32.0	26.4-37.6	74	19.9	15.4-24.5
White/Non-Hisp	408	128,920	11	2.9	1.10-4.66	27	10.6	6.13-15.0	94	25.1	20.2-29.9	154	35.3	30.1-40.5	122	26.2	21.6-30.7
Black or Af. Am./Non-Hisp	51	14,733	1	2.9	0.00-8.41	1	0.9	0.00-2.83							3	6.5	0.00-14.7
45-54	110	36,851	7	6.1	1.43-10.8	10	11.1	2.66-19.5				41	33.3	23.4-43.1			
55-64	152	42,902				3	1.7	0.00-3.65	34	22.8	15.4-30.3	98	65.1	56.7-73.5	17	10.4	5.14-15.6
65+	194	55,655				6	3.6	0.09-7.03	16	8.3	4.08-12.5	54	29.6	22.2-37.0	118	58.5	50.7-66.4
Less Than H.S.	89	30,312	1	1.4	0.00-4.11				23	24.2	14.4-34.1						
H.S. or G.E.D.	197	60,681	6	3.9	0.78-7.02	13	8.6	3.26-13.9	46	26.7	19.4-34.1	76	37.6	30.0-45.1	56	23.2	17.2-29.2
Some Post-H.S.	128	38,105	6	5.2	0.62-9.84	8	9.6	2.05-17.2	37	33.3	23.5-43.1	49	31.4	22.8-39.9	28	20.4	12.9-28.0
College Graduate	97	33,121							25	25.7	16.0-35.4				23	20.6	11.9-29.3
Less than \$15,000	107	27,534	2	3.4	0.00-8.05	8	11.2	2.67-19.6	28	26.6	16.9-36.4				26	21.6	13.3-30.0
\$15,000- 24,999	120	36,129	5	4.4	0.38-8.50	11	12.9	3.33-22.4	27	23.3	14.7-31.8	41	33.8	24.3-43.3	36	25.6	17.1-34.1
\$25,000- 34,999	68	23,659	4	6.0	0.00-12.4	2	6.5	0.00-15.8									
\$35,000- 49,999	52	17,426	1	2.0	0.00-5.79	2	5.2	0.00-12.2									
\$50,000- 74,999	62	20,688				5	9.4	0.51-18.3							5	6.2	0.37-12.1

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	81,508	10	4.5	1.59-7.47	26	13.1	7.41-18.9	87	30.4	24.4-36.3	114	32.0	26.4-37.6	74	19.9	15.4-24.5
White/Non-Hisp	242	62,681	8	4.2	1.17-7.21	17	10.5	5.31-15.8	60	27.8	21.3-34.3	90	33.9	27.5-40.3	67	23.6	18.1-29.0
45-54	82	22,359	5	6.9	0.77-13.1	8	9.8	2.87-16.6									
55-64	87	19,529				1	1.3	0.00-4.00	19	22.3	12.5-32.1				10	8.5	3.05-13.9
65+	104	23,878				4	5.9	0.00-13.0	11	10.6	4.18-17.1	25	22.3	13.8-30.8			
Less Than H.S.	55	15,943	1	2.6	0.00-7.80												
H.S. or G.E.D.	125	33,014	5	6.0	0.84-11.2	8	7.9	2.04-13.8	35	31.1	22.0-40.3	46	34.1	25.3-43.0	31	20.8	13.6-28.0
Some Post-H.S.	82	20,249	4	6.3	0.00-13.3	6	10.3	1.07-19.5							15	14.8	7.25-22.3
Less than \$15,000	81	17,887	2	5.2	0.00-12.3												
\$15,000- 24,999	73	20,415	3	4.9	0.00-10.7										19	18.3	9.46-27.1

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	526	167,060	122	23.9	19.6-28.1	404	76.1	71.9-80.4
Male	205	83,270	54	25.8	19.0-32.6	151	74.2	67.4-81.0
Female	321	83,790	68	22.0	16.9-27.1	253	78.0	72.9-83.1
White/Non-Hisp	417	132,171	98	25.0	20.1-29.9	319	75.0	70.1-79.9
55-64	157	44,399	30	20.4	13.1-27.6	127	79.6	72.4-86.9
65+	201	57,195	49	22.4	16.3-28.5	152	77.6	71.5-83.7
H.S. or G.E.D.	199	61,148	48	24.3	17.6-30.9	151	75.8	69.1-82.4
Some Post-H.S.	131	38,875	21	15.5	8.87-22.2	110	84.5	77.8-91.1
Less than \$15,000	114	30,063	34	29.3	19.5-39.1	80	70.7	60.9-80.5
\$15,000- 24,999	120	36,200	30	23.9	15.6-32.1	90	76.1	67.9-84.4
\$50,000- 74,999	62	20,688	8	13.1	4.04-22.2	54	86.9	77.8-96.0

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	205	83,270	54	25.8	18.9-32.7	151	74.2	67.4-81.1
White/Non-Hisp	171	68,617	47	27.1	19.4-34.8	124	72.9	65.2-80.6
65+	92	32,300	23	22.2	13.5-30.8	69	77.8	69.2-86.5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	321	83,790	68	22.0	16.9-27.1	253	78.0	72.9-83.1	
White/Non-Hisp	246	63,554	51	22.7	16.8-28.6	195	77.3	71.4-83.2	
55-64	91	20,653	15	18.9	9.51-28.2	76	81.1	71.8-90.5	
65+	109	24,896	26	22.7	14.3-31.0	83	77.3	69.0-85.7	
H.S. or G.E.D.	128	33,675	31	25.4	17.1-33.7	97	74.6	66.3-82.9	
Some Post-H.S.	83	20,447	8	9.7	2.93-16.5	75	90.3	83.5-97.1	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	527	167,254	377	72.3	67.8-76.8	150	27.7	23.2-32.2
Male	206	83,464	149	72.3	65.1-79.4	57	27.8	20.6-34.9
Female	321	83,790	228	72.3	66.9-77.7	93	27.7	22.3-33.1
White/Non-Hisp	417	132,171	291	69.7	64.4-74.9	126	30.3	25.1-35.6
Black or Af. Am./Non-Hisp	55	15,738	43	83.8	74.1-93.6	12	16.2	6.44-25.9
55-64	157	44,399	120	78.5	71.7-85.3	37	21.5	14.7-28.3
65+	202	57,389	149	76.3	70.2-82.5	53	23.7	17.5-29.8
H.S. or G.E.D.	200	61,341	148	78.0	71.7-84.2	52	22.0	15.8-28.3
Some Post-H.S.	131	38,875	91	68.3	59.0-77.7	40	31.7	22.3-41.0
\$15,000- 24,999	121	36,393	84	73.5	65.3-81.8	37	26.5	18.2-34.7

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	206	83,464	149	72.3	65.0-79.5	57	27.8	20.5-35.0
White/Non-Hisp	171	68,617	119	68.9	60.7-77.2	52	31.1	22.8-39.3
55-64	66	23,746	51	78.7	68.7-88.7	15	21.3	11.3-31.3
65+	93	32,493	67	76.7	68.0-85.4	26	23.3	14.6-32.0

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	321	83,790	228	72.3	66.9-77.8	93	27.7	22.2-33.1
White/Non-Hisp	246	63,554	172	70.5	64.2-76.7	74	29.5	23.3-35.8
55-64	91	20,653	69	78.2	69.3-87.2	22	21.8	12.8-30.7
65+	109	24,896	82	75.9	67.2-84.5	27	24.1	15.5-32.8
H.S. or G.E.D.	128	33,675	94	76.6	69.0-84.2	34	23.4	15.8-31.0

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes**

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Day			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	514	162,546	45	8.7	5.80-11.5	330	63.5	58.7-68.4	98	19.9	15.9-23.9	33	6.2	3.96-8.36	8	1.7	0.14-3.28
Male	202	81,119	13	7.5	3.04-11.9	131	64.7	57.3-72.1	44	21.0	15.0-27.1	11	4.8	1.88-7.76	3	2.0	0.00-4.76
Female	312	81,427	32	9.8	6.18-13.5	199	62.4	56.2-68.6	54	18.8	13.7-23.9	22	7.5	4.27-10.7	5	1.4	0.02-2.88
White/Non-Hisp	407	128,228	34	8.0	4.88-11.1	265	64.0	58.6-69.4	74	20.0	15.5-24.5	27	6.2	3.75-8.65	7	1.9	0.00-3.76
Black or Af. Am./Non-Hisp	55	15,738	2	4.4	0.00-11.4							2	4.6	0.00-10.9			
45-54	110	37,546	14	11.8	4.25-19.3				18	18.8	10.2-27.4	7	4.8	1.05-8.45	2	1.5	0.00-3.58
55-64	155	43,893	13	8.2	3.36-13.0	94	59.4	50.9-68.0	36	24.9	17.4-32.4	11	7.3	2.71-11.9	1	0.1	0.00-0.44
65+	197	56,089	14	7.6	3.36-11.9	135	68.0	60.8-75.3	33	15.8	10.3-21.3	11	6.7	2.73-10.6	4	1.8	0.00-3.93
Less Than H.S.	91	32,040	12	12.2	3.71-20.6				10	11.7	4.42-18.9	6	6.4	1.17-11.6	2	1.7	0.00-4.43
H.S. or G.E.D.	196	60,193	14	7.1	3.24-11.0	130	65.5	57.9-73.1	43	21.1	14.7-27.5	8	4.5	1.32-7.68	1	1.8	0.00-5.39
Some Post-H.S.	127	36,614	10	7.7	2.37-13.1	76	58.0	48.2-67.8	23	21.8	13.0-30.6	13	9.4	4.06-14.8	5	3.0	0.04-6.04
College Graduate	100	33,699	9	9.2	2.55-15.8				22	23.6	14.2-33.1	6	5.4	0.86-9.96			
Less than \$15,000	110	29,244	13	16.2	6.40-26.1				14	11.8	4.89-18.7	3	1.8	0.00-3.97			
\$15,000- 24,999	121	36,393	7	4.7	1.11-8.29	78	65.7	56.3-75.2	21	17.4	9.82-25.1	13	10.6	4.79-16.4	2	1.5	0.00-3.90
\$25,000- 34,999	67	23,237	7	9.8	1.96-17.7							2	2.8	0.00-6.93	2	6.0	0.00-15.2
\$35,000- 49,999	52	17,250	4	8.6	0.00-17.8							4	8.9	0.29-17.4	1	1.6	0.00-4.81
\$50,000- 74,999	61	20,344	5	6.5	0.26-12.7							6	7.8	1.57-14.0	2	2.2	0.00-5.99

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Day			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	202	81,119	13	7.5	3.02-12.0	131	64.7	57.3-72.1	44	21.0	14.9-27.2	11	4.8	1.90-7.74	3	2.0	0.00-4.76
White/Non-Hisp	167	66,272	9	6.2	1.54-10.9	109	64.4	56.2-72.7	37	22.3	15.4-29.3	10	5.2	1.87-8.53	2	1.8	0.00-5.07
55-64	65	23,372	4	7.2	0.01-14.4							3	4.8	0.00-10.5			
65+	92	32,106	4	5.0	0.00-10.4				16	16.1	8.14-24.0	7	7.9	2.11-13.8	2	1.5	0.00-3.94
H.S. or G.E.D.	71	27,191	4	5.7	0.00-11.4							3	4.8	0.00-10.2	1	4.1	0.00-11.8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			Times per Day			Times per Week			Times per Month			Times per Year		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	312	81,427	32	9.8	6.18-13.5	199	62.4	56.2-68.6	54	18.8	13.7-23.9	22	7.5	4.27-10.7	5	1.4	0.02-2.88
White/Non-Hisp	240	61,956	25	9.9	5.82-14.0	156	63.4	56.6-70.3	37	17.5	11.8-23.2	17	7.3	3.65-10.9	5	1.9	0.03-3.79
45-54	81	21,867	11	11.6	4.38-18.8							6	7.1	1.23-12.9	2	2.6	0.00-6.10
55-64	90	20,521	9	9.3	3.03-15.7				16	17.7	9.32-26.1	8	10.1	2.87-17.4	1	0.3	0.00-0.95
65+	105	23,984	10	11.1	4.15-18.0				17	15.5	8.21-22.8	4	5.0	0.14-9.78	2	2.3	0.00-5.91
Less Than H.S.	54	15,877	9	12.7	3.90-21.5				5	10.6	0.84-20.4	4	9.0	0.15-17.9	2	3.5	0.00-8.91
H.S. or G.E.D.	125	33,002	10	8.3	3.02-13.5	85	68.5	59.6-77.3	25	19.0	11.6-26.5	5	4.2	0.47-7.99			
Some Post-H.S.	81	19,682	8	11.0	2.55-19.4							9	10.3	3.49-17.1	3	3.2	0.00-7.17
College Graduate	52	12,866	5	8.5	0.40-16.7							4	9.7	0.08-19.3			
Less than \$15,000	81	17,804	9	12.9	4.15-21.7				9	9.8	3.33-16.3	2	1.7	0.00-4.10			
\$15,000- 24,999	74	20,679	6	6.5	1.19-11.8				13	18.0	8.06-28.0	10	12.7	4.71-20.7	2	2.7	0.00-6.85

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	515	164,050	370	69.6	64.9-74.4	75	15.0	11.4-18.7	16	3.0	1.45-4.47	2	0.8	0.00-2.22	42	9.0	5.98-12.0	10	2.5	0.71-4.35
Male	202	81,956	144	68.4	60.8-76.0	26	13.7	7.96-19.4	7	3.0	0.74-5.28	1	1.4	0.00-4.15	20	10.7	5.59-15.7	4	2.9	0.00-5.99
Female	313	82,094	226	70.9	65.2-76.6	49	16.4	11.7-21.1	9	2.9	0.94-4.86	1	0.2	0.00-0.71	22	7.3	4.07-10.6	6	2.2	0.33-4.05
White/Non-Hisp	408	129,659	286	67.7	62.3-73.1	64	16.4	12.1-20.6	15	3.4	1.65-5.25	2	1.0	0.00-2.81	33	8.8	5.43-12.3	8	2.6	0.48-4.72
Black or Af. Am./Non-Hisp	53	15,328							1	2.4	0.00-7.21				2	3.6	0.00-8.71	1	1.7	0.00-5.09
45-54	112	38,373				23	19.6	10.5-28.7	6	4.4	0.72-8.12				12	11.5	3.68-19.3	2	1.7	0.00-3.97
55-64	156	44,267	120	74.0	66.1-82.0	22	14.5	8.37-20.6	3	2.0	0.00-4.35	1	0.4	0.00-1.33	9	8.4	2.63-14.2	1	0.6	0.00-1.78
65+	192	54,599	143	70.3	62.7-78.0	23	13.9	8.02-19.7	5	2.8	0.22-5.40	1	2.1	0.00-6.22	17	9.4	4.81-14.0	3	1.4	0.00-3.18
Less Than H.S.	90	32,009				12	13.4	5.59-21.2	2	1.5	0.00-3.71	1	3.6	0.00-10.5	6	8.9	0.64-17.2	4	3.9	0.00-8.08
H.S. or G.E.D.	198	60,883	146	71.4	64.1-78.8	29	14.8	9.11-20.5	7	3.7	0.97-6.41				13	7.2	3.09-11.3	3	2.8	0.00-6.60
Some Post-H.S.	130	38,643	90	69.6	60.6-78.6	19	15.0	7.95-22.0	5	3.4	0.13-6.75	1	0.5	0.00-1.51	12	8.5	3.17-13.8	3	3.0	0.00-6.50
College Graduate	97	32,514				15	17.2	7.16-27.2	2	2.4	0.00-5.72				11	13.1	4.95-21.2			
Less than \$15,000	113	29,931				9	7.2	1.11-13.3	3	2.0	0.00-4.34	1	3.9	0.00-11.2	5	7.8	0.00-16.2	1	1.1	0.00-3.38
\$15,000- 24,999	118	35,786	83	71.4	62.4-80.4	18	15.0	7.95-22.1	5	3.8	0.38-7.20	1	0.5	0.00-1.65	10	8.8	3.26-14.4	1	0.4	0.00-1.10
\$25,000- 34,999	66	23,250				11	16.1	6.75-25.5	4	6.5	0.18-12.9				7	12.4	2.60-22.2	3	7.6	0.00-17.2
\$35,000- 49,999	51	16,731							1	2.2	0.00-6.57				3	6.5	0.00-14.4	1	3.0	0.00-8.75
\$50,000- 74,999	62	20,688							2	2.9	0.00-7.02				7	10.7	1.98-19.5	3	4.4	0.00-9.28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	202	81,956	144	68.4	60.8-76.0	26	13.7	7.92-19.4	7	3.0	0.74-5.28	1	1.4	0.00-4.15	20	10.7	5.57-15.8	4	2.9	0.00-5.99
White/Non-Hisp	167	67,109	117	66.8	58.3-75.3	23	14.4	8.01-20.7	6	3.1	0.57-5.67	1	1.7	0.00-5.08	16	10.5	4.77-16.2	4	3.5	0.00-7.29
55-64	66	23,746				8	11.4	3.58-19.3	1	1.6	0.00-4.65				5	10.6	1.20-20.1			
65+	89	30,985				11	13.0	5.36-20.6	3	3.3	0.00-6.97	1	3.7	0.00-10.9	12	12.4	5.30-19.5	1	1.3	0.00-3.70
H.S. or G.E.D.	71	27,473				10	14.3	4.58-24.1	3	4.1	0.00-8.79				5	7.2	0.47-13.9	2	5.3	0.00-13.3

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	313	82,094	226	70.9	65.2-76.6	49	16.4	11.7-21.1	9	2.9	0.94-4.86	1	0.2	0.00-0.71	22	7.3	4.07-10.6	6	2.2	0.33-4.05
White/Non-Hisp	241	62,550	169	68.6	62.1-75.2	41	18.5	12.9-24.1	9	3.8	1.24-6.38	1	0.3	0.00-0.95	17	7.1	3.56-10.6	4	1.6	0.00-3.30
45-54	82	22,219				18	19.9	11.1-28.8	4	4.4	0.04-8.82				9	9.2	2.73-15.6	1	1.3	0.00-3.74
55-64	90	20,521				14	18.0	8.72-27.3	2	2.6	0.00-6.11	1	1.0	0.00-2.85	4	5.8	0.00-11.7	1	1.3	0.00-3.80
65+	103	23,613				12	15.0	5.95-24.1	2	2.2	0.00-5.67				5	5.5	0.45-10.5	2	1.7	0.00-4.13
Less Than H.S.	53	15,846							1	1.7	0.00-4.94				2	3.5	0.00-8.94	4	7.9	0.00-16.2
H.S. or G.E.D.	127	33,411	95	73.5	65.2-81.7	19	15.2	8.56-21.8	4	3.3	0.11-6.53				8	7.2	2.17-12.3	1	0.8	0.00-2.34
Some Post-H.S.	83	20,447							3	3.0	0.00-6.75	1	1.0	0.00-2.87	7	9.1	1.52-16.7	1	1.4	0.00-4.07
College Graduate	50	12,390							1	3.2	0.00-9.37				5	9.6	0.77-18.5			
Less than \$15,000	84	18,490				7	9.4	0.23-18.5	1	0.7	0.00-2.12				3	3.7	0.00-8.51	1	1.9	0.00-5.47
\$15,000- 24,999	72	20,266							4	4.8	0.01-9.53	1	1.0	0.00-2.90	5	7.0	0.69-13.4	1	0.6	0.00-1.92

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	526	166,880	73	14.8	11.1-18.4	453	85.2	81.6-88.9
Male	205	83,090	35	17.5	11.6-23.5	170	82.5	76.5-88.4
Female	321	83,790	38	12.0	7.91-16.2	283	87.9	83.8-92.1
White/Non-Hisp	417	132,171	54	13.6	9.69-17.6	363	86.4	82.4-90.3
Black or Af. Am./Non-Hisp	55	15,738	7	12.4	2.85-21.9	48	87.6	78.1-97.1
45-54	113	38,654	21	17.9	9.02-26.7	92	82.1	73.3-91.0
55-64	156	44,025	26	15.3	9.34-21.2	130	84.7	78.8-90.7
65+	202	57,389	15	9.0	4.36-13.7	187	91.0	86.3-95.6
Less Than H.S.	95	32,965	14	13.6	6.01-21.3	81	86.4	78.7-94.0
H.S. or G.E.D.	200	61,341	28	13.5	8.37-18.7	172	86.5	81.3-91.6
Some Post-H.S.	130	38,501	18	14.7	7.74-21.7	112	85.3	78.3-92.3
Less than \$15,000	113	29,689	25	23.0	13.9-32.2	88	77.0	67.8-86.1
\$15,000- 24,999	121	36,393	12	8.8	3.57-14.0	109	91.2	86.0-96.4
\$25,000- 34,999	69	24,134	8	11.1	3.08-19.2	61	88.9	80.8-96.9
\$50,000- 74,999	62	20,688	4	7.9	0.26-15.6	58	92.1	84.4-99.7

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	205	83,090	35	17.5	11.5-23.5	170	82.5	76.5-88.5	
White/Non-Hisp	171	68,617	24	15.0	8.61-21.3	147	85.0	78.7-91.4	
55-64	65	23,372	13	18.0	8.57-27.4	52	82.0	72.6-91.4	
65+	93	32,493	10	12.4	4.89-19.9	83	87.6	80.1-95.1	
H.S. or G.E.D.	72	27,666	11	14.7	6.20-23.1	61	85.3	76.9-93.8	

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	321	83,790	38	12.0	7.89-16.2	283	87.9	83.8-92.1
White/Non-Hisp	246	63,554	30	12.2	7.61-16.7	216	87.8	83.3-92.4
45-54	83	22,500	15	15.9	7.85-24.0	68	84.1	76.0-92.2
55-64	91	20,653	13	12.2	5.52-18.8	78	87.8	81.2-94.5
65+	109	24,896	5	4.7	0.26-9.08	104	95.3	90.9-99.7
Less Than H.S.	58	16,802	6	9.6	1.29-17.8	52	90.4	82.2-98.7
H.S. or G.E.D.	128	33,675	17	12.6	6.20-18.9	111	87.4	81.1-93.8
Some Post-H.S.	83	20,447	10	12.2	3.96-20.4	73	87.8	79.6-96.0
Less than \$15,000	85	18,622	18	22.2	12.3-32.1	67	77.8	67.9-87.7
\$15,000- 24,999	74	20,679	5	4.3	0.36-8.16	69	95.7	91.8-99.6

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	159,817	69	13.8	10.1-17.4	82	16.7	12.9-20.5	66	13.5	9.99-17.0	114	21.2	17.2-25.2	100	20.5	16.2-24.7	71	14.4	10.9-17.9
Male	201	80,430	26	13.2	7.67-18.7	39	20.5	14.1-26.8	24	12.8	7.44-18.2	37	18.3	12.4-24.1	38	18.0	12.2-23.7	37	17.3	11.7-23.0
Female	301	79,387	43	14.3	9.68-18.9	43	12.9	8.88-16.9	42	14.2	9.72-18.6	77	24.2	18.9-29.5	62	23.0	16.9-29.2	34	11.4	7.40-15.4
White/Non-Hisp	401	127,037	58	14.5	10.4-18.7	70	18.5	14.0-23.0	54	13.2	9.53-16.8	87	20.3	15.9-24.7	70	17.4	13.2-21.6	62	16.1	12.0-20.2
Black or Af. Am./Non-Hisp	50	14,506				6	11.0	1.46-20.6										2	2.4	0.00-5.75
45-54	108	37,318	9	8.9	2.82-14.9				13	13.0	5.07-21.0	22	20.4	11.8-29.1	21	16.7	9.49-23.9	16	14.3	6.29-22.4
55-64	153	43,376	25	14.8	8.54-21.0	19	13.1	7.18-19.0	16	12.2	6.24-18.2	44	26.8	19.3-34.3	26	16.4	9.98-22.8	23	16.8	10.1-23.4
65+	187	52,655	23	11.2	6.44-15.9	29	16.0	10.1-21.8	26	13.1	8.11-18.1	42	22.0	15.6-28.4	40	22.7	15.8-29.6	27	15.1	9.48-20.7
Less Than H.S.	82	28,173	10	11.7	4.03-19.4	6	6.6	0.82-12.3	5	5.3	0.42-10.1	17	17.1	8.50-25.6						
H.S. or G.E.D.	195	60,084	29	13.9	8.34-19.5	31	15.9	10.3-21.5	28	16.5	10.0-22.9	45	22.1	15.6-28.5	35	18.4	12.3-24.5	27	13.2	8.15-18.3
Some Post-H.S.	126	37,831	13	14.2	5.57-22.8	26	20.5	12.6-28.4	13	9.0	3.79-14.3	29	21.8	13.9-29.8	25	17.4	9.98-24.8	20	17.0	9.53-24.5
College Graduate	99	33,729	17	14.7	7.00-22.3				20	20.0	11.1-28.9	23	22.5	12.9-32.0	8	8.6	2.11-15.2	12	11.9	5.11-18.8
Less than \$15,000	103	26,631	10	8.9	2.94-14.9	12	9.5	3.80-15.2	12	10.7	4.60-16.8	21	16.9	9.22-24.5				11	13.1	3.53-22.8
\$15,000- 24,999	115	34,565	20	16.9	9.37-24.5	17	12.0	6.14-17.8	12	9.7	3.89-15.6	17	13.6	6.76-20.5				19	15.8	8.83-22.9
\$25,000- 34,999	69	24,134							7	9.1	2.18-16.1	15	16.2	7.89-24.6	11	14.4	5.78-23.1	9	15.0	5.41-24.7
\$35,000- 49,999	52	17,356	7	11.4	2.90-20.0				8	13.5	4.34-22.7				6	10.3	1.72-18.9			
\$50,000- 74,999	62	20,688	8	10.4	3.01-17.8										5	8.2	0.44-16.0	7	9.8	2.41-17.3

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	201	80,430	26	13.2	7.65-18.7	39	20.5	14.0-26.9	24	12.8	7.42-18.2	37	18.3	12.3-24.2	38	18.0	12.2-23.7	37	17.3	11.7-23.0
White/Non-Hisp	167	66,047	22	13.7	7.43-20.0	35	22.6	15.2-29.9	19	10.5	5.70-15.3	29	17.5	11.0-24.0	26	15.2	9.21-21.1	36	20.6	13.9-27.3
55-64	65	23,186	10	14.9	5.26-24.6	11	16.5	6.97-26.1	8	13.7	4.52-22.9				11	16.1	6.84-25.4			
65+	89	30,020	11	11.6	4.74-18.5	16	19.7	10.7-28.8	10	10.4	3.94-16.9	15	17.2	8.83-25.6	18	21.0	11.7-30.3	19	20.0	11.5-28.6
H.S. or G.E.D.	72	27,666	11	14.6	4.94-24.2	15	20.1	10.2-29.9				10	14.6	5.58-23.6	13	16.7	7.58-25.8	13	15.6	7.09-24.2

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	301	79,387	43	14.3	9.68-18.9	43	12.9	8.88-16.9	42	14.2	9.70-18.6	77	24.2	18.9-29.5	62	23.0	16.9-29.2	34	11.4	7.40-15.4
White/Non-Hisp	234	60,990	36	15.4	9.96-20.8	35	14.1	9.34-18.9	35	16.1	10.7-21.5	58	23.3	17.5-29.1	44	19.9	14.0-25.8	26	11.2	6.80-15.6
45-54	78	21,164	8	12.3	3.94-20.6	17	19.9	10.4-29.4	9	10.6	3.42-17.8				16	21.6	11.7-31.5	11	13.0	5.16-20.8
55-64	88	20,190	15	14.6	7.02-22.1	8	9.2	2.90-15.4	8	10.5	3.20-17.7				15	16.7	7.97-25.4	12	14.7	6.56-22.9
65+	98	22,634	12	10.6	4.34-16.9	13	11.0	5.00-17.0	16	16.7	8.87-24.6	27	28.3	18.5-38.1				8	8.5	2.34-14.6
Less Than H.S.	50	15,044				3	5.2	0.00-12.2	1	1.4	0.00-4.17							6	10.4	1.47-19.4
H.S. or G.E.D.	123	32,417	18	13.4	7.06-19.7	16	12.3	6.31-18.4	18	14.8	8.14-21.4	35	28.5	19.5-37.4	22	19.9	11.8-28.0	14	11.1	5.21-17.0
Some Post-H.S.	78	19,404				17	20.1	10.5-29.8	11	12.8	5.06-20.6	17	19.3	10.3-28.4				10	14.7	5.17-24.3
College Graduate	50	12,522				7	12.3	2.79-21.7							4	7.5	0.00-15.5	4	8.1	0.00-16.3
Less than \$15,000	76	16,813	10	14.1	5.12-23.1	7	6.7	1.59-11.7	10	13.4	5.25-21.5	15	15.6	7.64-23.5				7	9.0	1.56-16.5
\$15,000- 24,999	69	19,412	10	13.3	4.79-21.7	11	12.0	4.75-19.3	5	4.8	0.00-9.65							9	13.6	4.84-22.4

N	10 or more per yr %	C.I. (95%)
1	0.5	0.00-1.48

NONE		
N	%	C.I. (95%)
11	6.9	2.84-10.9
7	10.3	1.28-19.4
14	7.8	3.72-12.0
13	12.2	4.68-19.7
8	9.2	2.52-15.9
7	9.9	0.56-19.3
12	10.4	4.57-16.2
4	5.7	0.00-11.7
7	11.0	2.21-19.9

Never Heard of		
N	%	C.I. (95%)
24	12.8	7.57-18.0
17	20.1	10.5-29.7
19	9.0	4.80-13.1
9	7.6	2.08-13.1
2	1.9	0.00-4.52
12	12.8	5.42-20.1
15	12.5	5.87-19.1
3	5.0	0.00-11.2
5	9.6	1.35-17.9
1	1.9	0.00-5.64

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	186	75,966	149	80.8	74.5-87.2	1	0.7	0.00-2.19	1	0.5	0.00-1.51	16	9.8	4.60-15.0	19	8.1	4.31-12.0
White/Non-Hisp	153	61,957	121	79.2	71.9-86.6	1	0.9	0.00-2.67				15	11.6	5.35-17.9	16	8.2	3.95-12.5
55-64	58	20,755				1	2.7	0.00-7.93				4	7.2	0.39-14.0	4	8.1	0.39-15.8
65+	83	28,938	63	78.1	68.8-87.3				1	1.3	0.00-3.95	6	7.5	1.61-13.4	13	13.1	5.73-20.5
H.S. or G.E.D.	65	25,095	51	82.7	73.6-91.8				1	1.5	0.00-4.56	4	6.6	0.24-12.9	9	9.1	2.83-15.5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	294	77,435	238	79.8	74.6-84.9	1	0.2	0.00-0.50	1	0.4	0.00-1.07	26	9.5	5.67-13.3	28	10.2	6.31-14.2
White/Non-Hisp	227	59,312	191	83.1	77.7-88.6				1	0.5	0.00-1.39	21	10.0	5.54-14.4	14	6.4	2.94-9.88
45-54	77	20,461	63	80.4	70.8-90.0				1	1.4	0.00-4.06	9	12.7	4.63-20.8	4	5.5	0.07-10.9
55-64	87	19,662				1	0.7	0.00-1.98				7	8.4	2.05-14.8	9	13.4	4.60-22.3
65+	93	21,828	77	81.6	73.2-90.1							5	6.1	0.83-11.3	11	12.3	5.09-19.5
Less Than H.S.	54	15,838										3	4.7	0.00-10.2			
H.S. or G.E.D.	116	31,039	95	81.4	73.9-88.9				1	0.9	0.00-2.67	10	8.9	3.44-14.3	10	8.8	3.33-14.3
Some Post-H.S.	76	18,934	63	82.2	72.3-92.2							8	10.5	3.05-17.9	5	7.3	0.00-14.7
Less than \$15,000	72	15,429	60	82.1	72.1-92.1	1	0.9	0.00-2.55				4	5.0	0.00-10.4	7	12.0	3.20-20.8
\$15,000- 24,999	68	19,231										8	11.2	3.52-18.8	9	13.3	4.04-22.5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	502	159,940	109	21.4	17.3-25.6	72	13.4	10.2-16.7	36	8.5	5.41-11.5	55	11.5	8.24-14.7	50	8.6	6.06-11.1	180	36.6	31.6-41.5
Male	200	80,685	33	18.1	11.8-24.4	35	15.2	10.1-20.3	19	11.1	5.84-16.5	25	12.9	7.67-18.1	19	8.4	4.55-12.3	69	34.2	26.9-41.6
Female	302	79,255	76	24.8	19.3-30.3	37	11.6	7.65-15.6	17	5.7	2.84-8.64	30	10.1	6.25-13.9	31	8.8	5.55-12.0	111	39.0	32.4-45.6
White/Non-Hisp	399	126,595	88	22.2	17.5-26.9	61	14.5	10.7-18.3	27	7.4	4.23-10.5	39	10.0	6.59-13.3	37	8.5	5.67-11.4	147	37.4	32.0-42.9
Black or Af. Am./Non-Hisp	52	15,143				7	12.2	2.84-21.6							6	6.3	1.05-11.5			
45-54	110	37,595				12	8.6	3.42-13.9	8	9.4	2.58-16.1	8	7.8	2.31-13.2	11	8.7	3.51-13.9			
55-64	154	43,738	34	20.9	13.9-27.8	27	17.1	10.8-23.5	7	5.2	1.15-9.31	19	11.8	6.39-17.2	14	7.8	3.40-12.3	53	37.1	28.6-45.7
65+	187	54,262	38	18.3	12.5-24.1	27	15.7	9.66-21.7	18	11.8	5.94-17.7	23	13.3	7.82-18.9	19	8.6	4.43-12.8	62	32.2	24.9-39.6
Less Than H.S.	84	30,197	13	14.5	6.41-22.5	8	9.6	2.75-16.4	5	7.7	0.00-15.8	11	12.8	4.72-21.0	13	11.3	4.68-17.9			
H.S. or G.E.D.	194	59,154	43	21.5	15.0-28.1	22	9.6	5.48-13.8	13	10.0	4.33-15.7	27	14.4	8.91-19.8	18	8.4	4.38-12.5	71	36.0	28.6-43.4
Some Post-H.S.	126	37,282	28	21.1	13.2-29.0	30	23.8	15.2-32.3	11	8.2	3.17-13.2	6	4.1	0.61-7.67	13	9.1	3.81-14.3			
College Graduate	98	33,307				12	12.1	5.06-19.1	7	6.7	1.37-12.1	11	13.3	4.75-22.0	6	5.9	0.89-10.9			
Less than \$15,000	105	28,080	20	16.7	8.93-24.5	17	17.3	8.18-26.4	5	8.0	0.00-16.4	10	10.5	3.12-17.8	17	13.3	6.59-19.9			
\$15,000- 24,999	118	35,838	29	21.1	13.4-28.9	12	9.2	3.72-14.7	10	9.4	3.39-15.4	11	8.2	2.99-13.4	12	10.8	4.79-16.9			
\$25,000- 34,999	66	22,374				10	14.3	5.43-23.2	3	4.7	0.00-10.2	11	17.1	7.41-26.9	5	4.5	0.36-8.56			
\$35,000- 49,999	52	17,137							4	6.2	0.00-12.3	6	11.2	2.14-20.2	6	10.2	1.87-18.5			
\$50,000- 74,999	59	19,786				10	16.0	6.32-25.7				5	6.2	0.67-11.7	4	7.2	0.00-14.5			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	200	80,685	33	18.1	11.8-24.4	35	15.2	10.1-20.3	19	11.1	5.84-16.5	25	12.9	7.63-18.1	19	8.4	4.57-12.3	69	34.2	26.9-41.6
White/Non-Hisp	166	66,071	28	18.2	11.3-25.1	30	16.0	10.2-21.8	14	9.5	4.11-14.9	18	11.1	5.65-16.5	16	8.7	4.35-13.1	60	36.5	28.2-44.7
55-64	66	23,746	10	15.8	6.36-25.1	12	16.5	7.35-25.7	4	6.3	0.00-12.7	7	9.4	2.53-16.4	7	9.4	2.26-16.6			
65+	90	31,680	12	12.3	5.40-19.3	16	17.1	8.83-25.4	11	14.5	5.45-23.6	14	16.8	8.38-25.3	7	8.2	2.12-14.2			
H.S. or G.E.D.	69	26,008				15	16.7	8.18-25.2				9	12.0	4.26-19.8	6	8.4	1.72-15.0			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	302	79,255	76	24.8	19.3-30.3	37	11.6	7.65-15.6	17	5.7	2.84-8.64	30	10.1	6.25-13.9	31	8.8	5.55-12.0	111	39.0	32.4-45.6
White/Non-Hisp	233	60,524	60	26.5	20.2-32.8	31	12.8	8.11-17.6	13	5.1	2.19-7.95	21	8.7	4.93-12.5	21	8.4	4.69-12.1	87	38.5	31.4-45.5
45-54	81	21,797	17	20.0	10.4-29.6	8	8.4	2.35-14.4	5	7.4	0.54-14.3	6	9.0	1.84-16.2	8	10.6	3.52-17.8			
55-64	88	19,992				15	17.8	9.05-26.7	3	4.0	0.00-8.71	12	14.5	6.26-22.8	7	5.9	1.42-10.5			
65+	97	22,582	26	26.6	17.2-36.1	11	13.7	4.96-22.4	7	8.1	2.16-14.0	9	8.4	2.65-14.2	12	9.2	3.82-14.6			
H.S. or G.E.D.	125	33,146	32	23.4	15.7-31.1	7	4.1	0.97-7.21	7	7.4	1.88-13.0	18	16.2	8.66-23.8	12	8.5	3.48-13.5	49	40.3	30.9-49.8
Some Post-H.S.	80	19,743	18	19.8	10.3-29.3				6	6.1	1.11-11.1	3	3.3	0.00-7.25	7	7.6	1.86-13.3			
Less than \$15,000	78	17,065	17	19.8	10.3-29.4				2	2.8	0.00-6.64	6	6.8	0.78-12.9	13	14.9	6.79-23.1			
\$15,000- 24,999	71	20,123				4	3.1	0.00-6.16	6	10.0	1.68-18.3	9	11.8	3.47-20.1	6	8.6	1.62-15.5			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	519	164,055	112	19.4	15.5-23.3	223	43.0	38.1-48.0	70	12.8	9.62-15.9
Male	202	81,014	45	19.5	13.5-25.6	97	48.0	40.3-55.7	21	10.7	6.14-15.3
Female	317	83,041	67	19.3	14.5-24.0	126	38.2	32.1-44.2	49	14.7	10.5-19.0
White/Non-Hisp	410	129,185	91	20.6	16.1-25.1	176	42.5	37.1-48.0	54	12.9	9.30-16.4
Black or Af. Am./Non-Hisp	54	15,526							8	11.8	2.76-20.9
45-54	110	37,088	18	17.8	8.56-26.9				15	14.6	7.42-21.9
55-64	156	43,838	30	16.3	10.3-22.2	65	41.5	33.0-50.0	27	17.6	10.7-24.5
65+	198	56,317	57	27.0	20.2-33.7	93	50.4	42.6-58.1	27	12.9	7.85-17.9
Less Than H.S.	94	31,777	21	18.6	10.4-26.7				12	11.4	4.73-18.1
H.S. or G.E.D.	197	60,707	34	14.4	9.36-19.4	86	44.2	36.4-52.1	30	14.4	9.12-19.7
Some Post-H.S.	129	38,271	33	24.4	15.6-33.2	55	42.6	32.8-52.3	14	9.0	4.04-13.9
College Graduate	99	33,300							14	15.3	7.06-23.6
Less than \$15,000	112	28,637	27	22.6	13.7-31.5				18	16.5	8.59-24.4
\$15,000- 24,999	119	35,666	26	19.0	11.6-26.5	47	38.6	28.7-48.6	17	11.7	5.79-17.6
\$25,000- 34,999	67	23,861	13	15.7	7.04-24.4						
\$35,000- 49,999	51	16,865							6	9.3	1.58-17.0
\$50,000- 74,999	62	20,688							3	4.5	0.00-9.57

2 or more Years			Never		
N	%	C.I. (95%)	N	%	C.I. (95%)
81	16.2	12.6-19.8	33	8.5	5.14-12.0
24	13.4	8.09-18.7	15	8.3	3.75-12.8
57	19.0	14.1-23.9	18	8.8	3.70-13.9
67	16.7	12.7-20.8	22	7.3	3.91-10.6
			5	8.9	0.20-17.5
26	25.4	16.0-34.7	7	4.8	1.07-8.55
24	15.9	9.70-22.2	10	8.7	3.13-14.2
16	7.4	3.60-11.2	5	2.4	0.06-4.68
11	10.3	3.49-17.2			

2 or more Years			Never		
N	%	C.I. (95%)	N	%	C.I. (95%)
36	19.8	13.5-26.2	11	7.1	2.16-12.1
21	18.2	10.4-26.1	6	5.9	0.03-11.8
13	13.0	5.77-20.3	1	1.2	0.00-3.43
19	15.9	8.24-23.5	13	12.3	5.22-19.5
19	17.4	9.72-25.1	10	13.3	3.49-23.1
12	17.2	7.53-26.9			
			3	8.7	0.00-18.0
8	11.7	2.86-20.5	1	1.8	0.00-5.34

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	202	81,014	45	19.5	13.4-25.7	97	48.0	40.3-55.8	21	10.7	6.10-15.4	
White/Non-Hisp	167	66,167	38	20.0	13.1-27.0	76	45.2	36.7-53.7	19	11.9	6.51-17.2	
55-64	65	23,185	12	14.5	6.43-22.6							
65+	92	32,030	25	23.9	15.0-32.8				9	10.1	3.53-16.8	
H.S. or G.E.D.	71	27,429	13	13.5	5.98-21.1				7	11.3	3.23-19.3	
			2 or more Years			Never						
			N	%	C.I. (95%)	N	%	C.I. (95%)				
			24	13.4	8.07-18.7	15	8.3	3.73-12.9				
			22	14.9	8.78-21.0	12	8.0	2.95-13.1				
			8	13.3	4.57-22.1	6	12.1	3.03-21.2				
			6	6.9	1.41-12.5	5	4.2	0.13-8.21				
			9	15.8	5.85-25.8							

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	317	83,041	67	19.3	14.5-24.0	126	38.2	32.1-44.2	49	14.7	10.5-19.0
White/Non-Hisp	243	63,017	53	21.2	15.4-26.9	100	39.8	33.0-46.6	35	13.9	9.22-18.7
45-54	82	22,359	12	15.1	6.65-23.5				12	17.9	8.49-27.3
55-64	91	20,653	18	18.2	9.77-26.7				18	17.9	9.67-26.2
65+	106	24,287							18	16.5	8.83-24.2
Less Than H.S.	58	16,802							9	14.3	4.54-24.1
H.S. or G.E.D.	126	33,279	21	15.0	8.41-21.7	50	41.3	31.8-50.8	23	17.0	9.96-24.1
Some Post-H.S.	82	20,307							12	13.8	5.81-21.8
College Graduate	51	12,654							5	10.6	0.92-20.4
Less than \$15,000	85	18,622									
\$15,000- 24,999	73	20,415	16	19.1	9.39-28.9				11	10.5	3.74-17.2

2 or more Years			Never		
N	%	C.I. (95%)	N	%	C.I. (95%)
57	19.0	14.1-23.9	18	8.8	3.72-13.9
45	18.7	13.3-24.0	10	6.4	2.06-10.8
18	23.0	13.3-32.7	6	6.9	1.18-12.7
16	18.9	10.0-27.7	4	4.8	0.00-10.3
10	8.1	2.96-13.2			
8	10.9	2.48-19.3			
27	23.1	15.0-31.3	5	3.5	0.28-6.66
13	16.9	7.54-26.4	4	8.8	0.00-18.9
16	17.1	8.94-25.3	8	8.7	2.48-15.0
11	14.6	5.95-23.4			

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	519	164,999	125	24.8	20.4-29.2	394	75.2	70.8-79.6
Male	203	82,328	56	28.1	21.0-35.2	147	71.9	64.8-79.0
Female	316	82,670	69	21.5	16.4-26.6	247	78.5	73.4-83.6
White/Non-Hisp	412	130,643	89	23.4	18.4-28.3	323	76.6	71.7-81.6
45-54	112	38,514	28	26.4	16.4-36.4	84	73.6	63.6-83.6
55-64	155	43,651	47	33.8	25.4-42.3	108	66.2	57.7-74.6
65+	197	56,022	39	19.6	13.0-26.3	158	80.4	73.7-87.0
H.S. or G.E.D.	198	60,786	48	24.7	18.1-31.4	150	75.3	68.6-81.9
Some Post-H.S.	128	37,902	26	20.6	12.4-28.7	102	79.4	71.3-87.6
\$15,000- 24,999	120	36,182	34	26.3	17.8-34.7	86	73.8	65.3-82.2
\$50,000- 74,999	61	20,476	9	13.1	4.24-22.0	52	86.9	78.0-95.8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	203	82,328	56	28.1	21.1-35.1	147	71.9	64.9-78.9
White/Non-Hisp	169	67,856	42	26.1	18.4-33.9	127	73.8	66.1-81.6
65+	92	32,106	13	15.3	6.30-24.3	79	84.7	75.7-93.7

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	316	82,670	69	21.5	16.3-26.6	247	78.5	73.4-83.7
White/Non-Hisp	243	62,787	47	20.4	14.6-26.2	196	79.6	73.8-85.4
45-54	82	22,359	20	24.2	14.2-34.2	62	75.8	65.8-85.8
55-64	91	20,653	15	15.4	7.46-23.3	76	84.6	76.7-92.5
65+	105	23,916	26	25.4	15.7-35.2	79	74.6	64.8-84.3
H.S. or G.E.D.	126	33,119	26	22.4	14.3-30.5	100	77.6	69.5-85.7
College Graduate	50	12,514	7	11.5	2.45-20.5	43	88.5	79.5-97.5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
MODULE 1: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	525	166,835	230	43.9	39.0-48.9	295	56.0	51.1-61.0
Male	204	83,045	91	46.1	38.4-53.8	113	53.9	46.2-61.6
Female	321	83,790	139	41.8	35.7-48.0	182	58.1	52.0-64.3
White/Non-Hisp	416	131,984	188	45.5	40.1-51.0	228	54.4	49.0-59.9
55-64	156	44,212	65	39.7	31.3-48.0	91	60.3	52.0-68.7
65+	201	57,157	87	43.1	35.4-50.7	114	56.9	49.3-64.6
H.S. or G.E.D.	199	61,110	82	43.6	35.7-51.6	117	56.4	48.4-64.3
Some Post-H.S.	130	38,688	70	55.7	45.9-65.5	60	44.3	34.5-54.1
\$15,000- 24,999	121	36,393	46	35.4	25.9-44.8	75	64.6	55.2-74.1

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	204	83,045	91	46.1	38.4-53.8	113	53.9	46.2-61.6
White/Non-Hisp	170	68,430	77	46.9	38.4-55.4	93	53.1	44.6-61.6

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2005
 MODULE 1: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	321	83,790	139	41.8	35.7-48.0	182	58.1	52.0-64.3
White/Non-Hisp	246	63,554	111	44.1	37.2-50.9	135	55.9	49.1-62.8
H.S. or G.E.D.	128	33,675	51	39.0	29.8-48.2	77	61.0	51.8-70.2