


ARKANSAS

2006 Module Variables Report

Behavioral Risk Factor Surveillance System

August 21, 2007



MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006**

MODULE 4: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19 MALES AND FEMALES	22
20 MALES ONLY	23
21 FEMALES ONLY	24
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)	
22 MALES AND FEMALES	25
23 MALES ONLY	26
24 FEMALES ONLY	27
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25 MALES AND FEMALES	28
26 MALES ONLY	29
27 FEMALES ONLY	30
WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)	
28 MALES AND FEMALES	31
29 MALES ONLY	32
30 FEMALES ONLY	33
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31 MALES AND FEMALES	34
32 MALES ONLY	35
33 FEMALES ONLY	36
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34 MALES AND FEMALES	37
35 MALES ONLY	38
36 FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	547	167,025	9	3.1	00.4-05.8	45	10.3	07.2-13.4	121	25.9	21.6-30.2	224	39.3	34.6-44.0	148	21.4	17.9-24.9
Male	225	87,527	3	4.3	00.0-09.4	13	7.1	03.0-11.2	48	25.9	19.2-32.6	99	42.9	35.6-50.2	62	19.9	14.8-25.0
Female	322	79,498	6	1.9	00.3-03.5	32	13.8	08.9-18.7	73	25.9	20.2-31.6	125	35.3	29.6-41.0	86	23.1	18.4-27.8
White/Non-Hisp	431	133,241	8	3.6	00.1-07.1	35	9.9	06.4-13.4	80	22.3	17.4-27.2	188	42.0	36.5-47.5	120	22.2	18.3-26.1
Black or Afr. Am./Non-Hisp	56	15,286				4	7.0	00.0-15.8							9	13.0	04.0-22.0
45-54	95	33,450	2	1.3	00.0-03.1	14	13.2	06.1-20.3									
55-64	149	41,651				4	1.8	00.0-04.0	25	14.6	08.7-20.5	111	77.0	69.7-84.3	9	6.6	02.3-10.9
65+	246	61,835	2	0.8	00.0-02.0	8	3.4	00.9-05.9	15	7.1	03.2-11.0	82	35.3	28.6-42.0	139	53.3	46.4-60.2
Less Than H.S.	104	30,067	2	4.6	00.0-11.5	6	5.7	00.6-10.8				36	31.3	21.5-41.1	37	28.9	19.7-38.1
H.S. or G.E.D.	218	64,370	2	3.3	00.0-09.2	13	8.3	03.2-13.4	47	24.4	17.5-31.3	95	42.6	34.8-50.4	61	21.4	15.9-26.9
Some Post-H.S.	124	43,151	3	1.8	00.0-04.0	15	14.1	07.0-21.2	26	25.8	16.6-35.0	52	40.0	30.4-49.6	28	18.4	11.7-25.1
College Graduate	100	29,154	2	3.1	00.0-08.0	11	14.0	05.4-22.6	24	25.1	15.5-34.7				22	18.3	10.5-26.1
Less than \$15,000	112	25,774	1	1.5	00.0-04.4	6	5.5	00.6-10.4				44	31.8	22.0-41.6	31	26.2	17.2-35.2
\$15,000- 24,999	114	33,885	2	1.2	00.0-03.0	7	8.6	02.1-15.1	28	25.6	16.4-34.8				30	21.7	14.1-29.3
\$25,000- 34,999	58	19,347	1	5.2	00.0-15.0	4	6.9	00.0-14.0									
\$35,000- 49,999	80	27,458	1	2.6	00.0-07.7	9	12.1	04.3-19.9							17	15.4	07.8-23.0
\$50,000- 74,999	55	23,682													6	6.4	01.1-11.7
\$75,000+	54	17,875	1	1.0	00.0-03.0	5	10.6	01.6-19.6									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	225	87,527	3	4.3	00.0-09.4	13	7.1	03.0-11.2	48	25.9	19.2-32.6	99	42.9	35.6-50.2	62	19.9	15.0-24.8
White/Non-Hisp	185	72,957	3	5.1	00.0-11.2	11	7.6	02.9-12.3	32	21.6	14.5-28.7	89	46.2	38.0-54.4	50	19.4	13.9-24.9
55-64	63	23,051				1	1.7	00.0-05.0	8	9.8	02.5-17.1				6	9.3	02.0-16.6
65+	101	29,939				2	1.9	00.0-04.8	9	9.3	03.0-15.6						
H.S. or G.E.D.	79	31,244	1	6.4	00.0-18.4	3	6.3	00.0-13.9							20	16.4	08.8-24.0
Some Post-H.S.	59	24,958				4	7.2	00.3-14.1							14	17.6	08.6-26.6
College Graduate	55	18,863	1	3.8	00.0-11.1	5	10.4	01.4-19.4									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	322	79,498	6	1.9	00.3-03.5	32	13.8	08.9-18.7	73	25.9	20.4-31.4	125	35.3	29.6-41.0	86	23.1	18.4-27.8
White/Non-Hisp	246	60,285	5	1.8	00.0-03.6	24	12.7	07.2-18.2	48	23.1	16.8-29.4	99	36.8	30.1-43.5	70	25.6	19.9-31.3
45-54	56	14,420	2	2.9	00.0-07.2												
55-64	86	18,600				3	2.0	00.0-04.2	17	20.5	11.1-29.9	63	74.2	64.2-84.2	3	3.3	00.0-07.2
65+	145	31,896	2	1.6	00.0-04.1	6	4.8	00.7-08.9	6	5.0	00.5-09.5	48	32.9	24.5-41.3	83	55.7	46.7-64.7
Less Than H.S.	72	17,606	1	2.2	00.0-06.3	5	7.0	00.1-13.9									
H.S. or G.E.D.	139	33,125	1	0.4	00.0-01.2	10	10.2	03.5-16.9	32	26.1	17.7-34.5	55	37.2	28.4-46.0	41	26.1	18.7-33.5
Some Post-H.S.	65	18,194	3	4.3	00.0-09.4										14	19.3	09.5-29.1
Less than \$15,000	87	18,536	1	2.1	00.0-06.0	6	7.7	01.0-14.4							20	22.6	12.6-32.6
\$15,000- 24,999	68	17,029	2	2.4	00.0-05.9												

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	567	171,320	126	22.2	18.3-26.1	441	77.8	73.9-81.7
Male	229	88,734	46	21.2	15.1-27.3	183	78.8	72.7-84.9
Female	338	82,586	80	23.2	18.1-28.3	258	76.8	71.7-81.9
White/Non-Hisp	445	135,955	97	22.0	17.5-26.5	348	78.0	73.5-82.5
45-54	95	33,450	26	24.3	15.3-33.3	69	75.7	66.7-84.7
55-64	152	42,143	33	19.7	13.0-26.4	119	80.3	73.6-87.0
65+	263	65,638	52	20.1	14.6-25.6	211	79.9	74.4-85.4
Less Than H.S.	111	31,591	30	24.7	15.1-34.3	81	75.3	65.7-84.9
H.S. or G.E.D.	229	66,674	47	20.0	13.9-26.1	182	80.0	73.9-86.1
Some Post-H.S.	124	43,151	24	19.4	11.6-27.2	100	80.6	72.8-88.4
\$15,000- 24,999	116	34,446	25	20.1	12.1-28.1	91	79.9	71.9-87.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	229	88,734	46	21.2	15.1-27.3	183	78.8	72.7-84.9
White/Non-Hisp	187	73,534	38	21.2	14.5-27.9	149	78.8	72.1-85.5
55-64	63	23,051	13	17.8	08.4-27.2	50	82.2	72.8-91.6
65+	105	31,146	18	20.2	11.4-29.0	87	79.8	71.0-88.6
H.S. or G.E.D.	81	32,097	12	15.9	06.7-25.1	69	84.1	74.9-93.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	338	82,586	80	23.2	18.1-28.3	258	76.8	71.7-81.9		
White/Non-Hisp	258	62,421	59	23.0	16.9-29.1	199	77.0	70.9-83.1		
55-64	89	19,092	20	21.9	12.7-31.1	69	78.1	68.9-87.3		
65+	158	34,491	34	20.0	13.3-26.7	124	80.0	73.3-86.7		
H.S. or G.E.D.	148	34,577	35	23.8	16.2-31.4	113	76.2	68.6-83.8		
Some Post-H.S.	65	18,194	11	15.3	06.3-24.3	54	84.7	75.7-93.7		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	566	171,110	411	71.1	66.6-75.6	155	28.9	24.4-33.4
Male	228	88,524	173	74.0	67.3-80.7	55	26.0	19.3-32.7
Female	338	82,586	238	68.1	62.2-74.0	100	31.9	26.0-37.8
White/Non-Hisp	444	135,745	326	72.9	68.0-77.8	118	27.1	22.2-32.0
55-64	152	42,143	116	78.2	71.1-85.3	36	21.8	14.7-28.9
65+	262	65,428	202	76.6	70.9-82.3	60	23.4	17.7-29.1
H.S. or G.E.D.	228	66,464	171	72.2	65.1-79.3	57	27.8	20.7-34.9
Some Post-H.S.	124	43,151	91	73.1	64.5-81.7	33	26.9	18.3-35.5
College Graduate	101	29,364	74	73.2	63.4-83.0	27	26.8	17.0-36.6
\$15,000- 24,999	116	34,446	86	70.8	61.2-80.4	30	29.2	19.6-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	228	88,524	173	74.0	67.3-80.7	55	26.0	19.3-32.7
White/Non-Hisp	186	73,324	146	76.8	69.7-83.9	40	23.2	16.1-30.3
55-64	63	23,051	50	83.1	74.1-92.1	13	16.9	07.9-25.9
65+	104	30,936	85	80.7	72.5-88.9	19	19.3	11.1-27.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	338	82,586	238	68.1	62.2-74.0	100	31.9	26.0-37.8
White/Non-Hisp	258	62,421	180	68.3	61.6-75.0	78	31.7	25.0-38.4
65+	158	34,491	117	73.0	65.4-80.6	41	27.0	19.4-34.6
H.S. or G.E.D.	148	34,577	107	66.6	57.6-75.6	41	33.4	24.4-42.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	556	167,489	53	11.3	08.2-14.4	149	28.6	24.1-33.1	345	58.4	53.5-63.3	9	1.6	00.4-02.8
Male	225	86,807	29	13.0	08.1-17.9	66	30.0	22.7-37.3	125	55.1	47.7-62.5	5	2.0	00.0-04.0
Female	331	80,682	24	9.4	05.3-13.5	83	27.2	21.5-32.9	220	62.1	56.0-68.2	4	1.3	00.1-02.5
White/Non-Hisp	436	132,735	41	11.8	08.1-15.5	118	28.9	23.6-34.2	272	57.8	52.3-63.3	5	1.5	00.1-02.9
Black or Afr. Am./Non-Hisp	58	15,801	3	3.6	00.0-07.9							1	1.6	00.0-04.7
45-54	93	32,115	14	15.0	07.2-22.8	17	21.4	11.6-31.2				4	3.9	00.0-07.8
55-64	148	41,065	14	11.1	05.2-17.0	45	30.5	22.1-38.9	86	56.3	47.3-65.3	3	2.0	00.0-04.4
65+	259	64,585	16	6.5	03.2-09.8	66	26.3	20.2-32.4	176	66.9	60.6-73.2	1	0.2	00.0-00.6
Less Than H.S.	109	30,979	12	12.8	04.8-20.8	28	26.9	16.9-36.9				2	1.5	00.0-03.7
H.S. or G.E.D.	221	63,701	19	10.1	05.4-14.8	52	29.0	21.0-37.0	149	60.6	52.4-68.8	1	0.2	00.0-00.6
Some Post-H.S.	124	43,151	13	11.8	05.3-18.3	42	33.4	24.2-42.6	68	54.1	44.3-63.9	1	0.7	00.0-02.1
College Graduate	100	29,118	8	10.6	02.8-18.4	27	23.1	14.5-31.7				5	6.4	00.7-12.1
Less than \$15,000	116	26,390	12	13.4	06.0-20.8	27	22.1	13.5-30.7				1	0.8	00.0-02.4
\$15,000- 24,999	113	33,607	11	12.3	04.9-19.7	28	25.3	16.3-34.3				2	1.6	00.0-04.0
\$25,000- 34,999	57	18,971	3	8.2	00.0-18.8									
\$35,000- 49,999	78	26,117	8	11.0	03.6-18.4							2	2.9	00.0-07.0
\$50,000- 74,999	55	23,682										1	2.2	00.0-06.5
\$75,000+	53	17,629	6	10.4	00.6-20.2							1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	225	86,807	29	13.0	08.1-17.9	66	30.0	22.7-37.3	125	55.1	47.7-62.5	5	2.0	00.0-04.0
White/Non-Hisp	183	71,607	23	12.8	07.3-18.3	56	31.4	23.4-39.4	101	53.8	45.4-62.2	3	1.9	00.0-04.1
55-64	61	22,465	10	16.5	06.7-26.3							2	2.6	00.0-06.3
65+	104	30,858	8	7.2	02.1-12.3	33	29.7	20.3-39.1	62	62.6	52.6-72.6	1	0.5	00.0-01.5
H.S. or G.E.D.	77	30,170	14	17.4	08.2-26.6							1	0.5	00.0-01.5
Some Post-H.S.	59	24,958	5	8.0	00.6-15.4									
College Graduate	56	19,073	6	10.6	02.0-19.2							4	8.2	00.2-16.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	331	80,682	24	9.4	05.3-13.5	83	27.2	21.5-32.9	220	62.1	56.0-68.2	4	1.3	00.1-02.5
White/Non-Hisp	253	61,128	18	10.6	05.5-15.7	62	25.9	19.6-32.2	171	62.6	55.5-69.7	2	0.9	00.0-02.3
45-54	55	14,137										3	5.5	00.0-11.6
55-64	87	18,600	4	4.6	00.1-09.1							1	1.3	00.0-03.8
65+	155	33,727	8	5.9	01.4-10.4	33	23.2	15.6-30.8	114	70.9	62.7-79.1			
Less Than H.S.	76	18,374	8	10.8	03.0-18.6							2	2.5	00.0-06.0
H.S. or G.E.D.	144	33,531	5	3.6	00.3-06.9	25	21.0	12.8-29.2	114	75.4	66.8-84.0			
Some Post-H.S.	65	18,194										1	1.6	00.0-04.5
Less than \$15,000	90	18,732	6	9.1	01.8-16.4							1	1.1	00.0-03.3
\$15,000- 24,999	66	16,319	5	8.7	00.7-16.7									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	554	167,468	386	66.4	61.7-71.1	92	18.8	14.7-22.9	24	4.2	02.2-06.2	5	1.6	00.0-03.2	46	8.7	06.0-11.4	1	0.2	00.0-00.6
Male	226	87,468	143	59.5	52.1-66.9	50	24.8	17.7-31.9	11	4.4	01.7-07.1	2	2.0	00.0-04.7	20	9.3	05.0-13.6			
Female	328	80,000	243	74.0	68.7-79.3	42	12.3	08.6-16.0	13	4.0	01.5-06.5	3	1.1	00.0-02.5	26	8.1	04.8-11.4	1	0.5	00.0-01.5
White/Non-Hisp	433	132,391	300	65.5	60.0-71.0	71	18.8	13.9-23.7	18	4.2	02.0-06.4	5	2.0	00.0-04.0	38	9.2	06.1-12.3	1	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	59	16,048							5	7.8	00.0-16.4				1	1.5	00.0-04.4			
45-54	93	32,955				16	21.3	11.5-31.1	4	3.9	00.0-08.0	1	0.6	00.0-01.8	4	3.7	00.0-07.4			
55-64	148	40,673	100	64.5	55.7-73.3	28	22.6	14.6-30.6	6	4.5	00.6-08.4	1	0.6	00.0-01.8	13	7.8	03.3-12.3			
65+	256	63,751	181	68.9	62.4-75.4	41	16.1	11.2-21.0	11	3.9	01.4-06.4				23	11.1	06.4-15.8			
Less Than H.S.	107	30,715				17	16.5	08.3-24.7	5	3.9	00.0-07.8	2	4.7	00.0-11.6	8	10.1	02.8-17.4			
H.S. or G.E.D.	224	65,182	154	65.2	57.2-73.2	36	19.4	11.8-27.0	10	4.5	01.4-07.6	3	1.9	00.0-04.4	21	9.0	04.5-13.5			
Some Post-H.S.	122	42,182	89	70.0	60.6-79.4	24	21.7	13.3-30.1	1	1.6	00.0-04.7				8	6.8	02.1-11.5			
College Graduate	100	29,106				15	16.2	08.2-24.2	8	7.6	01.9-13.3				8	8.5	02.6-14.4	1	1.3	00.0-03.7
Less than \$15,000	114	25,889				25	20.1	12.3-27.9	3	2.1	00.0-04.5				7	7.9	00.6-15.2			
\$15,000- 24,999	113	33,330	84	73.9	64.9-82.9	15	16.1	08.3-23.9	6	4.0	00.3-07.7	2	2.0	00.0-04.9	6	4.0	00.7-07.3			
\$25,000- 34,999	58	19,166				6	8.6	01.5-15.7	5	8.1	01.0-15.2	2	6.5	00.0-16.5	9	15.0	05.2-24.8			
\$35,000- 49,999	79	27,201							2	1.1	00.0-02.7				4	4.4	00.0-09.1			
\$50,000- 74,999	55	23,682							3	7.2	00.0-15.0	1	3.3	00.0-09.6	5	9.0	01.2-16.8			
\$75,000+	54	17,875				7	12.3	03.3-21.3	2	4.9	00.0-11.8							1	2.0	00.0-05.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	226	87,468	143	59.5	51.9-67.1	50	24.8	17.7-31.9	11	4.4	01.7-07.1	2	2.0	00.0-04.7	20	9.3	05.0-13.6
White/Non-Hisp	185	72,556	114	57.0	48.6-65.4	42	26.0	18.2-33.8	10	5.0	01.9-08.1	2	2.5	00.0-05.8	17	9.6	04.7-14.5
55-64	61	22,073							3	5.8	00.0-12.5				5	8.0	01.1-14.9
65+	104	30,858				20	19.2	10.8-27.6	6	5.3	01.0-09.6				10	11.6	04.0-19.2
H.S. or G.E.D.	80	31,707							4	4.7	00.0-09.4	1	2.5	00.0-07.2	8	9.6	01.8-17.4
Some Post-H.S.	58	24,370													3	5.6	00.0-11.7
College Graduate	56	19,073							6	9.9	01.7-18.1				5	9.2	01.4-17.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	328	80,000	243	74.0	68.7-79.3	42	12.3	08.4-16.2	13	4.0	01.5-06.5	3	1.1	00.0-02.5	26	8.1	05.0-11.2	1	0.5	00.0-01.5
White/Non-Hisp	248	59,835	186	75.8	69.9-81.7	29	10.2	06.5-13.9	8	3.2	00.7-05.7	3	1.5	00.0-03.3	21	8.6	04.7-12.5	1	0.6	00.0-01.8
45-54	54	13,925				5	10.2	01.4-19.0	2	2.5	00.0-06.0	1	1.5	00.0-04.4	3	7.1	00.0-14.9			
55-64	87	18,600				12	14.2	05.8-22.6	3	3.0	00.0-06.5	1	1.3	00.0-03.8	8	7.6	01.9-13.3			
65+	152	32,893	113	73.5	65.9-81.1	21	13.1	07.6-18.6	5	2.6	00.2-05.0				13	10.7	05.0-16.4			
Less Than H.S.	75	18,398				12	14.5	06.3-22.7	4	4.0	00.0-08.1	1	2.5	00.0-07.2	4	6.0	00.0-12.3			
H.S. or G.E.D.	144	33,475	102	70.8	62.6-79.0	21	15.0	08.5-21.5	6	4.4	00.5-08.3	2	1.4	00.0-03.4	13	8.5	03.8-13.2			
Some Post-H.S.	64	17,812				7	9.1	02.0-16.2	1	3.8	00.0-11.1				5	8.4	01.0-15.8			
Less than \$15,000	89	18,519	63	73.5	63.5-83.5	18	18.5	10.1-26.9	3	2.9	00.0-06.2				5	5.1	00.2-10.0			
\$15,000- 24,999	67	16,629				7	11.4	03.2-19.6	3	2.6	00.0-05.7	2	4.0	00.0-09.7	5	6.2	00.7-11.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	565	171,006	66	11.4	08.5-14.3	499	88.6	85.7-91.5
Male	229	88,734	22	8.7	05.0-12.4	207	91.3	87.6-95.0
Female	336	82,272	44	14.2	09.7-18.7	292	85.8	81.3-90.3
White/Non-Hisp	443	135,641	51	10.7	07.6-13.8	392	89.3	86.2-92.4
Black or Afr. Am./Non-Hisp	59	16,048	6	10.3	01.1-19.5	53	89.7	80.5-98.9
45-54	95	33,450	18	14.2	07.3-21.1	77	85.8	78.9-92.7
55-64	151	42,020	14	10.5	04.6-16.4	137	89.5	83.6-95.4
65+	262	65,447	25	9.1	05.4-12.8	237	90.9	87.2-94.6
Less Than H.S.	111	31,591	16	13.0	06.1-19.9	95	87.0	80.1-93.9
H.S. or G.E.D.	228	66,483	23	9.8	05.5-14.1	205	90.2	85.9-94.5
Some Post-H.S.	124	43,151	14	10.3	04.8-15.8	110	89.7	84.2-95.2
College Graduate	100	29,241	13	15.0	06.4-23.6	87	85.0	76.4-93.6
Less than \$15,000	117	26,772	21	17.9	10.3-25.5	96	82.1	74.5-89.7
\$15,000- 24,999	116	34,446	11	11.9	04.6-19.2	105	88.1	80.8-95.4
\$25,000- 34,999	59	19,557	7	11.0	02.8-19.2	52	89.0	80.8-97.2
\$35,000- 49,999	80	27,458	9	9.9	03.2-16.6	71	90.1	83.4-96.8
\$50,000- 74,999	55	23,682	5	11.2	01.2-21.2	50	88.8	78.8-98.8
\$75,000+	54	17,875	2	2.5	00.0-06.0	52	97.5	94.0-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	229	88,734	22	8.7	05.0-12.4	207	91.3	87.6-95.0
White/Non-Hisp	187	73,534	17	7.9	04.0-11.8	170	92.1	88.2-96.0
55-64	63	23,051	7	12.7	03.3-22.1	56	87.3	77.9-96.7
65+	105	31,146	10	8.5	03.2-13.8	95	91.5	86.2-96.8
H.S. or G.E.D.	81	32,097	6	6.9	01.0-12.8	75	93.1	87.2-99.0
Some Post-H.S.	59	24,958	5	6.4	00.5-12.3	54	93.6	87.7-99.5
College Graduate	56	19,073	7	12.8	03.2-22.4	49	87.2	77.6-96.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	82,272	44	14.2	09.7-18.7	292	85.8	81.3-90.3
White/Non-Hisp	256	62,107	34	14.0	08.9-19.1	222	86.0	80.9-91.1
55-64	88	18,969	7	7.8	01.7-13.9	81	92.2	86.1-98.3
65+	157	34,300	15	9.6	04.5-14.7	142	90.4	85.3-95.5
Less Than H.S.	78	18,985	12	13.9	05.7-22.1	66	86.1	77.9-94.3
H.S. or G.E.D.	147	34,386	17	12.5	06.2-18.8	130	87.5	81.2-93.8
Some Post-H.S.	65	18,194	9	15.7	05.9-25.5	56	84.3	74.5-94.1
Less than \$15,000	91	19,113	15	17.3	08.5-26.1	76	82.7	73.9-91.5
\$15,000- 24,999	69	17,158	5	8.3	00.0-16.7	64	91.7	83.3-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	551	167,636	78	15.6	12.1-19.1	94	18.4	14.3-22.5	79	14.2	10.9-17.5	119	20.0	16.3-23.7	113	19.1	15.4-22.8	68	12.7	09.6-15.8
Male	225	87,309	42	18.6	12.9-24.3	43	20.9	14.2-27.6	35	16.2	10.7-21.7	39	16.2	11.1-21.3	36	15.5	10.4-20.6	30	12.7	08.0-17.4
Female	326	80,327	36	12.3	08.2-16.4	51	15.7	11.2-20.2	44	12.0	08.3-15.7	80	24.1	19.0-29.2	77	23.1	17.8-28.4	38	12.8	08.7-16.9
White/Non-Hisp	437	133,922	61	15.3	11.4-19.2	76	18.9	14.0-23.8	65	15.0	11.1-18.9	92	19.6	15.5-23.7	87	18.4	14.3-22.5	56	12.8	09.3-16.3
Black or Afr. Am./Non-Hisp	53	14,819	6	11.2	02.0-20.4													1	1.4	00.0-04.1
45-54	93	32,955	12	16.4	07.4-25.4	14	15.8	07.0-24.6	16	19.8	10.6-29.0	22	22.4	13.4-31.4	18	14.1	07.0-21.2	11	11.5	04.4-18.6
55-64	146	40,624	24	16.7	10.0-23.4	26	16.4	10.1-22.7	21	15.1	08.2-22.0	27	18.2	11.3-25.1	31	23.0	15.2-30.8	17	10.6	05.5-15.7
65+	255	63,968	34	15.2	10.1-20.3	39	15.0	10.3-19.7	39	13.9	09.4-18.4	62	24.8	18.7-30.9	52	17.9	13.0-22.8	29	13.2	08.5-17.9
Less Than H.S.	103	30,093	15	15.0	07.2-22.8	11	10.9	04.2-17.6	11	9.4	03.5-15.3	23	21.4	12.4-30.4				16	16.6	07.8-25.4
H.S. or G.E.D.	221	64,488	32	15.7	10.0-21.4	39	22.0	14.2-29.8	37	16.3	10.6-22.0	50	19.4	13.7-25.1	41	15.6	10.5-20.7	22	10.9	06.2-15.6
Some Post-H.S.	124	43,151	15	14.7	07.4-22.0	24	16.0	09.3-22.7	16	15.5	07.7-23.3	31	23.5	15.7-31.3	21	17.2	09.8-24.6	17	13.1	06.6-19.6
College Graduate	101	29,364	16	17.4	09.2-25.6	20	22.0	12.2-31.8	15	12.8	05.9-19.7	14	14.1	06.7-21.5	24	22.2	13.0-31.4	12	11.4	04.9-17.9
Less than \$15,000	111	25,779	16	16.2	08.0-24.4	13	10.9	04.4-17.4	18	13.8	07.1-20.5	27	24.5	14.7-34.3	26	22.1	12.5-31.7	11	12.6	05.2-20.0
\$15,000- 24,999	110	32,512	18	22.0	12.4-31.6	17	14.3	07.6-21.0	11	8.9	03.4-14.4	23	20.4	12.2-28.6	25	18.6	11.0-26.2	16	15.8	08.0-23.6
\$25,000- 34,999	59	19,557	6	9.3	01.5-17.1	5	8.2	00.2-16.2												
\$35,000- 49,999	80	27,458	9	10.2	02.9-17.5				12	16.5	06.7-26.3				14	18.3	08.7-27.9	8	11.0	03.2-18.8
\$50,000- 74,999	55	23,682	6	10.5	02.3-18.7							9	10.8	03.4-18.2				4	5.9	00.0-12.2
\$75,000+	54	17,875							8	12.8	03.4-22.2				5	7.3	00.6-14.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	225	87,309	42	18.6	12.9-24.3	43	20.9	14.0-27.8	35	16.2	10.7-21.7	39	16.2	11.1-21.3	36	15.5	10.4-20.6	30	12.7	08.0-17.4
White/Non-Hisp	184	72,319	29	16.2	10.3-22.1	37	22.0	14.4-29.6	30	17.1	10.8-23.4	32	16.4	10.5-22.3	31	15.6	09.9-21.3	25	12.7	07.6-17.8
55-64	61	22,270	12	17.1	07.5-26.7	10	16.7	07.1-26.3				9	15.8	06.0-25.6				7	9.6	02.3-16.9
65+	103	30,503	18	18.9	10.5-27.3	19	16.6	09.2-24.0	15	14.3	07.0-21.6	22	22.5	13.5-31.5	16	14.3	07.2-21.4	13	13.4	06.3-20.5
H.S. or G.E.D.	78	30,882	16	18.6	09.0-28.2							15	16.2	07.4-25.0	8	9.2	02.7-15.7	10	10.8	03.9-17.7
Some Post-H.S.	59	24,958													8	13.2	04.0-22.4	10	15.2	05.6-24.8
College Graduate	56	19,073							9	13.6	04.4-22.8	6	11.8	02.6-21.0				5	8.7	01.1-16.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	326	80,327	36	12.3	08.2-16.4	51	15.7	11.2-20.2	44	12.0	08.3-15.7	80	24.1	19.0-29.2	77	23.1	17.8-28.4	38	12.8	08.7-16.9
White/Non-Hisp	253	61,603	32	14.2	09.1-19.3	39	15.3	10.2-20.4	35	12.5	08.2-16.8	60	23.2	17.5-28.9	56	21.8	15.7-27.9	31	13.0	08.5-17.5
45-54	54	13,925	3	6.1	00.0-13.2	8	14.7	05.1-24.3										5	9.6	01.0-18.2
55-64	85	18,353	12	16.1	06.7-25.5	16	16.1	08.3-23.9	12	14.8	06.0-23.6	18	21.1	11.9-30.3	17	20.1	10.3-29.9	10	11.7	04.6-18.8
65+	152	33,466	16	11.7	06.0-17.4	20	13.6	07.7-19.5	24	13.7	08.2-19.2	40	26.8	19.0-34.6	36	21.2	14.3-28.1	16	13.0	06.7-19.3
Less Than H.S.	71	17,697	9	14.9	04.9-24.9	7	9.9	02.5-17.3	8	9.2	02.3-16.1							11	15.4	06.4-24.4
H.S. or G.E.D.	143	33,605	16	13.1	06.4-19.8	24	18.4	11.1-25.7	23	13.6	07.7-19.5	35	22.3	15.2-29.4	33	21.5	14.1-28.9	12	11.1	04.6-17.6
Some Post-H.S.	65	18,194	7	11.5	02.9-20.1	12	13.4	05.6-21.2	7	12.3	03.5-21.1							7	10.2	02.4-18.0
Less than \$15,000	87	18,526	11	14.5	05.5-23.5	9	9.5	02.2-16.8	16	15.8	08.0-23.6							7	9.6	02.3-16.9
\$15,000- 24,999	65	16,243				12	18.0	08.0-28.0	4	4.8	00.0-09.7				18	19.8	10.4-29.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	527	160,819	201	40.2	35.3-45.1	183	33.5	28.8-38.2	29	5.3	03.1-07.5	13	2.8	01.0-04.6	53	11.4	08.1-14.7	48	6.9	04.7-09.1
Male	216	84,089	93	44.9	37.3-52.5	69	31.6	24.5-38.7	8	4.0	01.1-06.9	5	2.5	00.1-04.9	22	11.2	06.3-16.1	19	5.8	03.1-08.5
Female	311	76,730	108	35.0	29.1-40.9	114	35.6	29.5-41.7	21	6.7	03.8-09.6	8	3.0	00.5-05.5	31	11.6	07.3-15.9	29	8.1	05.0-11.2
White/Non-Hisp	414	127,412	167	43.0	37.3-48.7	150	34.9	29.6-40.2	18	3.8	01.8-05.8	8	2.5	00.5-04.5	38	9.6	06.3-12.9	33	6.1	03.7-08.5
Black or Afr. Am./Non-Hisp	54	14,833										2	1.7	00.0-04.1	4	9.7	00.0-19.5	7	8.6	01.9-15.3
45-54	91	32,602							6	4.3	00.8-07.8	1	0.4	00.0-01.2	6	6.9	01.0-12.8	5	4.6	00.5-08.7
55-64	141	38,895	61	43.8	34.8-52.8	43	29.2	21.0-37.4	11	10.0	03.9-16.1	3	2.3	00.0-05.0	13	10.0	03.9-16.1	10	4.8	01.7-07.9
65+	238	59,233	80	36.9	30.0-43.8	90	35.8	29.1-42.5	9	3.0	01.0-05.0	7	3.4	00.7-06.1	20	8.5	04.8-12.2	32	12.4	07.9-16.9
Less Than H.S.	94	27,321	22	23.7	14.1-33.3				7	7.5	01.4-13.6	1	1.5	00.0-04.4				19	15.5	08.1-22.9
H.S. or G.E.D.	211	62,079	90	46.6	38.4-54.8	69	28.8	21.5-36.1	11	5.4	01.7-09.1	6	2.9	00.4-05.4	20	10.2	05.5-14.9	15	6.1	02.8-09.4
Some Post-H.S.	121	41,982	48	40.3	30.5-50.1	43	35.6	26.2-45.0	9	6.6	02.1-11.1	2	1.9	00.0-05.0	10	10.2	03.5-16.9	9	5.4	01.7-09.1
College Graduate	100	29,154							2	0.9	00.0-02.3	4	4.9	00.0-10.4	7	6.2	01.7-10.7	5	2.8	00.3-05.3
Less than \$15,000	106	24,335	31	27.1	17.5-36.7				8	6.1	01.8-10.4	2	1.1	00.0-02.7	10	16.7	07.1-26.3	16	13.2	06.5-19.9
\$15,000- 24,999	105	30,805				24	20.7	12.5-28.9	10	10.5	03.2-17.8	6	6.3	00.8-11.8	15	16.1	07.7-24.5	10	7.0	02.3-11.7
\$25,000- 34,999	56	18,798							3	4.2	00.0-08.9	1	1.5	00.0-04.4				4	8.3	00.1-16.5
\$35,000- 49,999	79	27,176							4	4.9	00.2-09.6	2	3.4	00.0-08.7	5	7.7	00.1-15.3	2	2.3	00.0-05.6
\$50,000- 74,999	55	23,682							2	3.6	00.0-08.9	1	2.9	00.0-08.4	2	3.0	00.0-07.5	2	1.5	00.0-03.7
\$75,000+	53	17,746							1	1.5	00.0-04.2				5	8.5	01.1-15.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	216	84,089	93	44.9	37.3-52.5	69	31.6	24.5-38.7	8	4.0	01.1-06.9	5	2.5	00.1-04.9	22	11.2	06.3-16.1	19	5.8	03.1-08.5
White/Non-Hisp	178	69,699	79	48.0	39.6-56.4	60	32.3	24.5-40.1	5	2.3	00.1-04.5	4	2.4	00.0-04.9	15	9.6	04.3-14.9	15	5.5	02.6-08.4
55-64	57	21,097							5	10.2	01.4-19.0	1	1.9	00.0-05.4	6	11.1	01.5-20.7	2	1.9	00.0-04.4
65+	98	28,455							2	1.5	00.0-03.7	3	3.5	00.0-07.4	7	7.5	01.8-13.2	12	10.0	04.1-15.9
H.S. or G.E.D.	77	30,853							2	3.2	00.0-08.3	2	1.9	00.0-04.4	7	8.0	01.9-14.1	7	7.0	01.5-12.5
Some Post-H.S.	57	23,980							3	5.3	00.0-11.4							6	6.5	01.0-12.0
College Graduate	55	18,863										2	5.9	00.0-14.1	3	4.3	00.0-09.2	2	2.0	00.0-04.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR HEMOGLOBIN "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	311	76,730	108	35.0	29.1-40.9	114	35.6	29.5-41.7	21	6.7	03.8-09.6	8	3.0	00.5-05.5	31	11.6	07.3-15.9	29	8.1	05.0-11.2
White/Non-Hisp	236	57,713	88	37.1	30.2-44.0	90	38.0	30.9-45.1	13	5.7	02.4-09.0	4	2.6	00.0-05.5	23	9.7	05.6-13.8	18	6.9	03.4-10.4
45-54	52	13,571							6	10.4	02.2-18.6	1	1.0	00.0-03.0	1	1.0	00.0-03.0	1	1.6	00.0-04.7
55-64	84	17,798							6	9.7	01.7-17.7	2	2.8	00.0-07.1	7	8.7	02.4-15.0	8	8.3	02.2-14.4
65+	140	30,778	42	34.2	25.4-43.0	54	34.0	25.8-42.2	7	4.4	01.1-07.7	4	3.3	00.0-07.2	13	9.4	04.1-14.7	20	14.7	08.0-21.4
Less Than H.S.	67	16,928							4	5.5	00.0-11.2									
H.S. or G.E.D.	134	31,226	54	43.2	33.8-52.6	46	27.7	19.9-35.5	9	7.7	02.4-13.0	4	3.9	00.0-08.2	13	12.3	05.2-19.4	8	5.2	01.3-09.1
Some Post-H.S.	64	18,003							6	8.5	01.8-15.2	2	4.5	00.0-11.8	4	6.8	00.0-13.9	3	3.9	00.0-08.6
Less than \$15,000	84	17,488							6	6.5	01.0-12.0	2	1.5	00.0-03.7				12	13.2	05.6-20.8
\$15,000- 24,999	63	15,896							7	9.3	02.0-16.6	3	5.2	00.0-12.5				5	5.0	00.3-09.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	549	167,335	106	20.1	16.0-24.2	78	15.3	11.8-18.8	45	7.9	05.4-10.4	72	12.6	09.5-15.7	41	6.4	04.2-08.6	207	37.8	33.1-42.5
Male	225	87,475	51	23.1	16.4-29.8	41	18.1	12.4-23.8	21	8.5	04.8-12.2	25	10.8	06.3-15.3	10	4.6	01.5-07.7	77	34.9	27.8-42.0
Female	324	79,861	55	16.8	12.3-21.3	37	12.1	08.0-16.2	24	7.2	03.7-10.7	47	14.5	10.2-18.8	31	8.4	05.3-11.5	130	41.0	34.9-47.1
White/Non-Hisp	430	132,776	81	19.6	14.9-24.3	65	15.7	11.6-19.8	39	9.0	05.9-12.1	48	10.4	07.3-13.5	28	5.3	02.9-07.7	169	40.0	34.5-45.5
Black or Afr. Am./Non-Hisp	58	15,919							3	2.8	00.0-05.9				8	12.6	03.2-22.0			
45-54	95	33,450	15	16.4	08.0-24.8	17	22.0	12.0-32.0	8	8.5	02.2-14.8	11	11.9	04.6-19.2	9	5.7	01.8-09.6			
55-64	148	41,456	32	21.2	14.1-28.3	18	13.8	07.3-20.3	12	7.5	03.2-11.8	15	8.5	04.0-13.0	11	8.6	03.1-14.1	60	40.5	31.7-49.3
65+	250	62,706	47	18.4	13.3-23.5	35	13.6	09.1-18.1	20	8.0	04.1-11.9	39	16.3	11.0-21.6	17	5.5	02.6-08.4	92	38.1	31.4-44.8
Less Than H.S.	106	30,544	12	6.8	02.9-10.7	11	10.9	04.2-17.6	6	9.3	01.1-17.5	20	18.5	10.1-26.9	11	10.5	03.6-17.4			
H.S. or G.E.D.	220	64,698	40	20.6	13.3-27.9	31	14.0	08.5-19.5	19	7.8	03.9-11.7	31	12.6	07.5-17.7	14	5.2	02.3-08.1	85	39.8	32.0-47.6
Some Post-H.S.	123	42,941	31	25.9	17.1-34.7	23	20.4	12.4-28.4	10	7.0	02.5-11.5	14	12.4	05.9-18.9	5	2.6	00.2-05.0	40	31.8	22.6-41.0
College Graduate	99	28,870	23	24.3	14.5-34.1	13	15.3	06.7-23.9	10	8.0	02.7-13.3	7	6.5	01.6-11.4	11	10.8	03.5-18.1			
Less than \$15,000	113	25,944	19	14.6	07.7-21.5	10	9.9	03.4-16.4	9	9.9	01.3-18.5	18	19.3	09.7-28.9	15	9.7	04.6-14.8			
\$15,000- 24,999	112	33,254	20	18.8	10.8-26.8	11	9.3	03.6-15.0	8	6.5	01.6-11.4	15	13.1	05.8-20.4	11	9.5	03.4-15.6			
\$25,000- 34,999	59	19,557				8	13.3	03.5-23.1							4	7.4	00.0-14.8			
\$35,000- 49,999	77	26,814							6	5.5	00.6-10.4	9	10.2	03.5-16.9	5	6.3	00.0-12.8			
\$50,000- 74,999	55	23,682							3	4.8	00.0-10.3	6	8.3	00.9-15.7	2	4.3	00.0-10.2			
\$75,000+	53	17,510							7	9.7	01.9-17.5	5	9.9	01.3-18.5	3	3.6	00.0-07.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	225	87,475	51	23.1	16.4-29.8	41	18.1	12.4-23.8	21	8.5	04.8-12.2	25	10.8	06.3-15.3	10	4.6	01.5-07.7	77	34.9	27.8-42.0
White/Non-Hisp	184	72,695	40	22.7	15.3-30.1	34	18.4	12.1-24.7	20	9.6	05.3-13.9	18	9.0	04.5-13.5	6	3.0	00.3-05.7	66	37.3	29.3-45.3
55-64	62	22,856							7	9.0	02.1-15.9	5	6.8	00.7-12.9	4	7.7	00.1-15.3			
65+	102	30,083	24	23.2	14.6-31.8	20	17.6	10.2-25.0	10	11.2	04.1-18.3	12	13.3	05.3-21.3	3	2.1	00.0-04.6	33	32.6	22.8-42.4
H.S. or G.E.D.	79	31,468				17	19.9	09.9-29.9	6	7.9	01.4-14.4	11	12.8	04.4-21.2	3	3.9	00.0-08.4			
Some Post-H.S.	58	24,747							7	8.8	02.1-15.5	6	10.5	02.5-18.5						
College Graduate	56	19,073							5	7.1	00.2-14.0	3	4.4	00.0-09.7	3	7.1	00.0-15.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	324	79,861	55	16.8	12.3-21.3	37	12.1	08.0-16.2	24	7.2	03.7-10.7	47	14.5	10.2-18.8	31	8.4	05.3-11.5	130	41.0	34.9-47.1
White/Non-Hisp	246	60,081	41	15.9	10.8-21.0	31	12.6	07.9-17.3	19	8.2	03.7-12.7	30	12.0	07.5-16.5	22	8.2	04.5-11.9	103	43.2	36.1-50.3
45-54	56	14,420	7	11.3	03.3-19.3				5	8.3	00.7-15.9	5	9.8	01.2-18.4	9	13.2	04.6-21.8			
55-64	86	18,600	17	18.9	10.3-27.5	8	7.6	02.1-13.1	5	5.6	00.7-10.5	10	10.6	03.7-17.5	7	9.6	02.2-17.0			
65+	148	32,623	23	13.9	08.2-19.6	15	10.0	04.7-15.3	10	5.1	01.6-08.6	27	19.1	12.0-26.2	14	8.6	03.5-13.7	59	43.2	34.4-52.0
Less Than H.S.	74	18,358	11	10.1	04.0-16.2	7	13.1	03.5-22.7	3	7.8	00.0-19.0				7	9.5	01.9-17.1			
H.S. or G.E.D.	141	33,230	24	19.2	11.8-26.6	14	8.4	03.7-13.1	13	7.7	03.2-12.2	20	12.4	06.9-17.9	11	6.3	02.4-10.2	59	46.0	36.6-55.4
Some Post-H.S.	65	18,194	13	17.6	08.2-27.0				3	4.4	00.0-09.3				5	6.1	00.6-11.6			
Less than \$15,000	88	18,481	13	11.8	05.3-18.3	7	8.9	01.5-16.3				11	13.4	04.8-22.0	13	11.8	05.3-18.3			
\$15,000- 24,999	68	17,029	9	12.5	04.1-20.9	4	6.1	00.0-12.2	5	5.3	00.4-10.2	10	14.2	05.0-23.4	7	7.8	01.9-13.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	562	170,497	92	15.2	12.1-18.3	276	47.4	42.7-52.1	73	13.9	10.4-17.4	92	17.0	13.3-20.7	29	6.4	03.3-09.5
Male	229	88,734	35	14.2	09.5-18.9	114	46.8	39.5-54.1	31	14.5	09.2-19.8	36	17.3	11.4-23.2	13	7.2	02.1-12.3
Female	333	81,763	57	16.3	12.0-20.6	162	48.1	42.0-54.2	42	13.4	09.1-17.7	56	16.6	12.3-20.9	16	5.6	02.5-08.7
White/Non-Hisp	441	135,254	67	14.2	10.7-17.7	228	50.2	44.7-55.7	59	13.7	10.0-17.4	67	16.3	12.2-20.4	20	5.6	02.1-09.1
Black or Afr. Am./Non-Hisp	58	15,925	10	14.1	04.9-23.3												
45-54	95	33,450	9	6.7	02.0-11.4				16	17.2	08.8-25.6	20	23.5	13.5-33.5	6	6.5	00.8-12.2
55-64	150	41,897	18	12.2	06.5-17.9	75	50.1	41.1-59.1	22	14.7	08.4-21.0	29	18.6	11.7-25.5	6	4.4	00.5-08.3
65+	260	65,061	57	23.0	17.3-28.7	139	54.0	47.3-60.7	26	10.1	06.0-14.2	31	10.8	06.9-14.7	7	2.2	00.4-04.0
Less Than H.S.	108	31,216	22	21.8	12.8-30.8				13	12.8	05.2-20.4	23	21.5	12.3-30.7	6	4.8	00.7-08.9
H.S. or G.E.D.	228	66,483	37	13.7	09.0-18.4	106	43.4	35.8-51.0	36	18.0	11.7-24.3	35	14.9	09.6-20.2	14	9.9	03.2-16.6
Some Post-H.S.	124	43,151	15	10.1	05.0-15.2	64	51.5	41.7-61.3	16	12.5	06.2-18.8	23	20.9	12.3-29.5	6	5.1	00.6-09.6
College Graduate	100	29,106	18	19.5	10.3-28.7				8	8.2	01.3-15.1	9	9.6	02.9-16.3	3	2.4	00.0-05.3
Less than \$15,000	117	26,772	13	11.4	04.9-17.9				20	18.4	10.2-26.6	22	18.0	10.4-25.6	9	7.5	02.0-13.0
\$15,000- 24,999	114	34,200	18	13.1	06.8-19.4				12	13.9	05.9-21.9	19	16.4	09.0-23.8	8	8.4	02.3-14.5
\$25,000- 34,999	59	19,557							9	13.2	03.8-22.6				1	1.8	00.0-05.3
\$35,000- 49,999	79	27,201	15	17.8	08.2-27.4				15	14.9	07.3-22.5	8	13.2	03.4-23.0	1	1.4	00.0-04.1
\$50,000- 74,999	55	23,682	10	13.2	04.8-21.6												
\$75,000+	54	17,875	6	11.7	02.7-20.7				3	6.2	00.0-13.3	4	6.3	00.0-12.8	3	7.0	00.0-15.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	229	88,734	35	14.2	09.5-18.9	114	46.8	39.5-54.1	31	14.5	09.2-19.8	36	17.3	11.4-23.2	13	7.2	02.1-12.3
White/Non-Hisp	187	73,534	26	13.5	08.2-18.8	95	48.3	40.1-56.5	24	12.7	07.2-18.2	31	17.8	11.3-24.3	11	7.6	01.7-13.5
55-64	63	23,051	7	11.0	03.2-18.8							10	16.1	06.1-26.1	3	4.2	00.0-09.1
65+	105	31,146	23	24.0	15.0-33.0				10	9.0	03.1-14.9	12	10.8	04.7-16.9	3	1.9	00.0-04.1
H.S. or G.E.D.	81	32,097	10	10.7	03.8-17.6							15	16.9	07.5-26.3			
Some Post-H.S.	59	24,958	4	5.6	00.1-11.1				7	11.3	02.5-20.1				4	6.5	00.0-13.4
College Graduate	56	19,073							3	4.6	00.0-09.9	5	10.1	01.1-19.1	1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	333	81,763	57	16.3	12.0-20.6	162	48.1	42.0-54.2	42	13.4	09.1-17.7	56	16.6	12.1-21.1	16	5.6	02.5-08.7
White/Non-Hisp	254	61,720	41	14.9	10.2-19.6	133	52.5	45.4-59.6	35	14.8	09.5-20.1	36	14.5	09.6-19.4	9	3.2	00.8-05.6
45-54	56	14,420	7	10.8	02.4-19.2										3	5.4	00.0-11.9
55-64	87	18,846	11	13.7	05.7-21.7				10	9.8	03.7-15.9	19	21.6	12.2-31.0	3	4.6	00.0-10.7
65+	155	33,914	34	22.0	14.7-29.3	82	53.6	45.0-62.2	16	11.0	05.3-16.7	19	10.9	06.0-15.8	4	2.5	00.0-05.0
Less Than H.S.	75	18,610							9	11.6	03.4-19.8				4	4.1	00.0-08.2
H.S. or G.E.D.	147	34,386	27	16.6	10.3-22.9	73	48.7	39.7-57.7	19	13.6	07.3-19.9	20	13.1	07.4-18.8	8	8.0	02.1-13.9
Some Post-H.S.	65	18,194	11	16.2	07.0-25.4				9	14.2	05.0-23.4				2	3.0	00.0-07.7
Less than \$15,000	91	19,113	11	13.3	05.1-21.5				16	18.1	08.9-27.3	17	17.7	09.1-26.3	7	8.2	01.3-15.1
\$15,000- 24,999	67	16,912	11	12.4	04.8-20.0				6	10.1	01.9-18.3	12	17.2	07.6-26.8	3	6.2	00.0-14.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	562	170,168	115	20.4	16.5-24.3	447	79.6	75.7-83.5
Male	227	88,239	43	18.1	12.6-23.6	184	81.9	76.4-87.4
Female	335	81,930	72	22.8	17.5-28.1	263	77.2	71.9-82.5
White/Non-Hisp	442	135,298	77	17.6	13.5-21.7	365	82.4	78.3-86.5
45-54	94	33,100	18	15.3	07.9-22.7	76	84.7	77.3-92.1
55-64	150	41,774	38	27.0	19.0-35.0	112	73.0	65.0-81.0
65+	261	65,206	45	16.7	11.8-21.6	216	83.3	78.4-88.2
H.S. or G.E.D.	226	66,018	47	21.2	14.9-27.5	179	78.8	72.5-85.1
Some Post-H.S.	123	42,800	16	11.3	05.6-17.0	107	88.7	83.0-94.4
College Graduate	100	29,220	16	15.4	07.2-23.6	84	84.6	76.4-92.8
\$15,000- 24,999	115	34,200	30	29.7	20.1-39.3	85	70.3	60.7-79.9
\$25,000- 34,999	58	19,413	8	12.3	03.9-20.7	50	87.7	79.3-96.1
\$35,000- 49,999	80	27,458	14	17.6	08.4-26.8	66	82.4	73.2-91.6
\$75,000+	54	17,875	4	5.7	00.0-11.6	50	94.3	88.4-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Male	227	88,239	43	18.1	12.6-23.6	184	81.9	76.4-87.4		
White/Non-Hisp	187	73,534	32	16.2	10.5-21.9	155	83.8	78.1-89.5		
65+	104	31,002	16	14.6	07.3-21.9	88	85.4	78.1-92.7		
Some Post-H.S.	58	24,607	7	10.0	02.4-17.6	51	90.0	82.4-97.6		
College Graduate	55	18,929	7	10.2	02.4-18.0	48	89.8	82.0-97.6		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)		
Female	335	81,930	72	22.8	17.5-28.1	263	77.2	71.9-82.5		
White/Non-Hisp	255	61,764	45	19.3	13.2-25.4	210	80.7	74.6-86.8		
55-64	87	18,723				68	77.3	67.3-87.3		
65+	157	34,204	29	18.6	11.9-25.3	128	81.4	74.7-88.1		
H.S. or G.E.D.	145	33,920	29	20.8	13.4-28.2	116	79.2	71.8-86.6		
Some Post-H.S.	65	18,194	9	13.0	04.6-21.4	56	87.0	78.6-95.4		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	564	170,473	264	44.9	40.2-49.6	300	55.1	50.4-59.8
Male	228	88,267	92	39.0	31.9-46.1	136	61.0	53.9-68.1
Female	336	82,206	172	51.1	45.0-57.2	164	48.9	42.8-55.0
White/Non-Hisp	442	135,107	202	43.1	37.8-48.4	240	56.9	51.6-62.2
55-64	151	42,020	67	42.6	33.8-51.4	84	57.4	48.6-66.2
65+	262	65,380	110	40.5	34.0-47.0	152	59.5	53.0-66.0
H.S. or G.E.D.	228	66,551	98	39.9	32.5-47.3	130	60.1	52.7-67.5
Some Post-H.S.	124	43,151	64	50.0	40.2-59.8	60	50.0	40.2-59.8
Less than \$15,000	117	26,772	52	39.0	29.0-49.0	65	61.0	51.0-71.0
\$15,000- 24,999	116	34,446	52	42.3	32.3-52.3	64	57.7	47.7-67.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
 MODULE 4: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	228	88,267	92	39.0	31.9-46.1	136	61.0	53.9-68.1	
White/Non-Hisp	186	73,067	73	37.3	29.7-44.9	113	62.7	55.1-70.3	
65+	105	31,146	39	38.3	28.3-48.3	66	61.7	51.7-71.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006
MODULE 4: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	336	82,206	172	51.1	45.0-57.2	164	48.9	42.8-55.0
White/Non-Hisp	256	62,040	129	50.0	42.9-57.1	127	50.0	42.9-57.1
65+	157	34,234	71	42.5	34.1-50.9	86	57.5	49.1-65.9
H.S. or G.E.D.	147	34,454	71	48.1	39.1-57.1	76	51.9	42.9-60.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2006**

End of Module Data Report