


ARKANSAS

2007 Diabetes Module Variables Report

Behavioral Risk Factor Surveillance System

April 22, 2008



MODULE 3: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	4
2 MALES ONLY	5
3 FEMALES ONLY	6
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	7
5 MALES ONLY	8
6 FEMALES ONLY	9
ARE YOU TAKING DIABETES PILLS? (DIABPILL)	
7 MALES AND FEMALES	10
8 MALES ONLY	11
9 FEMALES ONLY	12
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
10 MALES AND FEMALES	13
11 MALES ONLY	14
12 FEMALES ONLY	15
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
13 MALES AND FEMALES	16
14 MALES ONLY	17
15 FEMALES ONLY	18
HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)	
16 MALES AND FEMALES	19
17 MALES ONLY	20
18 FEMALES ONLY	21

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007**

MODULE 3: DIABETES CONTENTS

* NOTE *
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
19	MALES AND FEMALES	22
20	MALES ONLY	23
21	FEMALES ONLY	24
	A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
22	MALES AND FEMALES	25
23	MALES ONLY	26
24	FEMALES ONLY	27
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
25	MALES AND FEMALES	28
26	MALES ONLY	29
27	FEMALES ONLY	30
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)	
28	MALES AND FEMALES	31
29	MALES ONLY	32
30	FEMALES ONLY	33
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
31	MALES AND FEMALES	34
32	MALES ONLY	35
33	FEMALES ONLY	36
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
34	MALES AND FEMALES	37
35	MALES ONLY	38
36	FEMALES ONLY	39

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	633	188,994	12	3.9	01.0-06.8	35	8.7	05.2-12.2	140	26.7	22.4-31.0	267	38.7	34.2-43.2	179	22.0	18.7-25.3
Male	229	90,028	3	2.9	00.0-06.4	11	6.2	01.7-10.7	45	25.9	18.8-33.0	110	44.2	37.1-51.3	60	20.8	15.5-26.1
Female	404	98,966	9	4.8	00.1-09.5	24	11.0	05.7-16.3	95	27.4	22.1-32.7	157	33.8	28.5-39.1	119	23.0	18.7-27.3
White/Non-Hisp	502	148,764	9	4.3	00.6-08.0	24	7.3	03.8-10.8	98	23.6	18.9-28.3	220	40.8	35.7-45.9	151	23.9	20.0-27.8
Black or Afr. Am./Non-Hisp	76	20,151	2	2.3	00.0-05.6	6	10.9	01.3-20.5							12	12.7	05.1-20.3
45-54	117	39,850	3	2.6	00.0-05.5	8	6.1	01.4-10.8									
55-64	178	48,676	2	0.7	00.0-01.7	4	1.1	00.0-02.3	31	18.0	11.1-24.9	127	72.5	64.9-80.1	14	7.6	03.3-11.9
65+	281	65,156				6	1.8	00.2-03.4	17	6.9	03.4-10.4	93	33.3	27.2-39.4	165	58.0	51.7-64.3
Less Than H.S.	110	31,289	1	0.6	00.0-01.8				18	19.5	10.3-28.7	37	30.8	20.8-40.8	45	32.8	22.8-42.8
H.S. or G.E.D.	268	77,833	3	2.5	00.0-06.0	17	10.3	04.4-16.2	60	25.8	19.3-32.3	111	39.4	32.5-46.3	77	22.0	16.9-27.1
Some Post-H.S.	145	45,560	4	7.5	00.0-17.3	7	6.3	01.2-11.4	33	30.2	20.4-40.0	68	39.1	29.7-48.5	33	16.8	10.7-22.9
College Graduate	108	33,947	4	5.5	00.0-11.2	2	1.4	00.0-03.6							23	18.5	10.7-26.3
Less than \$15,000	131	28,687	5	8.7	00.0-18.3	9	6.7	01.8-11.6	25	22.0	12.4-31.6				32	20.0	12.6-27.4
\$15,000- 24,999	128	37,231	1	6.2	00.0-17.8	6	9.7	00.3-19.1				51	31.7	22.1-41.3	40	20.9	13.6-28.2
\$25,000- 34,999	77	23,766				3	6.9	00.0-14.7							23	23.9	13.9-33.9
\$35,000- 49,999	85	29,380	2	1.8	00.0-04.3												
\$50,000- 74,999	77	30,224	2	4.2	00.0-10.1	5	9.2	00.8-17.6							17	16.4	08.8-24.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	229	90,028	3	2.9	00.0-06.4	11	6.2	01.7-10.7	45	25.9	18.8-33.0	110	44.2	36.9-51.5	60	20.8	15.5-26.1
White/Non-Hisp	188	71,898	3	3.7	00.0-08.2	7	3.9	00.6-07.2	30	21.2	13.9-28.5	98	48.5	40.7-56.3	50	22.7	16.6-28.8
55-64	79	28,872				1	0.6	00.0-01.8							6	8.1	01.8-14.4
65+	101	30,778				4	2.5	00.0-05.0	7	7.0	01.5-12.5	36	37.3	27.3-47.3			
H.S. or G.E.D.	92	36,849	1	3.8	00.0-11.1	5	8.0	00.0-17.0							22	18.4	10.6-26.2
Some Post-H.S.	61	24,806	1	1.9	00.0-05.6	2	5.7	00.0-13.3							13	16.1	07.5-24.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	404	98,966	9	4.8	00.1-09.5	24	11.0	05.7-16.3	95	27.4	22.1-32.7	157	33.8	28.5-39.1	119	23.0	18.7-27.3
White/Non-Hisp	314	76,866	6	4.9	00.0-10.8	17	10.5	04.4-16.6	68	25.9	19.8-32.0	122	33.7	27.6-39.8	101	25.0	19.7-30.3
Black or Afr. Am./Non-Hisp	57	13,492	2	3.5	00.0-08.4							9	13.9	04.1-23.7			
45-54	85	23,080	2	2.4	00.0-05.7	7	9.5	01.9-17.1									
55-64	99	19,804	2	1.8	00.0-04.3	3	1.8	00.0-03.8	20	20.8	12.2-29.4	66	68.6	59.0-78.2	8	6.9	02.0-11.8
65+	180	34,378				2	1.2	00.0-03.0	10	6.8	02.3-11.3	57	29.7	22.6-36.8	111	62.3	54.7-69.9
Less Than H.S.	80	21,467	1	0.9	00.0-02.7												
H.S. or G.E.D.	176	40,984	2	1.3	00.0-03.1	12	12.3	04.9-19.7	36	23.8	16.2-31.4	71	37.4	29.4-45.4	55	25.3	18.8-31.8
Some Post-H.S.	84	20,754				5	7.1	00.4-13.8							20	17.6	09.2-26.0
College Graduate	62	15,395	3	7.0	00.0-15.0	2	3.2	00.0-08.1							11	13.0	05.2-20.8
Less than \$15,000	104	19,110	4	5.8	00.0-12.1	5	6.6	00.1-13.1	22	23.7	14.1-33.3				25	21.3	12.9-29.7
\$15,000- 24,999	91	23,180				5	8.7	00.0-17.5							32	25.0	15.2-34.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	668	197,489	158	24.4	20.3-28.5	510	75.6	71.5-79.7
Male	238	93,236	57	23.6	17.7-29.5	181	76.4	70.5-82.3
Female	430	104,253	101	25.1	19.4-30.8	329	74.9	69.2-80.6
White/Non-Hisp	526	154,899	122	23.8	19.1-28.5	404	76.2	71.5-80.9
45-54	123	41,777	32	22.1	14.3-29.9	91	77.9	70.1-85.7
55-64	185	50,409	45	26.5	18.9-34.1	140	73.5	65.9-81.1
65+	301	69,447	67	22.5	17.4-27.6	234	77.5	72.4-82.6
Less Than H.S.	119	33,159	31	23.1	14.7-31.5	88	76.9	68.5-85.3
H.S. or G.E.D.	280	81,242	68	25.2	19.1-31.3	212	74.8	68.7-80.9
Some Post-H.S.	158	48,618	31	19.0	09.6-28.4	127	81.0	71.6-90.4
Less than \$15,000	143	31,511	41	30.6	21.0-40.2	102	69.4	59.8-79.0
\$35,000- 49,999	88	30,211	16	18.4	09.0-27.8	72	81.6	72.2-91.0
\$50,000- 74,999	77	30,224	13	17.4	08.0-26.8	64	82.6	73.2-92.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	238	93,236	57	23.6	17.7-29.5	181	76.4	70.5-82.3
White/Non-Hisp	194	74,417	44	22.7	16.4-29.0	150	77.3	71.0-83.6
65+	103	31,281	25	24.5	15.9-33.1	78	75.5	66.9-84.1
H.S. or G.E.D.	97	38,848	28	26.8	17.2-36.4	69	73.2	63.6-82.8
Some Post-H.S.	65	26,015	10	11.5	04.2-18.8	55	88.5	81.2-95.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	430	104,253	101	25.1	19.4-30.8	329	74.9	69.2-80.6
White/Non-Hisp	332	80,483	78	24.8	18.1-31.5	254	75.2	68.5-81.9
45-54	87	23,503	22	20.6	12.0-29.2	65	79.4	70.8-88.0
55-64	104	20,640	26	26.0	16.8-35.2	78	74.0	64.8-83.2
65+	198	38,166	42	20.9	14.8-27.0	156	79.1	73.0-85.2
Less Than H.S.	89	23,337	22	18.6	10.0-27.2	67	81.4	72.8-90.0
H.S. or G.E.D.	183	42,394	40	23.7	16.3-31.1	143	76.3	68.9-83.7
Less than \$15,000	116	21,933	34	31.7	21.9-41.5	82	68.3	58.5-78.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 7: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	665	196,019	483	71.2	66.7-75.7	182	28.8	24.3-33.3
Male	236	92,079	175	73.4	66.9-79.9	61	26.6	20.1-33.1
Female	429	103,940	308	69.2	63.1-75.3	121	30.8	24.7-36.9
White/Non-Hisp	524	154,124	378	71.1	66.0-76.2	146	28.9	23.8-34.0
45-54	121	40,620	79	64.5	54.7-74.3	42	35.5	25.7-45.3
55-64	185	50,409	136	75.5	68.8-82.2	49	24.5	17.8-31.2
65+	300	69,134	233	79.2	74.3-84.1	67	20.8	15.9-25.7
H.S. or G.E.D.	278	80,467	199	69.3	62.4-76.2	79	30.7	23.8-37.6
Some Post-H.S.	157	47,924	122	76.8	67.0-86.6	35	23.2	13.4-33.0
College Graduate	109	34,104	75	69.2	59.4-79.0	34	30.8	21.0-40.6
Less than \$15,000	142	30,817	99	74.1	66.1-82.1	43	25.9	17.9-33.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 8: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	236	92,079	175	73.4	66.9-79.9	61	26.6	20.1-33.1
White/Non-Hisp	193	73,954	145	75.2	68.5-81.9	48	24.8	18.1-31.5
55-64	81	29,768	61	77.7	68.5-86.9	20	22.3	13.1-31.5
65+	103	31,281	81	78.9	70.5-87.3	22	21.1	12.7-29.5
Some Post-H.S.	64	25,321	55	87.3	78.9-95.7	9	12.7	04.3-21.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 9: ARE YOU TAKING DIABETES PILLS? (DIABPILL)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	429	103,940	308	69.2	63.1-75.3	121	30.8	24.7-36.9
White/Non-Hisp	331	80,170	233	67.3	60.0-74.6	98	32.7	25.4-40.0
55-64	104	20,640	75	72.4	63.0-81.8	29	27.6	18.2-37.0
65+	197	37,853	152	79.4	73.5-85.3	45	20.6	14.7-26.5
H.S. or G.E.D.	182	42,082	133	71.7	64.1-79.3	49	28.3	20.7-35.9
Less than \$15,000	116	21,933	79	69.9	60.5-79.3	37	30.1	20.7-39.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	663	194,007	58	8.8	06.3-11.3	155	24.3	20.4-28.2	443	66.0	61.7-70.3	7	1.0	00.2-01.8
Male	235	90,134	24	10.1	05.8-14.4	65	28.1	21.6-34.6	145	61.4	54.5-68.3	1	0.4	00.0-01.2
Female	428	103,873	34	7.6	04.7-10.5	90	20.9	16.4-25.4	298	70.0	64.9-75.1	6	1.5	00.1-02.9
White/Non-Hisp	523	153,157	46	8.0	05.5-10.5	127	24.6	20.3-28.9	344	66.3	61.6-71.0	6	1.1	00.1-02.1
Black or Afr. Am./Non-Hisp	80	21,056	7	9.8	01.6-18.0							1	1.3	00.0-03.8
45-54	120	40,132	10	11.3	04.2-18.4	24	21.3	13.1-29.5	84	66.2	56.4-76.0	2	1.2	00.0-03.0
55-64	185	50,409	15	7.6	03.7-11.5	47	26.4	19.1-33.7	120	64.6	57.0-72.2	3	1.4	00.0-03.2
65+	301	69,447	26	7.4	04.5-10.3	68	23.5	18.2-28.8	206	68.8	63.1-74.5	1	0.2	00.0-00.6
Less Than H.S.	119	33,159	12	11.2	04.1-18.3	27	26.4	16.6-36.2						
H.S. or G.E.D.	276	78,802	22	7.6	04.1-11.1	72	27.3	21.0-33.6	180	64.6	57.9-71.3	2	0.5	00.0-01.3
Some Post-H.S.	157	47,577	14	10.2	04.1-16.3	35	22.0	14.6-29.4	107	67.5	58.7-76.3	1	0.3	00.0-00.9
College Graduate	109	34,104	10	7.4	02.7-12.1	21	18.6	10.2-27.0	74	70.0	60.4-79.6	4	4.1	00.0-08.2
Less than \$15,000	142	31,369	12	7.9	02.6-13.2	20	13.1	07.0-19.2	108	77.7	69.9-85.5	2	1.3	00.0-03.3
\$15,000- 24,999	131	36,291	8	6.3	01.2-11.4	37	28.9	19.3-38.5				1	0.6	00.0-01.8
\$25,000- 34,999	79	24,475	5	8.7	00.9-16.5									
\$35,000- 49,999	88	30,211	9	13.2	04.4-22.0	22	22.8	13.2-32.4						
\$50,000- 74,999	77	30,224	8	8.4	02.5-14.3							1	0.8	00.0-02.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
 MODULE 3: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	235	90,134	24	10.1	05.8-14.4	65	28.1	21.6-34.6	145	61.4	54.5-68.3	1	0.4	00.0-01.2
White/Non-Hisp	192	72,913	18	8.2	04.3-12.1	55	28.2	21.1-35.3	118	63.1	55.7-70.5	1	0.5	00.0-01.5
55-64	81	29,768	9	9.0	03.1-14.9							1	1.2	00.0-03.6
65+	103	31,281	8	6.8	01.9-11.7	28	27.3	18.3-36.3	67	65.9	56.3-75.5			
H.S. or G.E.D.	95	36,787	9	8.0	02.5-13.5									

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	428	103,873	34	7.6	04.7-10.5	90	20.9	16.4-25.4	298	70.0	64.9-75.1	6	1.5	00.1-02.9
White/Non-Hisp	331	80,244	28	7.8	04.7-10.9	72	21.5	16.2-26.8	226	69.2	63.1-75.3	5	1.6	00.0-03.2
Black or Afr. Am./Non-Hisp	59	14,014	5	7.2	00.1-14.3							1	2.0	00.0-05.9
45-54	86	23,362	7	11.5	02.9-20.1	14	18.7	08.9-28.5				2	2.1	00.0-05.0
55-64	104	20,640	6	5.5	01.0-10.0	27	27.1	17.7-36.5	69	65.7	55.7-75.7	2	1.7	00.0-04.2
65+	198	38,166	18	7.9	04.0-11.8	40	20.4	14.3-26.5	139	71.3	64.4-78.2	1	0.4	00.0-01.2
Less Than H.S.	89	23,337	9	11.2	03.0-19.4									
H.S. or G.E.D.	181	42,014	13	7.2	02.9-11.5	45	24.4	17.3-31.5	121	67.5	59.9-75.1	2	0.9	00.0-02.3
Some Post-H.S.	93	22,604	7	6.1	01.2-11.0	16	17.1	08.3-25.9				1	0.5	00.0-01.5
College Graduate	63	15,552	5	5.8	00.5-11.1	11	13.4	05.2-21.6				3	6.6	00.0-14.2
Less than \$15,000	115	21,792	9	6.8	02.3-11.3	16	14.0	06.9-21.1	88	77.3	69.1-85.5	2	1.8	00.0-04.5
\$15,000- 24,999	95	23,837	6	7.5	00.2-14.8							1	0.9	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 13: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	653	192,298	440	67.3	63.0-71.6	101	13.5	10.6-16.4	31	5.4	03.2-07.6	8	1.5	00.3-02.7	65	11.0	08.1-13.9	8	1.3	00.3-02.3
Male	232	90,461	155	66.5	59.6-73.4	29	12.2	07.7-16.7	15	6.9	03.2-10.6	2	1.1	00.0-02.7	29	12.4	07.3-17.5	2	0.9	00.0-02.1
Female	421	101,837	285	68.0	62.7-73.3	72	14.7	11.0-18.4	16	4.1	01.7-06.5	6	1.8	00.0-03.6	36	9.7	06.2-13.2	6	1.7	00.1-03.3
White/Non-Hisp	515	151,561	342	68.1	63.4-72.8	80	12.8	09.7-15.9	27	5.9	03.4-08.4	5	0.9	00.0-01.9	54	10.6	07.7-13.5	7	1.6	00.2-03.0
Black or Afr. Am./Non-Hisp	79	20,378	61	80.2	70.6-89.8	11	12.0	04.4-19.6	2	3.0	00.0-07.5	1	0.7	00.0-02.1	3	3.3	00.0-07.4	1	0.8	00.0-02.4
45-54	119	39,915	81	67.1	57.3-76.9	16	14.0	06.7-21.3	7	5.6	01.1-10.1	4	4.4	00.0-09.1	10	7.8	02.5-13.1	1	1.2	00.0-03.6
55-64	182	49,990	126	71.8	64.7-78.9	30	13.7	08.6-18.8	6	3.6	00.3-06.9				18	9.6	04.9-14.3	2	1.2	00.0-03.0
65+	295	67,982	198	66.2	60.1-72.3	48	14.8	10.5-19.1	15	6.0	02.9-09.1	3	0.8	00.0-01.8	27	10.6	06.5-14.7	4	1.7	00.0-03.9
Less Than H.S.	114	31,532				20	15.9	08.3-23.5	2	2.2	00.0-05.3	1	1.7	00.0-05.0	14	14.8	06.6-23.0	4	3.6	00.0-08.1
H.S. or G.E.D.	275	79,006	176	63.2	56.3-70.1	45	13.5	09.2-17.8	20	8.3	04.4-12.2	4	1.6	00.0-03.6	28	12.5	07.2-17.8	2	1.0	00.0-02.4
Some Post-H.S.	155	47,588	113	74.5	66.3-82.7	20	12.3	06.2-18.4	5	2.6	00.1-05.1	1	0.6	00.0-01.8	15	9.3	04.0-14.6	1	0.8	00.0-02.4
College Graduate	107	33,806	76	71.5	61.9-81.1	16	13.2	06.3-20.1	4	5.8	00.0-11.9	2	2.2	00.0-05.9	8	6.5	01.8-11.2	1	0.7	00.0-02.1
Less than \$15,000	139	30,553	95	71.4	62.8-80.0	25	16.8	09.7-23.9	4	1.6	00.0-03.2	1	0.3	00.0-00.9	13	9.5	04.0-15.0	1	0.3	00.0-00.9
\$15,000- 24,999	130	37,178				21	12.4	05.9-18.9	6	4.5	00.8-08.2	2	2.0	00.0-05.3	12	11.5	02.7-20.3	1	1.0	00.0-03.0
\$25,000- 34,999	79	24,475				10	10.7	04.0-17.4	1	1.2	00.0-03.6	1	2.8	00.0-08.3	5	7.5	00.2-14.8	1	1.0	00.0-03.0
\$35,000- 49,999	87	30,070				12	12.4	04.4-20.4	9	11.9	04.1-19.7				8	7.7	01.8-13.6	2	2.7	00.0-06.4
\$50,000- 74,999	75	28,966				9	12.4	04.4-20.4	5	10.3	01.3-19.3	1	1.1	00.0-03.3	8	12.1	03.7-20.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
 MODULE 3: DIABETES**

TABLE 14: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	232	90,461	155	66.5	59.6-73.4	29	12.2	07.7-16.7	15	6.9	03.2-10.6	2	1.1	00.0-02.7	29	12.4	07.3-17.5	2	0.9	00.0-02.1
White/Non-Hisp	190	72,906	127	68.9	61.8-76.0	22	10.5	06.0-15.0	14	7.9	03.6-12.2	1	0.4	00.0-01.2	24	11.1	06.6-15.6	2	1.1	00.0-02.7
55-64	80	29,589	57	73.3	63.3-83.3	8	9.4	02.9-15.9	3	4.2	00.0-09.3				11	11.8	04.7-18.9	1	1.2	00.0-03.6
65+	101	30,756	65	64.5	54.7-74.3	14	12.8	06.1-19.5	9	9.5	03.4-15.6	1	1.0	00.0-03.0	12	12.2	05.3-19.1			
H.S. or G.E.D.	94	37,296				12	12.6	05.3-19.9	7	7.5	01.4-13.6	2	2.7	00.0-06.6	15	17.0	07.2-26.8	1	1.2	00.0-03.6
Some Post-H.S.	63	25,141				7	11.8	02.4-21.2	2	3.0	00.0-07.3				6	8.1	00.7-15.5	1	1.4	00.0-04.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
 MODULE 3: DIABETES**

TABLE 15: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	421	101,837	285	68.0	62.7-73.3	72	14.7	11.0-18.4	16	4.1	01.7-06.5	6	1.8	00.0-03.6	36	9.7	06.2-13.2	6	1.7	00.1-03.3
White/Non-Hisp	325	78,656	215	67.3	61.0-73.6	58	15.0	10.9-19.1	13	4.0	01.6-06.4	4	1.4	00.0-03.2	30	10.2	06.1-14.3	5	2.0	00.0-04.2
Black or Afr. Am./Non-Hisp	59	13,686				9	12.9	04.1-21.7	1	1.0	00.0-03.0	1	1.0	00.0-03.0	2	3.7	00.0-09.2	1	1.1	00.0-03.3
45-54	85	22,798				11	12.4	04.6-20.2	6	7.7	00.8-14.6	3	4.6	00.0-10.5	7	8.0	01.7-14.3			
55-64	102	20,402	69	69.7	60.1-79.3	22	19.9	11.7-28.1	3	2.8	00.0-06.1				7	6.4	01.3-11.5	1	1.2	00.0-03.6
65+	194	37,226	133	67.5	60.1-74.9	34	16.5	11.0-22.0	6	3.2	00.7-05.7	2	0.6	00.0-01.4	15	9.2	04.5-13.9	4	3.0	00.0-06.9
Less Than H.S.	85	22,061				15	15.7	06.9-24.5				1	2.5	00.0-07.4	10	14.7	04.7-24.7	4	5.1	00.0-11.6
H.S. or G.E.D.	181	41,710	119	66.9	59.1-74.7	33	14.2	09.3-19.1	13	8.9	03.6-14.2	2	0.6	00.0-01.4	13	8.4	03.7-13.1	1	0.9	00.0-02.7
Some Post-H.S.	92	22,447				13	12.8	05.0-20.6	3	2.1	00.0-04.6	1	1.3	00.0-03.8	9	10.5	03.1-17.9			
College Graduate	61	15,254										2	4.8	00.0-12.8	4	5.2	00.0-10.5	1	1.6	00.0-04.7
Less than \$15,000	113	21,150	77	69.1	59.5-78.7	21	18.8	10.6-27.0	4	2.3	00.1-04.5	1	0.5	00.0-01.5	9	8.9	02.6-15.2	1	0.5	00.0-01.5
\$15,000- 24,999	94	23,306				17	14.4	06.2-22.6	3	2.9	00.0-06.2	2	3.2	00.0-08.5	5	4.7	00.0-09.4	1	1.6	00.0-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 16: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	666	197,194	81	12.8	09.5-16.1	585	87.2	83.9-90.5
Male	237	93,061	28	10.9	06.6-15.2	209	89.1	84.8-93.4
Female	429	104,133	53	14.5	09.4-19.6	376	85.5	80.4-90.6
White/Non-Hisp	524	154,605	65	13.9	09.8-18.0	459	86.1	82.0-90.2
Black or Afr. Am./Non-Hisp	81	21,197	11	13.3	04.9-21.7	70	86.7	78.3-95.1
45-54	123	41,777	28	19.9	12.3-27.5	95	80.1	72.5-87.7
55-64	184	50,289	19	8.6	04.5-12.7	165	91.4	87.3-95.5
65+	300	69,272	25	8.6	05.1-12.1	275	91.4	87.9-94.9
Less Than H.S.	117	32,864	18	17.0	09.0-25.0	99	83.0	75.0-91.0
H.S. or G.E.D.	280	81,242	33	10.8	06.9-14.7	247	89.2	85.3-93.1
Some Post-H.S.	158	48,618	16	14.7	04.9-24.5	142	85.3	75.5-95.1
College Graduate	109	34,104	14	11.1	04.6-17.6	95	88.9	82.4-95.4
Less than \$15,000	142	31,391	20	14.3	07.8-20.8	122	85.7	79.2-92.2
\$25,000- 34,999	79	24,475	12	14.9	05.9-23.9	67	85.1	76.1-94.1
\$35,000- 49,999	88	30,211	8	6.3	01.6-11.0	80	93.7	89.0-98.4
\$50,000- 74,999	77	30,224	9	11.2	03.8-18.6	68	88.8	81.4-96.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 17: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	237	93,061	28	10.9	06.6-15.2	209	89.1	84.8-93.4		
White/Non-Hisp	193	74,242	22	11.1	06.2-16.0	171	88.9	84.0-93.8		
55-64	81	29,768	7	6.6	01.5-11.7	74	93.4	88.3-98.5		
65+	102	31,106	12	11.3	04.8-17.8	90	88.7	82.2-95.2		
H.S. or G.E.D.	97	38,848	9	8.2	02.3-14.1	88	91.8	85.9-97.7		
Some Post-H.S.	65	26,015	6	9.3	00.9-17.7	59	90.7	82.3-99.1		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 18: HAVE YOU EVER HAD ANY SORES OR IRRITATIONS ON YOUR FEET THAT TOOK MORE THAN FOUR WEEKS TO HEAL? (FEETSORE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	429	104,133	53	14.5	09.4-19.6	376	85.5	80.4-90.6
White/Non-Hisp	331	80,363	43	16.4	09.9-22.9	288	83.6	77.1-90.1
Black or Afr. Am./Non-Hisp	60	14,155	7	9.4	02.1-16.7	53	90.6	83.3-97.9
45-54	87	23,503	22	24.5	14.5-34.5	65	75.5	65.5-85.5
55-64	103	20,521	12	11.4	04.9-17.9	91	88.6	82.1-95.1
65+	198	38,166	13	6.4	02.9-09.9	185	93.6	90.1-97.1
Less Than H.S.	88	23,218	9	10.1	02.5-17.7	79	89.9	82.3-97.5
H.S. or G.E.D.	183	42,394	24	13.1	07.6-18.6	159	86.9	81.4-92.4
Less than \$15,000	115	21,814	14	12.0	05.7-18.3	101	88.0	81.7-94.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	645	191,038	91	14.1	10.8-17.4	113	18.8	15.1-22.5	77	10.5	07.8-13.2	149	19.5	16.2-22.8	126	21.4	17.3-25.5	89	15.7	12.2-19.2
Male	233	91,290	26	10.3	06.4-14.2	56	25.0	18.7-31.3	27	10.9	06.4-15.4	47	17.2	12.3-22.1	37	18.8	12.9-24.7	40	17.9	12.0-23.8
Female	412	99,749	65	17.6	12.5-22.7	57	13.1	09.6-16.6	50	10.2	07.1-13.3	102	21.6	17.3-25.9	89	23.7	17.8-29.6	49	13.7	09.6-17.8
White/Non-Hisp	514	151,977	66	13.2	09.5-16.9	99	20.7	16.4-25.0	61	10.4	07.5-13.3	121	20.1	16.4-23.8	96	20.4	15.7-25.1	71	15.1	11.4-18.8
Black or Afr. Am./Non-Hisp	76	19,893	14	18.4	08.6-28.2	9	12.0	04.0-20.0	8	8.6	01.7-15.5	15	15.0	07.0-23.0						
45-54	122	41,142	22	16.9	09.6-24.2	22	19.4	11.2-27.6	11	7.9	02.4-13.4	19	14.4	07.7-21.1	29	23.4	14.6-32.2	19	18.0	10.0-26.0
55-64	182	49,990	27	13.3	08.2-18.4	34	20.4	13.7-27.1	19	9.9	05.2-14.6	53	27.0	19.9-34.1	30	17.9	11.2-24.6	19	11.5	06.0-17.0
65+	283	64,964	34	13.5	09.0-18.0	48	18.9	13.8-24.0	40	12.1	08.2-16.0	73	25.1	19.6-30.6	51	17.3	12.4-22.2	37	13.0	08.7-17.3
Less Than H.S.	109	30,256				10	9.7	03.4-16.0	17	11.9	06.0-17.8	21	15.4	08.3-22.5	21	16.8	09.0-24.6	17	19.2	09.8-28.6
H.S. or G.E.D.	271	78,636	38	13.0	08.7-17.3	51	21.4	15.3-27.5	35	9.7	06.2-13.2	68	22.5	17.0-28.0	46	16.8	11.5-22.1	33	16.6	10.3-22.9
Some Post-H.S.	156	47,991	14	8.2	03.7-12.7	32	19.5	12.2-26.8	17	12.5	05.8-19.2	40	19.2	12.9-25.5				18	12.4	06.3-18.5
College Graduate	107	33,790	16	13.9	07.0-20.8	20	20.0	11.4-28.6	8	8.5	02.0-15.0	20	16.8	09.4-24.2				20	14.7	07.8-21.6
Less than \$15,000	135	29,822	20	13.4	07.1-19.7	17	15.8	06.0-25.6	18	11.5	05.6-17.4	29	16.6	09.9-23.3	32	26.5	16.9-36.1	19	16.3	08.5-24.1
\$15,000- 24,999	129	37,045	17	11.6	05.5-17.7	19	13.5	07.2-19.8	17	10.0	04.5-15.5	31	17.4	10.5-24.3				17	15.9	06.3-25.5
\$25,000- 34,999	75	23,536	8	9.6	02.9-16.3				11	10.8	04.1-17.5	17	19.5	10.3-28.7	11	16.3	06.3-26.3			
\$35,000- 49,999	86	29,704				20	20.2	11.4-29.0	5	6.1	00.0-12.6	16	15.7	07.5-23.9	13	15.2	06.4-24.0	10	14.0	05.2-22.8
\$50,000- 74,999	76	30,105	10	12.7	04.7-20.7				14	19.5	09.5-29.5	14	16.1	07.5-24.7	14	19.5	09.5-29.5	7	8.5	01.4-15.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	233	91,290	26	10.3	06.4-14.2	56	25.0	18.7-31.3	27	10.9	06.6-15.2	47	17.2	12.3-22.1	37	18.8	12.9-24.7	40	17.9	12.0-23.8
White/Non-Hisp	191	73,537	23	10.9	06.6-15.2	50	27.6	20.3-34.9	19	10.0	05.3-14.7	39	18.6	12.9-24.3	27	16.3	10.2-22.4	33	16.6	10.7-22.5
55-64	80	29,589	9	9.7	03.4-16.0	17	21.8	12.2-31.4	10	11.2	04.1-18.3	20	23.9	14.1-33.7	13	18.8	08.8-28.8	11	14.5	06.1-22.9
65+	100	30,428	12	13.6	06.3-20.9	26	27.3	18.1-36.5	12	10.0	04.3-15.7	24	23.8	15.0-32.6	10	11.3	04.2-18.4	16	14.0	07.1-20.9
H.S. or G.E.D.	94	37,404	12	12.2	05.3-19.1				11	9.1	03.2-15.0	18	16.9	08.9-24.9	14	14.6	06.8-22.4			
Some Post-H.S.	65	26,015	5	7.3	01.0-13.6				6	11.4	01.8-21.0	17	19.3	10.1-28.5				8	12.5	03.7-21.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	412	99,749	65	17.6	12.5-22.7	57	13.1	09.6-16.6	50	10.2	07.1-13.3	102	21.6	17.3-25.9	89	23.7	17.8-29.6	49	13.7	09.6-17.8
White/Non-Hisp	323	78,440	43	15.4	09.7-21.1	49	14.2	10.1-18.3	42	10.8	07.3-14.3	82	21.6	16.7-26.5	69	24.3	17.4-31.2	38	13.7	08.8-18.6
Black or Afr. Am./Non-Hisp	55	12,851							5	6.6	00.5-12.7	9	14.1	04.3-23.9						
45-54	86	22,868	18	21.3	11.7-30.9	13	15.1	06.9-23.3	8	6.2	01.7-10.7	16	19.8	10.2-29.4	20	21.9	11.9-31.9	11	15.7	06.3-25.1
55-64	102	20,402	18	18.4	10.0-26.8	17	18.4	10.0-26.8	9	7.9	02.6-13.2	33	31.3	21.7-40.9	17	16.7	09.1-24.3	8	7.2	01.9-12.5
65+	183	34,536	22	13.5	07.8-19.2	22	11.5	06.6-16.4	28	14.0	08.9-19.1	49	26.3	19.4-33.2	41	22.6	15.9-29.3	21	12.2	06.9-17.5
Less Than H.S.	81	20,938				6	5.9	01.0-10.8	11	9.8	03.5-16.1	16	14.7	06.7-22.7	17	16.0	07.4-24.6			
H.S. or G.E.D.	177	41,231	26	13.7	08.2-19.2	29	17.7	11.2-24.2	24	10.2	05.9-14.5	50	27.6	20.2-35.0	32	18.8	11.7-25.9	16	12.0	05.7-18.3
Some Post-H.S.	91	21,976	9	9.4	02.7-16.1	16	14.1	06.5-21.7	11	13.9	04.7-23.1	23	19.2	10.6-27.8				10	12.3	04.3-20.3
College Graduate	61	15,238				6	9.5	01.5-17.5	4	5.8	00.0-11.9	13	18.7	08.7-28.7				12	14.1	05.9-22.3
Less than \$15,000	111	20,926	20	19.1	10.7-27.5	13	10.2	04.5-15.9	13	11.3	04.4-18.2	26	19.2	11.6-26.8	25	24.3	15.1-33.5	14	16.0	07.4-24.6
\$15,000- 24,999	92	22,993	14	15.1	06.3-23.9	10	10.3	03.6-17.0	14	10.9	04.8-17.0	23	18.4	10.0-26.8				10	12.6	03.8-21.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 22: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	615	182,819	245	40.8	36.1-45.5	202	32.1	27.6-36.6	27	4.1	02.3-05.9	14	2.2	00.6-03.8	70	13.3	09.8-16.8	57	7.6	05.4-09.8
Male	219	86,465	89	40.1	32.7-47.5	70	32.9	25.8-40.0	6	2.6	00.4-04.8	4	2.3	00.0-05.0	32	15.2	09.5-20.9	18	6.9	03.6-10.2
Female	396	96,355	156	41.5	35.4-47.6	132	31.3	25.4-37.2	21	5.4	02.7-08.1	10	2.1	00.7-03.5	38	11.5	07.6-15.4	39	8.2	05.5-10.9
White/Non-Hisp	486	143,653	201	42.9	37.6-48.2	160	33.0	27.9-38.1	20	3.8	01.8-05.8	10	1.3	00.5-02.1	51	12.1	08.6-15.6	44	6.9	04.7-09.1
Black or Afr. Am./Non-Hisp	74	18,967							3	3.0	00.0-06.5	2	3.5	00.0-08.6	13	16.2	07.0-25.4	7	10.0	02.2-17.8
45-54	118	39,785				35	28.7	19.5-37.9	4	3.4	00.0-07.1	3	2.1	00.0-04.6	18	15.8	08.2-23.4	4	2.7	00.0-05.4
55-64	169	45,867	63	34.4	26.6-42.2	61	37.9	29.7-46.1	7	4.3	00.8-07.8	5	4.3	00.0-09.2	16	10.0	04.9-15.1	17	9.2	04.5-13.9
65+	271	62,228	103	39.3	32.8-45.8	91	32.2	26.1-38.3	13	4.3	01.8-06.8	6	1.8	00.2-03.4	23	8.9	05.2-12.6	35	13.3	08.8-17.8
Less Than H.S.	101	28,411				27	19.0	11.2-26.8	5	5.2	00.0-10.5	4	4.0	00.0-08.3	12	15.9	06.7-25.1	16	14.6	07.0-22.2
H.S. or G.E.D.	262	76,178	106	38.5	31.4-45.6	84	31.8	25.1-38.5	15	5.6	02.3-08.9	7	1.9	00.5-03.3	24	13.9	07.8-20.0	26	8.3	05.0-11.6
Some Post-H.S.	146	45,031							2	1.0	00.0-02.4	2	0.7	00.0-01.7	18	10.8	05.3-16.3	12	6.3	02.4-10.2
College Graduate	104	32,834							5	4.0	00.1-07.9	1	3.3	00.0-09.6	15	12.5	05.8-19.2	3	1.8	00.0-04.2
Less than \$15,000	124	26,956				40	28.8	19.6-38.0	6	4.9	00.8-09.0	5	6.5	00.0-14.3	12	12.6	05.2-20.0	15	12.3	05.6-19.0
\$15,000- 24,999	123	35,848							8	5.4	00.9-09.9	3	2.1	00.0-04.8	10	10.2	01.2-19.2	8	3.9	01.0-06.8
\$25,000- 34,999	74	22,652							1	1.6	00.0-04.7	1	0.8	00.0-02.4				6	7.6	01.1-14.1
\$35,000- 49,999	86	29,704							3	3.7	00.0-09.0	1	0.8	00.0-02.4	11	13.7	05.5-21.9	7	7.8	01.9-13.7
\$50,000- 74,999	73	28,619							3	3.7	00.0-08.2				10	11.8	03.8-19.8	3	2.7	00.0-06.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 23: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	219	86,465	89	40.1	32.7-47.5	70	32.9	25.8-40.0	6	2.6	00.4-04.8	4	2.3	00.0-05.0	32	15.2	09.5-20.9	18	6.9	03.6-10.2
White/Non-Hisp	179	68,875	74	41.5	33.3-49.7	59	34.8	27.0-42.6	4	2.3	00.0-04.7	2	0.6	00.0-01.4	26	14.4	08.7-20.1	14	6.5	03.0-10.0
55-64	74	27,078							3	4.6	00.0-09.9	2	4.6	00.0-12.2	9	11.9	04.3-19.5	7	9.6	02.3-16.9
65+	95	29,050				27	29.8	20.0-39.6	3	3.5	00.0-07.4				12	11.4	04.9-17.9	10	10.5	04.0-17.0
H.S. or G.E.D.	90	36,457							5	5.2	00.5-09.9	2	1.1	00.0-02.7				10	8.8	03.1-14.5
Some Post-H.S.	59	23,356													6	7.9	01.0-14.8	4	5.5	00.0-11.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 24: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	396	96,355	156	41.5	35.4-47.6	132	31.3	25.4-37.2	21	5.4	02.7-08.1	10	2.1	00.7-03.5	38	11.5	07.6-15.4	39	8.2	05.5-10.9
White/Non-Hisp	307	74,777	127	44.1	37.0-51.2	101	31.5	24.6-38.4	16	5.2	02.1-08.3	8	1.9	00.5-03.3	25	9.9	05.6-14.2	30	7.4	04.5-10.3
Black or Afr. Am./Non-Hisp	55	12,851							3	4.4	00.0-09.7	1	1.6	00.0-04.7				6	11.3	01.7-20.9
45-54	86	23,362				25	25.1	15.7-34.5	4	5.7	00.0-12.0	1	0.6	00.0-01.8	11	14.0	05.4-22.6	4	4.5	00.0-09.2
55-64	95	18,788				32	32.8	22.8-42.8	4	3.8	00.0-07.7	3	3.8	00.0-08.3	7	7.2	01.5-12.9	10	8.6	03.1-14.1
65+	176	33,178	60	34.6	27.0-42.2	64	34.3	26.9-41.7	10	5.0	01.7-08.3	6	3.5	00.6-06.4	11	6.8	02.5-11.1	25	15.8	09.5-22.1
Less Than H.S.	75	19,595				21	16.9	08.9-24.9	4	5.8	00.0-12.7	3	3.4	00.0-07.7				13	15.6	06.6-24.6
H.S. or G.E.D.	172	39,721	77	45.9	37.3-54.5	53	28.0	20.6-35.4	10	5.9	01.2-10.6	5	2.5	00.1-04.9	11	9.8	03.7-15.9	16	7.8	03.7-11.9
Some Post-H.S.	87	21,674							2	2.0	00.0-04.9	2	1.5	00.0-03.7	12	13.9	05.5-22.3	8	7.2	01.9-12.5
College Graduate	60	14,999							5	8.8	00.6-17.0				8	9.7	02.8-16.6	2	1.5	00.0-03.7
Less than \$15,000	102	19,078	38	33.9	23.9-43.9	34	30.7	20.9-40.5	5	5.1	00.4-09.8	3	2.3	00.0-04.8	10	14.6	05.4-23.8	12	13.4	05.2-21.6
\$15,000- 24,999	90	23,039							7	7.1	00.6-13.6	2	1.3	00.0-03.1	4	5.0	00.0-10.3	7	5.4	01.1-09.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 25: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Respondents that reported having no feet
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	634	187,981	129	18.9	15.4-22.4	76	11.9	08.8-15.0	43	6.7	04.5-08.9	70	9.4	07.0-11.8	58	10.9	07.4-14.4	258	42.4	37.7-47.1
Male	229	90,402	48	18.4	13.1-23.7	29	11.5	07.2-15.8	20	8.6	04.7-12.5	23	8.7	05.0-12.4	18	9.6	05.1-14.1	91	43.2	35.8-50.6
Female	405	97,579	81	19.3	14.8-23.8	47	12.2	07.5-16.9	23	5.0	02.6-07.4	47	10.0	06.9-13.1	40	12.0	06.7-17.3	167	41.6	35.7-47.5
White/Non-Hisp	499	147,675	103	19.6	15.7-23.5	65	12.9	09.2-16.6	31	6.4	03.9-08.9	56	9.7	07.0-12.4	43	10.2	06.1-14.3	201	41.2	35.9-46.5
Black or Afr. Am./Non-Hisp	78	20,111	15	19.0	09.2-28.8	6	4.9	00.8-09.0	6	6.6	00.9-12.3	5	4.9	00.6-09.2						
45-54	120	40,505	21	17.9	09.3-26.5	18	13.6	06.9-20.3	6	5.3	00.8-09.8	9	6.9	01.8-12.0	15	11.5	05.2-17.8			
55-64	179	48,616	45	24.1	17.2-31.0	20	10.6	05.7-15.5	15	9.7	04.6-14.8	22	10.9	06.2-15.6	10	6.4	02.3-10.5	67	38.2	30.0-46.4
65+	278	64,195	54	19.8	14.7-24.9	34	12.7	08.4-17.0	21	7.7	04.2-11.2	36	13.1	08.8-17.4	25	9.5	05.4-13.6	108	37.2	31.1-43.3
Less Than H.S.	107	29,797	14	11.8	05.1-18.5				8	7.8	02.3-13.3	11	7.3	02.6-12.0	13	13.1	05.3-20.9			
H.S. or G.E.D.	268	77,450	62	20.4	15.1-25.7	34	11.5	07.2-15.8	19	7.7	03.8-11.6	29	10.0	06.1-13.9	20	7.5	03.8-11.2	104	42.7	35.4-50.0
Some Post-H.S.	151	46,869	29	19.3	11.5-27.1	24	15.4	09.1-21.7	10	4.9	01.4-08.4	20	10.2	05.3-15.1				54	34.9	25.5-44.3
College Graduate	106	33,500	24	21.1	12.9-29.3	11	8.9	03.4-14.4	6	6.1	01.2-11.0	10	8.5	03.2-13.8	11	10.4	03.5-17.3			
Less than \$15,000	132	28,903	23	12.9	07.4-18.4	17	12.0	05.7-18.3	9	6.9	01.8-12.0	15	9.4	04.1-14.7	17	13.3	06.8-19.8			
\$15,000- 24,999	127	35,963	23	15.6	07.8-23.4	17	10.0	04.7-15.3	11	7.2	02.1-12.3	16	9.3	04.4-14.2						
\$25,000- 34,999	77	24,027	18	20.2	11.0-29.4	7	7.8	01.9-13.7	6	7.4	01.5-13.3	8	10.9	02.7-19.1	5	7.3	00.2-14.4			
\$35,000- 49,999	84	28,883	19	18.5	10.1-26.9				6	9.8	01.6-18.0	11	9.8	03.5-16.1	4	4.7	00.0-10.0			
\$50,000- 74,999	77	30,224				7	9.3	02.4-16.2	2	2.0	00.0-04.7	5	6.3	00.8-11.8	7	8.2	01.5-14.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 26: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	229	90,402	48	18.4	12.9-23.9	29	11.5	07.2-15.8	20	8.6	04.7-12.5	23	8.7	05.0-12.4	18	9.6	05.1-14.1	91	43.2	35.8-50.6
White/Non-Hisp	186	71,735	44	21.7	15.2-28.2	24	11.4	06.9-15.9	16	8.7	04.4-13.0	19	9.7	05.2-14.2	13	8.7	03.8-13.6	70	39.8	32.0-47.6
55-64	80	29,410	16	18.3	09.9-26.7	10	11.6	04.5-18.7	10	12.8	04.8-20.8	8	8.5	02.4-14.6	5	7.3	01.0-13.6			
65+	98	30,078	25	23.3	14.9-31.7	13	14.2	06.8-21.6	8	9.4	03.1-15.7	12	13.2	05.9-20.5	7	8.9	02.2-15.6	33	31.1	21.5-40.7
H.S. or G.E.D.	94	37,748	16	14.1	07.0-21.2	11	10.0	03.3-16.7	9	9.8	03.1-16.5	10	10.5	03.8-17.2	7	8.8	02.3-15.3			
Some Post-H.S.	62	24,959							3	4.3	00.0-09.4	7	8.6	02.1-15.1	6	11.8	02.0-21.6			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 27: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	405	97,579	81	19.3	14.8-23.8	47	12.2	07.5-16.9	23	5.0	02.6-07.4	47	10.0	06.9-13.1	40	12.0	06.7-17.3	167	41.6	35.7-47.5
White/Non-Hisp	313	75,939	59	17.6	12.9-22.3	41	14.3	08.6-20.0	15	4.3	01.6-07.0	37	9.7	06.4-13.0	30	11.6	05.3-17.9	131	42.5	35.6-49.4
Black or Afr. Am./Non-Hisp	57	13,069				5	6.2	00.5-11.9	5	7.3	00.4-14.2	2	2.9	00.0-07.0						
45-54	87	23,503	15	14.1	06.7-21.5	14	17.1	07.9-26.3	4	4.2	00.1-08.3	6	6.0	00.9-11.1	13	14.9	06.7-23.1			
55-64	99	19,207				10	9.2	03.1-15.3	5	5.0	00.7-09.3	14	14.6	07.2-22.0	5	5.0	00.5-09.5	36	33.3	23.5-43.1
65+	180	34,118	29	16.7	10.6-22.8	21	11.4	06.5-16.3	13	6.3	02.8-09.8	24	12.9	07.6-18.2	18	10.1	05.2-15.0	75	42.6	34.8-50.4
Less Than H.S.	80	20,653	10	13.0	04.2-21.8				4	4.1	00.0-08.2	8	6.9	01.6-12.2	11	13.7	04.7-22.7			
H.S. or G.E.D.	174	39,702	46	26.5	19.1-33.9	23	13.0	07.1-18.9	10	5.7	01.2-10.2	19	9.6	05.3-13.9	13	6.4	02.9-09.9	63	38.8	30.4-47.2
Some Post-H.S.	89	21,910	15	14.6	06.6-22.6	11	10.2	03.7-16.7	7	5.6	01.1-10.1	13	12.1	04.7-19.5						
College Graduate	60	14,948				8	13.1	03.7-22.5	2	3.8	00.0-08.9	7	12.2	03.0-21.4						
Less than \$15,000	106	19,479	18	14.2	07.7-20.7	12	9.0	03.7-14.3	6	4.7	00.6-08.8	12	10.6	03.7-17.5	16	17.9	09.3-26.5			
\$15,000- 24,999	92	22,437	15	12.8	05.4-20.2	12	9.4	03.5-15.3	8	6.3	01.6-11.0	13	11.2	04.5-17.9						

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 28: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	658	194,267	88	10.7	08.2-13.2	353	52.0	47.3-56.7	82	13.8	10.1-17.5	104	16.6	13.1-20.1	31	6.9	03.8-10.0
Male	231	90,611	30	10.3	06.4-14.2	133	56.2	48.9-63.5	27	13.0	07.9-18.1	32	14.9	09.4-20.4	9	5.6	01.3-09.9
Female	427	103,655	58	10.9	07.8-14.0	220	48.3	42.4-54.2	55	14.6	09.3-19.9	72	18.1	13.6-22.6	22	8.0	03.7-12.3
White/Non-Hisp	520	153,416	67	10.0	07.5-12.5	279	51.0	45.7-56.3	67	14.5	10.2-18.8	81	17.6	13.5-21.7	26	6.9	03.6-10.2
Black or Afr. Am./Non-Hisp	79	20,272	9	11.1	02.1-20.1				8	8.3	02.0-14.6	15	16.7	07.9-25.5	2	1.7	00.0-04.2
45-54	120	40,158	8	3.7	00.8-06.6				20	17.0	09.2-24.8	26	21.8	13.4-30.2	9	8.0	02.3-13.7
55-64	182	49,811	29	14.7	09.2-20.2	89	53.4	45.4-61.4	29	14.6	08.5-20.7	31	15.0	09.5-20.5	4	2.3	00.0-04.7
65+	297	68,442	48	14.4	10.3-18.5	185	63.0	56.9-69.1	24	9.0	05.3-12.7	29	9.4	05.7-13.1	11	4.3	01.6-07.0
Less Than H.S.	116	32,514	19	12.0	05.9-18.1				10	7.8	02.3-13.3	21	22.4	12.8-32.0			
H.S. or G.E.D.	275	79,664	32	9.9	05.8-14.0	144	50.0	42.9-57.1	42	17.0	11.5-22.5	49	17.8	12.1-23.5	8	5.2	00.7-09.7
Some Post-H.S.	157	47,924	21	9.3	05.0-13.6	89	58.2	48.2-68.2	18	13.9	04.5-23.3	19	11.4	06.1-16.7	10	7.1	02.4-11.8
College Graduate	108	33,799	16	13.0	06.5-19.5				12	12.1	03.9-20.3	15	15.9	07.5-24.3	6	4.5	00.6-08.4
Less than \$15,000	142	30,817	25	13.0	07.7-18.3	65	45.2	35.2-55.2	21	16.7	08.3-25.1	25	20.7	11.1-30.3	6	4.3	00.4-08.2
\$15,000- 24,999	130	37,363	19	11.8	05.5-18.1							22	18.9	10.5-27.3	6	8.6	00.0-17.4
\$25,000- 34,999	77	23,422	11	12.3	04.7-19.9							10	12.4	04.0-20.8	3	6.5	00.0-14.1
\$35,000- 49,999	88	30,211	11	9.6	03.7-15.5				10	11.5	04.1-18.9	15	17.1	08.3-25.9			
\$50,000- 74,999	77	30,224	6	6.8	01.5-12.1				10	12.1	03.7-20.5				5	6.9	00.6-13.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
 MODULE 3: DIABETES**

TABLE 29: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	231	90,611	30	10.3	06.4-14.2	133	56.2	48.8-63.6	27	13.0	07.9-18.1	32	14.9	09.4-20.4	9	5.6	01.3-09.9
White/Non-Hisp	190	73,412	22	8.9	05.2-12.6	110	56.2	48.4-64.0	24	14.1	08.4-19.8	26	16.1	09.6-22.6	8	4.7	01.4-08.0
55-64	81	29,768	13	14.2	06.6-21.8				12	14.8	05.8-23.8	11	12.7	05.1-20.3	2	1.8	00.0-04.3
65+	99	30,276	16	13.9	07.2-20.6	64	65.4	55.6-75.2	7	8.4	02.1-14.7	8	7.3	02.2-12.4	4	5.0	00.3-09.7
H.S. or G.E.D.	94	37,748	8	6.5	01.0-12.0				16	18.3	09.3-27.3	16	18.5	08.7-28.3	3	7.0	00.0-15.8
Some Post-H.S.	64	25,321	8	8.8	02.5-15.1				6	8.3	01.6-15.0	8	10.5	02.9-18.1	4	6.2	00.0-12.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
 MODULE 3: DIABETES**

TABLE 30: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	427	103,655	58	10.9	07.8-14.0	220	48.3	42.4-54.2	55	14.6	09.3-19.9	72	18.1	13.6-22.6	22	8.0	03.7-12.3
White/Non-Hisp	330	80,005	45	11.0	07.5-14.5	169	46.3	39.6-53.0	43	15.0	08.7-21.3	55	18.9	13.6-24.2	18	8.9	03.4-14.4
Black or Afr. Am./Non-Hisp	60	14,155							6	9.3	01.3-17.3	11	15.4	06.0-24.8	2	2.5	00.0-06.0
45-54	87	23,503	8	6.3	01.4-11.2				14	15.8	06.8-24.8				7	7.8	01.7-13.9
55-64	101	20,043	16	15.5	07.7-23.3				17	14.5	07.4-21.6	20	18.5	10.7-26.3	2	3.0	00.0-07.1
65+	198	38,166	32	14.8	09.7-19.9	121	61.1	53.7-68.5	17	9.4	04.7-14.1	21	10.9	05.8-16.0	7	3.7	00.8-06.6
Less Than H.S.	88	23,218	12	7.2	02.9-11.5				9	10.3	02.9-17.7						
H.S. or G.E.D.	181	41,916	24	13.1	07.4-18.8	93	50.2	41.8-58.6	26	15.8	09.3-22.3	33	17.3	11.0-23.6	5	3.6	00.3-06.9
Some Post-H.S.	93	22,604	13	9.9	04.0-15.8							11	12.4	05.0-19.8	6	8.1	01.0-15.2
College Graduate	63	15,552	9	12.6	04.0-21.2				8	9.7	02.4-17.0				4	4.6	00.1-09.1
Less than \$15,000	116	21,933	21	14.2	08.1-20.3				18	16.2	08.4-24.0	19	17.1	09.5-24.7	6	6.1	00.8-11.4
\$15,000- 24,999	95	23,837	14	12.7	04.3-21.1										4	6.1	00.0-12.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 31: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	662	196,300	146	23.0	18.7-27.3	516	77.0	72.7-81.3
Male	236	92,700	55	21.5	15.6-27.4	181	78.5	72.6-84.4
Female	426	103,600	91	24.3	18.2-30.4	335	75.7	69.6-81.8
White/Non-Hisp	521	153,946	105	21.8	16.9-26.7	416	78.2	73.3-83.1
45-54	122	41,546	31	25.4	16.6-34.2	91	74.6	65.8-83.4
55-64	185	50,409	45	21.3	15.0-27.6	140	78.7	72.4-85.0
65+	296	68,490	62	22.5	17.0-28.0	234	77.5	72.0-83.0
H.S. or G.E.D.	277	80,471	57	21.2	15.1-27.3	220	78.8	72.7-84.9
Some Post-H.S.	156	48,410	38	27.3	17.3-37.3	118	72.7	62.7-82.7
College Graduate	109	34,104	13	10.5	04.2-16.8	96	89.5	83.2-95.8
\$25,000- 34,999	79	24,475	13	13.6	05.8-21.4	66	86.4	78.6-94.2
\$50,000- 74,999	76	29,920	10	13.1	05.1-21.1	66	86.9	78.9-94.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 32: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	236	92,700	55	21.5	15.6-27.4	181	78.5	72.6-84.4
White/Non-Hisp	192	73,881	39	20.5	14.0-27.0	153	79.5	73.0-86.0
55-64	81	29,768	17	17.5	09.5-25.5	64	82.5	74.5-90.5
65+	102	30,976	25	23.6	14.8-32.4	77	76.4	67.6-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 33: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	426	103,600	91	24.3	18.2-30.4	335	75.7	69.6-81.8
White/Non-Hisp	329	80,065	66	22.9	15.6-30.2	263	77.1	69.8-84.4
55-64	104	20,640	28	26.9	17.7-36.1	76	73.1	63.9-82.3
65+	194	37,514	37	21.6	14.9-28.3	157	78.4	71.7-85.1
H.S. or G.E.D.	182	42,159	34	19.5	12.8-26.2	148	80.5	73.8-87.2
Less than \$15,000	113	21,490	28	27.9	18.1-37.7	85	72.1	62.3-81.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 34: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	668	197,489	324	49.4	44.7-54.1	344	50.6	45.9-55.3
Male	238	93,236	115	48.3	41.0-55.6	123	51.7	44.4-59.0
Female	430	104,253	209	50.4	44.5-56.3	221	49.6	43.7-55.5
White/Non-Hisp	526	154,899	263	50.5	45.4-55.6	263	49.5	44.4-54.6
55-64	185	50,409	97	51.7	43.7-59.7	88	48.3	40.3-56.3
65+	301	69,447	132	43.0	36.9-49.1	169	57.0	50.9-63.1
H.S. or G.E.D.	280	81,242	130	46.0	38.9-53.1	150	54.0	46.9-61.1
Some Post-H.S.	158	48,618	88	55.3	45.5-65.1	70	44.7	34.9-54.5
College Graduate	109	34,104	67	62.6	52.6-72.6	42	37.4	27.4-47.4
Less than \$15,000	143	31,511	64	41.1	31.1-51.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
 MODULE 3: DIABETES**

TABLE 35: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	238	93,236	115	48.3	41.0-55.6	123	51.7	44.4-59.0	
White/Non-Hisp	194	74,417	92	45.9	38.1-53.7	102	54.1	46.3-61.9	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007
MODULE 3: DIABETES**

TABLE 36: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	430	104,253	209	50.4	44.5-56.3	221	49.6	43.7-55.5	
White/Non-Hisp	332	80,483	171	54.7	48.0-61.4	161	45.3	38.6-52.0	
65+	198	38,166	78	35.6	28.5-42.7	120	64.4	57.3-71.5	
H.S. or G.E.D.	183	42,394	90	49.2	40.8-57.6	93	50.8	42.4-59.2	
Less than \$15,000	116	21,933	50	37.5	27.9-47.1	66	62.5	52.9-72.1	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2007**

End of Module Data Report