


ARKANSAS

2009 Actions to Control High Blood Pressure Module Variables Report

Behavioral Risk Factor Surveillance System

March 10, 2010



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009**

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28
HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)	
13 MALES AND FEMALES	29
14 MALES ONLY	30
15 FEMALES ONLY	31
[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)	
16 MALES AND FEMALES	32
17 MALES ONLY	33
18 FEMALES ONLY	34
[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)	
19 MALES AND FEMALES	35

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
20	MALES ONLY	36
21	FEMALES ONLY	37

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009**

MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)	
22	MALES AND FEMALES	38
23	MALES ONLY	39
24	FEMALES ONLY	40
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)	
25	MALES AND FEMALES	41
26	MALES ONLY	42
27	FEMALES ONLY	43
	WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)	
28	MALES AND FEMALES	44
29	MALES ONLY	45
30	FEMALES ONLY	46

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 1: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1730	688,095	1163	66.8	63.7-69.9	567	33.2	30.1-36.3
Male	625	352,767	400	66.2	61.3-71.1	225	33.8	28.9-38.7
Female	1105	335,328	763	67.4	63.5-71.3	342	32.6	28.7-36.5
White/Non-Hisp	1354	583,147	873	65.2	61.7-68.7	481	34.8	31.3-38.3
Black or Afr. Am./Non-Hisp	278	60,316	225	82.1	76.0-88.2	53	17.9	11.8-24.0
45-54	265	141,191	190	69.4	62.3-76.5	75	30.6	23.5-37.7
55-64	481	164,668	361	73.8	69.1-78.5	120	26.2	21.5-30.9
65+	823	224,874	502	60.1	56.0-64.2	321	39.9	35.8-44.0
Less Than H.S.	275	92,373	186	65.5	57.7-73.3	89	34.5	26.7-42.3
H.S. or G.E.D.	665	259,133	445	64.5	59.0-70.0	220	35.5	30.0-41.0
Some Post-H.S.	407	171,827	284	71.3	65.0-77.6	123	28.7	22.4-35.0
College Graduate	379	163,232	245	66.1	59.8-72.4	134	33.9	27.6-40.2
\$15,000- 24,999	333	113,932	234	68.5	61.8-75.2	99	31.5	24.8-38.2
\$25,000- 34,999	213	89,754	131	62.7	53.9-71.5	82	37.3	28.5-46.1
\$35,000- 49,999	242	105,081	157	63.8	55.8-71.8	85	36.2	28.2-44.2
\$50,000- 74,999	187	96,937	136	73.9	65.1-82.7	51	26.1	17.3-34.9
\$75,000+	216	108,582	145	68.6	61.0-76.2	71	31.4	23.8-39.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 2: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	625	352,767	400	66.2	61.3-71.1	225	33.8	28.9-38.7
White/Non-Hisp	515	302,076	328	65.4	59.9-70.9	187	34.6	29.1-40.1
45-54	106	81,891	76	71.7	61.9-81.5	30	28.3	18.5-38.1
55-64	194	87,804	140	73.5	66.2-80.8	54	26.5	19.2-33.8
65+	260	96,081	145	54.8	47.9-61.7	115	45.2	38.3-52.1
H.S. or G.E.D.	209	117,256	131	57.0	47.2-66.8	78	43.0	33.2-52.8
Some Post-H.S.	147	90,188	97	71.9	63.3-80.5	50	28.1	19.5-36.7
College Graduate	186	100,295	122	71.7	64.1-79.3	64	28.3	20.7-35.9
\$75,000+	116	70,083	77	70.9	61.3-80.5	39	29.1	19.5-38.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 3: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1105	335,328	763	67.4	63.5-71.3	342	32.6	28.7-36.5
White/Non-Hisp	839	281,071	545	64.9	60.4-69.4	294	35.1	30.6-39.6
Black or Afr. Am./Non-Hisp	208	36,782	174	83.6	76.9-90.3	34	16.4	09.7-23.1
45-54	159	59,301	114	66.2	56.6-75.8	45	33.8	24.2-43.4
55-64	287	76,863	221	74.0	67.9-80.1	66	26.0	19.9-32.1
65+	563	128,793	357	64.1	59.4-68.8	206	35.9	31.2-40.6
H.S. or G.E.D.	456	141,877	314	70.7	65.4-76.0	142	29.3	24.0-34.6
Some Post-H.S.	260	81,639	187	70.6	61.8-79.4	73	29.4	20.6-38.2
College Graduate	193	62,937	123	57.2	47.2-67.2	70	42.8	32.8-52.8
Less than \$15,000	218	56,247	158	76.0	68.0-84.0	60	24.0	16.0-32.0
\$15,000- 24,999	221	56,203	163	71.7	63.7-79.7	58	28.3	20.3-36.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 4: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1743	691,036	1271	71.9	68.8-75.0	313	19.9	17.0-22.8	159	8.2	06.6-09.8
Male	628	354,383	429	69.7	64.8-74.6	136	22.0	17.3-26.7	63	8.3	05.9-10.7
Female	1115	336,653	842	74.3	70.8-77.8	177	17.8	14.7-20.9	96	8.0	05.8-10.2
White/Non-Hisp	1366	586,245	951	69.8	66.3-73.3	286	21.8	18.5-25.1	129	8.4	06.6-10.2
Black or Afr. Am./Non-Hisp	279	60,359	243	89.0	84.5-93.5	12	3.9	01.4-06.4	24	7.1	03.4-10.8
35-44	104	83,987							9	6.7	01.8-11.6
45-54	265	141,191	196	71.7	64.8-78.6	50	20.8	14.7-26.9	19	7.5	03.6-11.4
55-64	485	166,353	365	75.2	70.5-79.9	76	16.2	12.3-20.1	44	8.7	05.6-11.8
65+	832	226,129	587	69.1	65.4-72.8	160	20.9	17.6-24.2	85	10.0	07.6-12.4
Less Than H.S.	277	92,638	215	78.1	71.4-84.8	33	14.0	08.3-19.7	29	7.9	04.0-11.8
H.S. or G.E.D.	666	259,110	487	71.5	66.2-76.8	123	20.5	15.4-25.6	56	8.1	05.4-10.8
Some Post-H.S.	412	172,939	297	70.7	64.0-77.4	77	21.8	15.5-28.1	38	7.5	04.6-10.4
College Graduate	383	164,331	269	70.3	64.2-76.4	78	20.5	15.2-25.8	36	9.2	05.7-12.7
Less than \$15,000	297	97,473	240	79.3	69.5-89.1	37	15.9	06.1-25.7	20	4.8	01.9-07.7
\$15,000- 24,999	336	115,114	251	73.7	67.4-80.0	61	20.1	14.4-25.8	24	6.2	02.9-09.5
\$25,000- 34,999	215	89,911	155	68.6	60.0-77.2	38	20.9	12.9-28.9	22	10.5	05.4-15.6
\$35,000- 49,999	244	105,198	168	67.4	59.4-75.4	53	22.5	15.6-29.4	23	10.2	04.5-15.9
\$50,000- 74,999	189	97,687	124	67.5	58.1-76.9	49	24.7	15.5-33.9	16	7.8	03.5-12.1
\$75,000+	217	108,954	162	75.7	68.8-82.6	37	18.1	11.6-24.6	18	6.3	03.2-09.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 5: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	628	354,383	429	69.7	64.8-74.6	136	22.0	17.3-26.7	63	8.3	05.9-10.7
White/Non-Hisp	518	303,692	342	67.6	62.1-73.1	121	23.5	18.2-28.8	55	8.9	06.2-11.6
Black or Afr. Am./Non-Hisp	70	23,534	60	92.5	86.8-98.2	5	4.3	00.0-09.0	5	3.2	00.1-06.3
45-54	106	81,891	74	72.6	63.2-82.0	24	18.7	10.7-26.7	8	8.8	02.7-14.9
55-64	196	88,932	144	74.4	67.3-81.5	32	15.2	09.7-20.7	20	10.5	05.4-15.6
65+	261	96,570	163	62.7	56.0-69.4	66	25.5	19.4-31.6	32	11.7	07.4-16.0
Less Than H.S.	82	44,538	61	79.3	69.5-89.1	13	11.8	04.4-19.2	8	8.8	01.9-15.7
H.S. or G.E.D.	209	117,331	146	68.9	59.3-78.5	45	24.5	14.9-34.1	18	6.7	03.0-10.4
Some Post-H.S.	148	90,752							18	8.2	03.7-12.7
College Graduate	187	100,784	123	69.3	61.3-77.3	45	20.5	13.6-27.4	19	10.1	05.2-15.0
Less than \$15,000	80	41,281							5	2.5	00.0-05.2
\$15,000- 24,999	113	58,293	77	71.7	61.7-81.7	28	22.1	13.1-31.1	8	6.2	00.5-11.9
\$25,000- 34,999	85	49,738							11	11.2	03.9-18.5
\$35,000- 49,999	94	51,147							11	12.1	04.5-19.7
\$50,000- 74,999	97	61,361							9	8.5	02.4-14.6
\$75,000+	116	70,083	85	75.7	66.5-84.9	18	17.2	08.8-25.6	13	7.1	03.0-11.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 6: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1115	336,653	842	74.3	70.8-77.8	177	17.8	14.7-20.9	96	8.0	05.8-10.2
White/Non-Hisp	848	282,553	609	72.2	68.1-76.3	165	20.1	16.4-23.8	74	7.8	05.4-10.2
Black or Afr. Am./Non-Hisp	209	36,824	183	86.8	80.3-93.3	7	3.6	00.7-06.5	19	9.6	03.9-15.3
35-44	64	35,591							6	11.4	01.6-21.2
45-54	159	59,301	122	70.4	61.0-79.8	26	23.8	14.6-33.0	11	5.8	01.9-09.7
55-64	289	77,421	221	76.1	70.2-82.0	44	17.3	11.8-22.8	24	6.6	03.5-09.7
65+	571	129,559	424	73.9	69.6-78.2	94	17.4	13.7-21.1	53	8.7	06.0-11.4
Less Than H.S.	195	48,100	154	76.9	68.1-85.7	20	16.0	07.6-24.4	21	7.1	03.2-11.0
H.S. or G.E.D.	457	141,779	341	73.7	68.2-79.2	78	17.1	12.8-21.4	38	9.2	05.1-13.3
Some Post-H.S.	264	82,187	199	75.4	68.0-82.8	45	17.9	11.2-24.6	20	6.7	02.8-10.6
College Graduate	196	63,546	146	71.8	62.8-80.8	33	20.5	12.1-28.9	17	7.8	02.9-12.7
Less than \$15,000	217	56,192	180	85.2	79.3-91.1	22	8.3	04.2-12.4	15	6.5	02.0-11.0
\$15,000- 24,999	223	56,821	174	75.7	68.3-83.1	33	18.1	11.2-25.0	16	6.2	02.5-09.9
\$25,000- 34,999	130	40,173							11	9.5	02.6-16.4
\$35,000- 49,999	150	54,051				25	19.7	10.5-28.9	12	8.4	00.0-16.8
\$50,000- 74,999	92	36,325				26	21.7	11.7-31.7	7	6.8	01.5-12.1
\$75,000+	101	38,872				19	19.7	10.1-29.3	5	4.8	00.5-09.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 7: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1736	688,997	449	28.7	25.6-31.8	272	17.2	14.7-19.7	1015	54.1	50.8-57.4
Male	622	352,336	202	34.0	29.1-38.9	139	20.7	16.6-24.8	281	45.3	40.0-50.6
Female	1114	336,660	247	23.2	19.5-26.9	133	13.5	10.8-16.2	734	63.4	59.3-67.5
White/Non-Hisp	1360	584,259	343	28.1	24.6-31.6	239	17.9	15.2-20.6	778	54.0	50.3-57.7
Black or Afr. Am./Non-Hisp	278	59,993	80	35.8	26.6-45.0	17	5.9	02.2-09.6	181	58.3	49.1-67.5
35-44	104	83,987				15	14.3	05.7-22.9			
45-54	262	140,105	101	33.7	26.8-40.6	42	17.9	11.8-24.0	119	48.4	40.8-56.0
55-64	482	165,594	134	29.3	24.2-34.4	83	17.3	13.4-21.2	265	53.4	47.9-58.9
65+	832	226,780	157	18.6	15.5-21.7	122	17.0	13.9-20.1	553	64.5	60.6-68.4
Less Than H.S.	277	92,638	52	26.0	17.8-34.2	20	7.0	02.9-11.1	205	67.1	58.9-75.3
H.S. or G.E.D.	668	259,835	174	29.6	24.5-34.7	70	10.4	07.3-13.5	424	60.0	54.5-65.5
Some Post-H.S.	410	172,545	105	25.7	19.2-32.2	78	19.2	13.9-24.5	227	55.1	48.0-62.2
College Graduate	376	161,960	117	32.2	25.7-38.7	104	31.9	25.2-38.6	155	35.9	29.4-42.4
Less than \$15,000	296	96,879	71	26.7	18.5-34.9	24	8.3	03.0-13.6	201	65.0	56.0-74.0
\$15,000- 24,999	335	115,054	81	28.7	21.1-36.3	33	9.8	05.9-13.7	221	61.5	53.9-69.1
\$25,000- 34,999	214	89,347	52	22.6	15.3-29.9	29	17.1	09.8-24.4	133	60.3	51.3-69.3
\$35,000- 49,999	244	105,636	70	32.5	24.1-40.9	51	18.2	12.3-24.1	123	49.3	40.9-57.7
\$50,000- 74,999	188	97,520	57	30.7	21.1-40.3	39	16.0	09.7-22.3	92	53.3	43.5-63.1
\$75,000+	217	108,954	77	38.5	30.1-46.9	68	34.5	25.9-43.1	72	27.0	19.9-34.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 8: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	622	352,336	202	34.0	29.1-38.9	139	20.7	16.6-24.8	281	45.3	40.0-50.6
White/Non-Hisp	514	301,920	157	32.3	27.0-37.6	120	20.7	16.2-25.2	237	47.0	41.3-52.7
Black or Afr. Am./Non-Hisp	69	23,320				8	8.6	00.8-16.4			
45-54	105	81,432				22	19.9	10.9-28.9			
55-64	193	87,987	77	38.3	30.5-46.1	41	19.3	13.2-25.4	75	42.3	34.1-50.5
65+	260	96,772	56	21.0	15.5-26.5	64	24.9	19.0-30.8	140	54.0	47.1-60.9
Less Than H.S.	82	44,538				10	9.6	02.2-17.0			
H.S. or G.E.D.	209	117,606	70	34.3	25.7-42.9	29	11.1	05.6-16.6	110	54.6	45.4-63.8
Some Post-H.S.	146	90,357				40	24.9	16.1-33.7			
College Graduate	183	98,857	62	34.8	26.0-43.6	60	33.5	24.5-42.5	61	31.7	23.3-40.1
\$15,000- 24,999	112	58,233				16	8.4	03.7-13.1			
\$35,000- 49,999	95	51,636				25	19.5	10.9-28.1			
\$50,000- 74,999	96	61,194				22	18.4	09.8-27.0			
\$75,000+	116	70,083							32	21.6	13.2-30.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 9: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1114	336,660	247	23.2	19.5-26.9	133	13.5	10.8-16.2	734	63.4	59.3-67.5
White/Non-Hisp	846	282,339	186	23.6	19.3-27.9	119	14.9	11.6-18.2	541	61.6	56.9-66.3
Black or Afr. Am./Non-Hisp	209	36,673	48	20.8	13.2-28.4	9	4.2	00.7-07.7	152	75.0	66.8-83.2
35-44	64	35,591				8	12.2	02.6-21.8			
45-54	157	58,673	57	29.3	21.1-37.5	20	15.3	08.0-22.6	80	55.4	45.8-65.0
55-64	289	77,608	57	19.1	13.6-24.6	42	15.0	10.1-19.9	190	65.9	59.4-72.4
65+	572	130,008	101	16.7	13.0-20.4	58	11.1	08.0-14.2	413	72.2	67.7-76.7
Less Than H.S.	195	48,100	26	16.3	07.7-24.9	10	4.5	01.0-08.0	159	79.2	70.4-88.0
H.S. or G.E.D.	459	142,229	104	25.8	19.5-32.1	41	9.8	06.3-13.3	314	64.4	58.1-70.7
Some Post-H.S.	264	82,187	61	19.1	13.0-25.2	38	12.9	07.8-18.0	165	68.1	60.5-75.7
College Graduate	193	63,103	55	28.2	19.4-37.0	44	29.4	19.8-39.0	94	42.4	32.8-52.0
Less than \$15,000	217	55,825	43	20.6	12.4-28.8	11	3.0	01.0-05.0	163	76.4	68.0-84.8
\$15,000- 24,999	223	56,821				17	11.3	05.0-17.6			
\$25,000- 34,999	130	40,173	24	15.4	08.3-22.5	12	11.8	03.2-20.4			
\$35,000- 49,999	149	54,000				26	17.0	09.0-25.0			
\$50,000- 74,999	92	36,325				17	12.0	03.8-20.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 10: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1738	689,380	1106	64.0	60.7-67.3	632	36.0	32.7-39.3
Male	626	353,578	424	66.7	61.6-71.8	202	33.3	28.2-38.4
Female	1112	335,802	682	61.1	57.2-65.0	430	38.9	35.0-42.8
White/Non-Hisp	1359	584,162	855	63.6	59.9-67.3	504	36.4	32.7-40.1
Black or Afr. Am./Non-Hisp	280	60,413	186	67.0	58.4-75.6	94	33.0	24.4-41.6
45-54	265	141,191	160	61.6	54.2-69.0	105	38.4	31.0-45.8
55-64	481	164,967	327	67.8	62.7-72.9	154	32.2	27.1-37.3
65+	832	226,580	517	64.0	60.1-67.9	315	36.0	32.1-39.9
Less Than H.S.	275	91,982	154	57.3	49.3-65.3	121	42.7	34.7-50.7
H.S. or G.E.D.	669	259,908	415	60.1	54.6-65.6	254	39.9	34.4-45.4
Some Post-H.S.	411	172,567	266	65.9	59.0-72.8	145	34.1	27.2-41.0
College Graduate	378	162,904	267	72.1	65.8-78.4	111	27.9	21.6-34.2
Less than \$15,000	298	97,528				120	43.6	33.6-53.6
\$15,000- 24,999	335	114,550	212	63.7	56.6-70.8	123	36.3	29.2-43.4
\$25,000- 34,999	213	89,238	137	64.8	56.0-73.6	76	35.2	26.4-44.0
\$35,000- 49,999	245	105,687	167	69.0	61.4-76.6	78	31.0	23.4-38.6
\$50,000- 74,999	188	97,602	131	69.1	60.1-78.1	57	30.9	21.9-39.9
\$75,000+	216	108,787	144	65.8	57.0-74.6	72	34.2	25.4-43.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 11: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
Male	626	353,578	424	66.7	61.6-71.8	202	33.3	28.2-38.4	
White/Non-Hisp	516	302,887	353	67.5	61.8-73.2	163	32.5	26.8-38.2	
55-64	193	87,637	141	74.5	67.2-81.8	52	25.5	18.2-32.8	
65+	262	97,060	176	69.4	63.1-75.7	86	30.6	24.3-36.9	
H.S. or G.E.D.	209	117,256	136	61.4	51.6-71.2	73	38.6	28.8-48.4	
College Graduate	186	100,617	135	72.1	63.3-80.9	51	27.9	19.1-36.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 12: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1112	335,802	682	61.1	57.2-65.0	430	38.9	35.0-42.8
White/Non-Hisp	843	281,276	502	59.5	55.0-64.0	341	40.5	36.0-45.0
Black or Afr. Am./Non-Hisp	210	36,879	139	69.1	60.5-77.7	71	30.9	22.3-39.5
45-54	159	59,301	92	57.1	47.5-66.7	67	42.9	33.3-52.5
55-64	288	77,330	186	60.3	53.4-67.2	102	39.7	32.8-46.6
65+	570	129,521	341	60.0	55.1-64.9	229	40.0	35.1-44.9
Less Than H.S.	194	48,008	103	47.9	38.3-57.5	91	52.1	42.5-61.7
H.S. or G.E.D.	460	142,651	279	59.0	53.1-64.9	181	41.0	35.1-46.9
Some Post-H.S.	263	81,815	166	64.8	56.0-73.6	97	35.2	26.4-44.0
College Graduate	192	62,287	132	72.1	63.5-80.7	60	27.9	19.3-36.5
\$15,000- 24,999	223	56,821	137	58.6	49.6-67.6	86	41.4	32.4-50.4
\$35,000- 49,999	150	54,051	104	70.9	61.3-80.5	46	29.1	19.5-38.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 13: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			No		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1742	690,474	1020	60.0	56.7-63.3	722	40.0	36.7-43.3	
Male	628	354,027	369	60.1	55.0-65.2	259	39.9	34.8-45.0	
Female	1114	336,447	651	59.8	55.7-63.9	463	40.2	36.1-44.3	
White/Non-Hisp	1364	585,393	754	57.6	53.9-61.3	610	42.4	38.7-46.1	
Black or Afr. Am./Non-Hisp	279	60,276	207	78.1	71.4-84.8	72	21.9	15.2-28.6	
45-54	264	140,649	172	61.2	53.8-68.6	92	38.8	31.4-46.2	
55-64	485	166,588	332	69.9	65.2-74.6	153	30.1	25.4-34.8	
65+	833	226,720	402	47.1	43.0-51.2	431	52.9	48.8-57.0	
Less Than H.S.	276	92,583	156	52.5	44.5-60.5	120	47.5	39.5-55.5	
H.S. or G.E.D.	669	260,127	402	61.9	56.6-67.2	267	38.1	32.8-43.4	
Some Post-H.S.	411	172,397	254	65.6	58.9-72.3	157	34.4	27.7-41.1	
College Graduate	381	163,348	207	55.4	48.5-62.3	174	44.6	37.7-51.5	
Less than \$15,000	297	97,473	172	53.9	44.1-63.7	125	46.1	36.3-55.9	
\$15,000- 24,999	335	114,770	209	61.9	54.8-69.0	126	38.1	31.0-45.2	
\$25,000- 34,999	215	89,911	117	57.8	48.8-66.8	98	42.2	33.2-51.2	
\$35,000- 49,999	245	105,687	145	63.7	56.1-71.3	100	36.3	28.7-43.9	
\$50,000- 74,999	189	97,687	120	69.4	61.2-77.6	69	30.6	22.4-38.8	
\$75,000+	217	108,954	139	59.8	51.0-68.6	78	40.2	31.4-49.0	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 14: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	628	354,027	369	60.1	55.0-65.2	259	39.9	34.8-45.0
White/Non-Hisp	518	303,336	293	58.0	52.3-63.7	225	42.0	36.3-47.7
55-64	196	88,932	141	72.6	65.5-79.7	55	27.4	20.3-34.5
65+	262	97,060	116	42.9	36.2-49.6	146	57.1	50.4-63.8
H.S. or G.E.D.	210	117,820	132	59.1	49.5-68.7	78	40.9	31.3-50.5
Some Post-H.S.	148	90,752	100	72.8	64.0-81.6	48	27.2	18.4-36.0
College Graduate	186	99,939	91	52.8	43.6-62.0	95	47.2	38.0-56.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 15: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1114	336,447	651	59.8	55.7-63.9	463	40.2	36.1-44.3
White/Non-Hisp	846	282,057	461	57.1	52.4-61.8	385	42.9	38.2-47.6
Black or Afr. Am./Non-Hisp	209	36,742	153	77.6	70.2-85.0	56	22.4	15.0-29.8
45-54	158	58,759	102	57.8	48.0-67.6	56	42.2	32.4-52.0
55-64	289	77,656	191	66.7	60.2-73.2	98	33.3	26.8-39.8
65+	571	129,660	286	50.3	45.2-55.4	285	49.7	44.6-54.8
Less Than H.S.	194	48,045	110	50.3	40.5-60.1	84	49.7	39.9-59.5
H.S. or G.E.D.	459	142,307	270	64.3	58.8-69.8	189	35.7	30.2-41.2
Some Post-H.S.	263	81,645	154	57.5	48.1-66.9	109	42.5	33.1-51.9
College Graduate	195	63,409	116	59.5	49.7-69.3	79	40.5	30.7-50.3
\$15,000- 24,999	222	56,477	140	64.2	55.6-72.8	82	35.8	27.2-44.4
\$35,000- 49,999	150	54,051	92	65.5	55.5-75.5	58	34.5	24.5-44.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 16: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1741	690,208	1138	66.4	63.3-69.5	546	30.6	27.5-33.7	57	2.9	01.9-03.9
Male	624	353,128	406	67.3	62.4-72.2	198	29.8	25.1-34.5	20	3.0	01.4-04.6
Female	1117	337,080	732	65.5	61.6-69.4	348	31.6	27.7-35.5	37	2.9	01.7-04.1
White/Non-Hisp	1362	584,990	850	64.9	61.4-68.4	475	32.7	29.2-36.2	37	2.5	01.5-03.5
Black or Afr. Am./Non-Hisp	280	60,413	219	78.0	70.2-85.8	48	18.7	11.1-26.3	13	3.3	01.1-05.5
35-44	104	83,987				27	22.8	13.0-32.6	4	3.2	00.0-06.5
45-54	265	141,191	181	65.9	58.8-73.0	77	30.6	23.7-37.5	7	3.5	00.6-06.4
55-64	485	166,558	333	71.5	66.8-76.2	134	25.4	21.1-29.7	18	3.2	01.2-05.2
65+	830	225,096	509	58.6	54.5-62.7	293	38.2	34.1-42.3	28	3.3	01.7-04.9
Less Than H.S.	276	92,149	190	65.1	57.1-73.1	77	32.0	24.0-40.0	9	2.9	00.5-05.3
H.S. or G.E.D.	668	259,881	444	67.5	62.4-72.6	202	29.8	24.7-34.9	22	2.7	01.1-04.3
Some Post-H.S.	411	172,772	270	68.5	62.0-75.0	128	28.3	22.0-34.6	13	3.2	01.0-05.4
College Graduate	381	163,388	232	63.1	56.8-69.4	136	33.8	27.7-39.9	13	3.1	00.7-05.5
Less than \$15,000	298	97,528							9	2.0	00.4-03.6
\$15,000- 24,999	335	114,625	241	70.5	63.8-77.2	84	26.4	20.1-32.7	10	3.1	00.2-06.0
\$25,000- 34,999	213	89,320	145	69.0	60.8-77.2	62	27.6	19.8-35.4	6	3.4	00.3-06.5
\$35,000- 49,999	243	104,744	146	63.6	55.8-71.4	89	33.7	26.1-41.3	8	2.7	00.5-04.9
\$50,000- 74,999	189	97,687	117	69.1	61.1-77.1	66	27.4	19.8-35.0	6	3.5	00.6-06.4
\$75,000+	216	108,787	141	67.7	59.9-75.5	68	29.8	22.2-37.4	7	2.5	00.3-04.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 17: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	624	353,128	406	67.3	62.4-72.2	198	29.8	25.1-34.5	20	3.0	01.4-04.6
White/Non-Hisp	514	302,437	324	65.9	60.6-71.2	176	31.4	26.1-36.7	14	2.7	00.9-04.5
Black or Afr. Am./Non-Hisp	70	23,534							3	1.8	00.0-04.2
45-54	106	81,891				33	29.4	19.8-39.0	4	5.1	00.2-10.0
55-64	195	88,765	141	75.5	68.8-82.2	48	21.8	15.5-28.1	6	2.7	00.0-05.4
65+	258	95,483	151	55.8	48.9-62.7	98	40.6	33.7-47.5	9	3.6	00.9-06.3
Less Than H.S.	81	44,049							2	2.7	00.0-06.4
H.S. or G.E.D.	209	117,675	138	63.7	54.3-73.1	62	32.9	23.5-42.3	9	3.4	00.7-06.1
Some Post-H.S.	147	90,584	103	76.7	68.9-84.5	41	21.3	13.7-28.9	3	1.9	00.0-04.4
College Graduate	185	99,842	110	63.2	54.8-71.6	69	33.3	25.1-41.5	6	3.5	00.2-06.8
Less than \$15,000	80	41,281							3	2.0	00.0-04.7
\$15,000- 24,999	112	57,804							5	4.3	00.0-09.6
\$25,000- 34,999	84	49,593							2	3.4	00.0-08.1
\$35,000- 49,999	93	50,693							3	3.2	00.0-06.7
\$50,000- 74,999	97	61,361							3	3.7	00.0-08.0
\$75,000+	115	69,916							4	2.2	00.0-05.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 18: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1117	337,080	732	65.5	61.6-69.4	348	31.6	27.7-35.5	37	2.9	01.7-04.1
White/Non-Hisp	848	282,553	526	63.8	59.3-68.3	299	34.0	29.5-38.5	23	2.2	01.0-03.4
Black or Afr. Am./Non-Hisp	210	36,879	162	75.6	65.6-85.6	38	20.2	10.4-30.0	10	4.2	00.9-07.5
35-44	64	35,591							3	6.3	00.0-13.7
45-54	159	59,301	112	66.5	57.1-75.9	44	32.3	22.9-41.7	3	1.3	00.0-03.1
55-64	290	77,794	192	66.9	60.6-73.2	86	29.4	23.3-35.5	12	3.7	01.2-06.2
65+	572	129,613	358	60.6	55.7-65.5	195	36.4	31.5-41.3	19	3.0	01.4-04.6
Less Than H.S.	195	48,100							7	3.1	00.4-05.8
H.S. or G.E.D.	459	142,206	306	70.7	65.6-75.8	140	27.2	22.3-32.1	13	2.1	00.7-03.5
Some Post-H.S.	264	82,187	167	59.5	50.1-68.9	87	36.0	26.6-45.4	10	4.5	00.8-08.2
College Graduate	196	63,546	122	63.1	53.7-72.5	67	34.5	25.1-43.9	7	2.4	00.0-04.9
Less than \$15,000	218	56,247							6	1.9	00.1-03.7
\$15,000- 24,999	223	56,821	167	76.4	69.1-83.7	51	21.8	14.7-28.9	5	1.8	00.0-04.0
\$25,000- 34,999	129	39,727							4	3.4	00.0-07.7
\$35,000- 49,999	150	54,051	92	66.1	56.1-76.1	53	31.7	21.9-41.5	5	2.2	00.0-04.7
\$50,000- 74,999	92	36,325							3	3.0	00.0-06.3
\$75,000+	101	38,872							3	3.0	00.0-06.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 19: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1739	689,883	399	25.1	22.2-28.0	696	43.4	40.1-46.7	644	31.5	28.6-34.4
Male	625	353,247	190	29.7	25.0-34.4	274	44.5	39.2-49.8	161	25.8	21.3-30.3
Female	1114	336,636	209	20.3	16.8-23.8	422	42.2	38.1-46.3	483	37.5	33.6-41.4
White/Non-Hisp	1363	585,395	286	23.8	20.5-27.1	602	46.3	42.6-50.0	475	29.9	26.8-33.0
Black or Afr. Am./Non-Hisp	277	59,684	87	34.2	25.8-42.6	64	23.3	15.3-31.3	126	42.5	33.5-51.5
45-54	263	140,207	87	33.2	25.9-40.5	112	42.3	34.9-49.7	64	24.5	18.0-31.0
55-64	485	166,511	138	30.9	25.8-36.0	180	39.0	33.7-44.3	167	30.2	25.5-34.9
65+	830	225,802	124	14.5	11.6-17.4	335	42.4	38.3-46.5	371	43.1	39.0-47.2
Less Than H.S.	277	92,638	51	21.6	14.7-28.5	75	33.6	25.4-41.8	151	44.9	37.1-52.7
H.S. or G.E.D.	667	259,669	162	26.9	22.0-31.8	237	36.9	31.4-42.4	268	36.2	31.3-41.1
Some Post-H.S.	410	171,955	95	26.6	20.1-33.1	180	42.0	34.9-49.1	135	31.4	24.5-38.3
College Graduate	380	163,603	90	22.4	16.9-27.9	204	61.2	54.7-67.7	86	16.4	11.9-20.9
Less than \$15,000	296	96,471	72	23.3	16.2-30.4				139	44.5	35.1-53.9
\$15,000- 24,999	335	114,869	72	23.7	16.6-30.8	120	38.9	31.6-46.2	143	37.4	30.5-44.3
\$25,000- 34,999	214	89,688	55	29.6	21.2-38.0	82	39.2	30.2-48.2	77	31.2	23.0-39.4
\$35,000- 49,999	244	105,636	64	27.2	19.4-35.0	105	44.1	35.7-52.5	75	28.7	21.1-36.3
\$50,000- 74,999	189	97,687	52	30.0	20.4-39.6	88	41.2	31.6-50.8	49	28.8	20.0-37.6
\$75,000+	216	108,500	53	26.8	19.4-34.2	124	61.1	53.1-69.1	39	12.1	07.8-16.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 20: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	625	353,247	190	29.7	25.0-34.4	274	44.5	39.2-49.8	161	25.8	21.3-30.3
White/Non-Hisp	517	303,014	143	27.7	22.6-32.8	239	46.5	40.8-52.2	135	25.8	20.9-30.7
45-54	105	81,177							23	24.1	14.9-33.3
55-64	195	88,718	79	38.8	31.0-46.6	76	39.2	31.2-47.2	40	22.0	15.1-28.9
65+	260	96,361	54	19.5	14.2-24.8	123	48.8	41.9-55.7	83	31.6	25.3-37.9
H.S. or G.E.D.	208	117,361	65	28.8	20.6-37.0	71	39.3	29.5-49.1	72	31.9	23.7-40.1
Some Post-H.S.	147	90,038				62	36.1	26.3-45.9			
College Graduate	186	100,331	49	25.8	17.8-33.8	110	61.2	52.4-70.0	27	13.0	07.5-18.5
\$15,000- 24,999	112	58,048							32	27.8	17.8-37.8
\$75,000+	115	69,629							16	9.2	03.9-14.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 21: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1114	336,636	209	20.3	16.8-23.8	422	42.2	38.1-46.3	483	37.5	33.6-41.4
White/Non-Hisp	846	282,381	143	19.6	15.7-23.5	363	46.1	41.4-50.8	340	34.3	30.2-38.4
Black or Afr. Am./Non-Hisp	209	36,608	52	24.5	16.5-32.5	47	21.9	13.3-30.5	110	53.6	43.6-63.6
45-54	158	59,030	48	28.7	20.1-37.3	69	46.3	36.5-56.1	41	25.0	16.4-33.6
55-64	290	77,794	59	21.9	16.0-27.8	104	38.6	31.9-45.3	127	39.4	32.7-46.1
65+	570	129,441	70	10.7	07.8-13.6	212	37.7	32.8-42.6	288	51.6	46.5-56.7
Less Than H.S.	195	48,100	28	13.7	07.2-20.2				123	57.3	47.3-67.3
H.S. or G.E.D.	459	142,307	97	25.3	19.0-31.6	166	34.9	29.2-40.6	196	39.7	34.0-45.4
Some Post-H.S.	263	81,916	42	17.0	10.7-23.3	118	48.6	39.2-58.0	103	34.5	25.9-43.1
College Graduate	194	63,272	41	16.9	10.8-23.0	94	61.3	52.3-70.3	59	21.8	14.4-29.2
Less than \$15,000	217	55,903	48	22.8	15.0-30.6	54	21.5	13.5-29.5	115	55.7	45.7-65.7
\$15,000- 24,999	223	56,821				76	34.7	26.1-43.3	111	47.2	38.0-56.4
\$25,000- 34,999	129	39,950	23	16.2	08.2-24.2						
\$35,000- 49,999	149	54,000							50	25.8	17.4-34.2
\$50,000- 74,999	92	36,325							22	20.8	11.0-30.6
\$75,000+	101	38,872	20	21.0	11.2-30.8				23	17.4	09.8-25.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 22: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	1737	690,044	1305	75.9	73.0-78.8	432	24.1	21.2-27.0	
Male	627	354,073	485	77.3	72.6-82.0	142	22.7	18.0-27.4	
Female	1110	335,970	820	74.3	70.6-78.0	290	25.7	22.0-29.4	
White/Non-Hisp	1362	585,862	1009	74.9	71.6-78.2	353	25.1	21.8-28.4	
Black or Afr. Am./Non-Hisp	277	59,919	217	85.0	79.7-90.3	60	15.0	09.7-20.3	
35-44	104	83,987	83	77.5	67.5-87.5	21	22.5	12.5-32.5	
45-54	263	140,017	212	77.5	71.0-84.0	51	22.5	16.0-29.0	
55-64	484	166,329	384	81.2	77.1-85.3	100	18.8	14.7-22.9	
65+	829	226,335	578	70.9	67.2-74.6	251	29.1	25.4-32.8	
Less Than H.S.	273	91,512	176	61.9	53.7-70.1	97	38.1	29.9-46.3	
H.S. or G.E.D.	667	259,531	509	78.4	73.5-83.3	158	21.6	16.7-26.5	
Some Post-H.S.	409	172,651	316	78.7	72.8-84.6	93	21.3	15.4-27.2	
College Graduate	383	164,331	302	76.9	70.8-83.0	81	23.1	17.0-29.2	
\$15,000- 24,999	334	114,993	249	75.4	69.3-81.5	85	24.6	18.5-30.7	
\$25,000- 34,999	214	89,564	164	77.0	69.7-84.3	50	23.0	15.7-30.3	
\$35,000- 49,999	245	105,687	198	81.1	74.8-87.4	47	18.9	12.6-25.2	
\$50,000- 74,999	189	97,687	153	82.5	75.6-89.4	36	17.5	10.6-24.4	
\$75,000+	216	108,787	177	79.9	71.7-88.1	39	20.1	11.9-28.3	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 23: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	627	354,073	485	77.3	72.6-82.0	142	22.7	18.0-27.4
White/Non-Hisp	517	303,383	395	76.4	71.1-81.7	122	23.6	18.3-28.9
Black or Afr. Am./Non-Hisp	70	23,534	58	87.9	78.9-96.9	12	12.1	03.1-21.1
45-54	105	81,259	86	80.0	71.0-89.0	19	20.0	11.0-29.0
55-64	195	88,765	163	84.9	79.2-90.6	32	15.1	09.4-20.8
65+	262	97,060	186	72.1	66.0-78.2	76	27.9	21.8-34.0
H.S. or G.E.D.	210	117,820	166	77.2	67.8-86.6	44	22.8	13.4-32.2
Some Post-H.S.	147	90,584	116	82.6	75.2-90.0	31	17.4	10.0-24.8
College Graduate	187	100,784	149	76.9	68.3-85.5	38	23.1	14.5-31.7
\$15,000- 24,999	113	58,293	86	77.8	68.8-86.8	27	22.2	13.2-31.2
\$25,000- 34,999	85	49,738	68	84.5	75.9-93.1	17	15.5	06.9-24.1
\$50,000- 74,999	97	61,361	77	81.3	71.7-90.9	20	18.7	09.1-28.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 24: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1110	335,970	820	74.3	70.6-78.0	290	25.7	22.0-29.4
White/Non-Hisp	845	282,480	614	73.2	69.1-77.3	231	26.8	22.7-30.9
Black or Afr. Am./Non-Hisp	207	36,385	159	83.2	76.9-89.5	48	16.8	10.5-23.1
45-54	158	58,759	126	74.0	64.8-83.2	32	26.0	16.8-35.2
55-64	289	77,565	221	76.9	71.0-82.8	68	23.1	17.2-29.0
65+	567	129,275	392	70.1	65.6-74.6	175	29.9	25.4-34.4
H.S. or G.E.D.	457	141,711	343	79.4	75.1-83.7	114	20.6	16.3-24.9
Some Post-H.S.	262	82,066	200	74.5	65.7-83.3	62	25.5	16.7-34.3
College Graduate	196	63,546	153	77.0	69.0-85.0	43	23.0	15.0-31.0
Less than \$15,000	214	55,702	139	69.1	60.1-78.1	75	30.9	21.9-39.9
\$15,000- 24,999	221	56,700	163	72.9	64.9-80.9	58	27.1	19.1-35.1
\$35,000- 49,999	150	54,051	122	82.3	74.7-89.9	28	17.7	10.1-25.3
\$50,000- 74,999	92	36,325	76	84.5	75.5-93.5	16	15.5	06.5-24.5
\$75,000+	101	38,872	85	86.5	79.2-93.8	16	13.5	06.2-20.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 25: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1741	690,222	1629	88.5	85.6-91.4	112	11.5	08.6-14.4
Male	626	353,017	572	87.2	82.7-91.7	54	12.8	08.3-17.3
Female	1115	337,205	1057	90.0	86.3-93.7	58	10.0	06.3-13.7
White/Non-Hisp	1365	585,979	1275	88.2	84.9-91.5	90	11.8	08.5-15.1
Black or Afr. Am./Non-Hisp	278	60,316	264	95.5	92.0-99.0	14	4.5	01.0-08.0
35-44	104	83,987	94	87.1	78.9-95.3	10	12.9	04.7-21.1
45-54	265	141,191	240	89.0	84.1-93.9	25	11.0	06.1-15.9
55-64	485	165,848	461	94.5	92.0-97.0	24	5.5	03.0-08.0
65+	830	225,821	795	96.1	94.5-97.7	35	3.9	02.3-05.5
Less Than H.S.	276	92,595	255	86.0	78.7-93.3	21	14.0	06.7-21.3
H.S. or G.E.D.	667	258,882	635	91.6	86.9-96.3	32	8.4	03.7-13.1
Some Post-H.S.	412	172,939	387	88.6	82.3-94.9	25	11.4	05.1-17.7
College Graduate	381	163,787	348	85.0	78.9-91.1	33	15.0	08.9-21.1
\$15,000- 24,999	334	114,402	312	93.9	90.8-97.0	22	6.1	03.0-09.2
\$25,000- 34,999	214	89,422	201	85.5	77.3-93.7	13	14.5	06.3-22.7
\$35,000- 49,999	245	105,687	231	91.0	84.3-97.7	14	9.0	02.3-15.7
\$50,000- 74,999	188	96,809	173	88.1	80.7-95.5	15	11.9	04.5-19.3
\$75,000+	217	108,954	200	84.5	76.1-92.9	17	15.5	07.1-23.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 26: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	626	353,017	572	87.2	82.7-91.7	54	12.8	08.3-17.3
White/Non-Hisp	517	303,203	471	87.9	83.2-92.6	46	12.1	07.4-16.8
Black or Afr. Am./Non-Hisp	70	23,534	66	92.1	83.7-0100	4	7.9	00.0-16.3
45-54	106	81,891	95	89.6	82.9-96.3	11	10.4	03.7-17.1
55-64	195	88,054	182	92.8	88.7-96.9	13	7.2	03.1-11.3
65+	260	96,081	245	95.0	92.3-97.7	15	5.0	02.3-07.7
H.S. or G.E.D.	208	116,453	189	85.9	76.7-95.1	19	14.1	04.9-23.3
Some Post-H.S.	148	90,752	140	93.1	87.0-99.2	8	6.9	00.8-13.0
College Graduate	186	100,295	168	84.5	76.1-92.9	18	15.5	07.1-23.9
\$15,000- 24,999	112	57,804	102	91.3	85.6-97.0	10	8.7	03.0-14.4
\$35,000- 49,999	95	51,636	88	91.9	83.1-0100	7	8.1	00.0-16.9
\$50,000- 74,999	96	60,484	88	91.2	84.5-97.9	8	8.8	02.1-15.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 27: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1115	337,205	1057	90.0	86.3-93.7	58	10.0	06.3-13.7
White/Non-Hisp	848	282,776	804	88.6	84.1-93.1	44	11.4	06.9-15.9
Black or Afr. Am./Non-Hisp	208	36,782	198	97.8	96.2-99.4	10	2.2	00.6-03.8
45-54	159	59,301	145	88.2	80.9-95.5	14	11.8	04.5-19.1
55-64	290	77,794	279	96.5	94.1-98.9	11	3.5	01.1-05.9
65+	570	129,739	550	96.9	95.3-98.5	20	3.1	01.5-04.7
Less Than H.S.	194	48,057	182	87.8	79.2-96.4	12	12.2	03.6-20.8
H.S. or G.E.D.	459	142,429	446	96.2	92.7-99.7	13	3.8	00.3-07.3
College Graduate	195	63,491	180	85.8	77.2-94.4	15	14.2	05.6-22.8
Less than \$15,000	217	56,205	205	90.7	82.3-99.1	12	9.3	00.9-17.7
\$15,000- 24,999	222	56,598	210	96.5	94.0-99.0	12	3.5	01.0-06.0
\$25,000- 34,999	130	40,173	126	93.0	84.6-0100	4	7.0	00.0-15.4
\$35,000- 49,999	150	54,051	143	90.2	80.6-99.8	7	9.8	00.2-19.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents with refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1725	682,983	1469	82.1	79.4-84.8	4	0.5	00.0-01.1	251	17.4	14.7-20.1	1	0.0	00.0-00.0
Male	619	351,739	526	82.6	78.5-86.7				92	17.3	13.2-21.4	1	0.0	00.0-00.0
Female	1106	331,244	943	81.6	77.9-85.3	4	1.1	00.0-02.3	159	17.4	13.9-20.9			
White/Non-Hisp	1354	579,755	1156	82.0	78.9-85.1	2	0.4	00.0-01.0	196	17.6	14.5-20.7			
Black or Afr. Am./Non-Hisp	275	59,705	231	84.0	77.9-90.1	1	0.7	00.0-02.1	42	15.1	09.2-21.0	1	0.2	00.0-00.6
35-44	104	83,987				2	1.3	00.0-03.3						
45-54	263	140,424	221	84.8	79.5-90.1	1	0.6	00.0-01.8	40	14.5	09.2-19.8	1	0.1	00.0-00.3
55-64	483	165,575	426	86.4	82.7-90.1				57	13.6	09.9-17.3			
65+	819	222,702	707	86.7	84.0-89.4				112	13.3	10.6-16.0			
Less Than H.S.	273	91,692	225	80.4	73.1-87.7				48	19.6	12.3-26.9			
H.S. or G.E.D.	658	256,106	582	85.9	81.6-90.2	1	0.2	00.0-00.6	74	13.9	09.6-18.2	1	0.0	00.0-00.0
Some Post-H.S.	410	169,687	353	83.6	78.3-88.9	2	0.9	00.0-02.1	55	15.5	10.2-20.8			
College Graduate	379	163,480	307	75.7	69.2-82.2	1	0.9	00.0-02.7	71	23.4	17.1-29.7			
Less than \$15,000	291	96,279	256	85.2	78.5-91.9				34	14.7	08.0-21.4	1	0.1	00.0-00.3
\$15,000- 24,999	332	113,735	290	86.7	80.6-92.8				42	13.3	07.2-19.4			
\$25,000- 34,999	213	88,886	184	85.5	79.0-92.0	1	0.5	00.0-01.5	28	14.0	07.5-20.5			
\$35,000- 49,999	245	105,687	211	81.9	74.6-89.2				34	18.1	10.8-25.4			
\$50,000- 74,999	189	97,687	161	81.1	73.1-89.1	1	0.8	00.0-02.4	27	18.1	10.1-26.1			
\$75,000+	214	108,013	174	75.8	67.2-84.4	2	2.1	00.0-05.2	38	22.1	13.9-30.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009
 MODULE 7: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
 Denominator excludes: Respondents who are female or respondents with refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	619	351,739	526	82.6	78.5-86.7	92	17.3	13.2-21.4	1	0.0	00.0-00.0	
White/Non-Hisp	511	301,487	433	82.8	78.3-87.3	78	17.2	12.7-21.7				
Black or Afr. Am./Non-Hisp	68	23,095							1	0.5	00.0-01.5	
45-54	105	81,665	88	87.9	81.2-94.6	16	12.0	05.3-18.7	1	0.1	00.0-00.3	
55-64	194	88,154	174	87.7	82.2-93.2	20	12.3	06.8-17.8				
65+	255	94,929	220	85.1	80.2-90.0	35	14.9	10.0-19.8				
H.S. or G.E.D.	204	115,820	181	85.8	78.7-92.9	22	14.1	07.0-21.2	1	0.1	00.0-00.3	
Some Post-H.S.	148	90,752	127	84.0	76.0-92.0	21	16.0	08.0-24.0				
College Graduate	185	100,332	149	77.2	68.6-85.8	36	22.8	14.2-31.4				
Less than \$15,000	77	40,356							1	0.3	00.0-00.9	
\$15,000- 24,999	110	57,258	97	89.7	83.6-95.8	13	10.3	04.2-16.4				
\$25,000- 34,999	84	49,249	75	88.0	79.4-96.6	9	12.0	03.4-20.6				

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1106	331,244	943	81.6	77.9-85.3	4	1.1	00.0-02.3	159	17.4	13.9-20.9
White/Non-Hisp	843	278,267	723	81.2	77.1-85.3	2	0.8	00.0-02.0	118	18.0	13.9-22.1
Black or Afr. Am./Non-Hisp	207	36,610	171	84.4	78.1-90.7	1	1.1	00.0-03.3	35	14.4	08.3-20.5
35-44	64	35,591				2	3.2	00.0-07.7			
45-54	158	58,759	133	80.5	71.9-89.1	1	1.4	00.0-04.1	24	18.1	09.7-26.5
55-64	289	77,421	252	84.8	79.7-89.9				37	15.2	10.1-20.3
65+	564	127,772	487	87.9	84.8-91.0				77	12.1	09.0-15.2
Less Than H.S.	193	47,834	157	76.7	67.3-86.1				36	23.3	13.9-32.7
H.S. or G.E.D.	454	140,286	401	86.1	80.8-91.4	1	0.3	00.0-00.9	52	13.7	08.4-19.0
Some Post-H.S.	262	78,935	226	83.3	76.4-90.2	2	1.9	00.0-04.6	34	14.8	08.3-21.3
College Graduate	194	63,147	158	73.2	63.4-83.0	1	2.4	00.0-07.1	35	24.4	15.0-33.8
Less than \$15,000	214	55,923	188	86.9	80.6-93.2				26	13.1	06.8-19.4
\$25,000- 34,999	129	39,637	109	82.4	72.6-92.2	1	1.0	00.0-03.0	19	16.5	06.9-26.1
\$50,000- 74,999	92	36,325	80	84.0	74.4-93.6	1	2.2	00.0-06.5	11	13.8	05.0-22.6
\$75,000+	99	38,155				2	5.9	00.0-14.3			