


# ARKANSAS

## 2009 Cardiovascular Health Module Variables Report

### Behavioral Risk Factor Surveillance System

March 10, 2010



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009**

**MODULE 6: CARDIOVASCULAR HEALTH CONTENTS**

\* NOTE \*  
 WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5
FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)	
4 MALES AND FEMALES	6
5 MALES ONLY	7
6 FEMALES ONLY	8
DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)	
7 MALES AND FEMALES	9
8 MALES ONLY	10
9 FEMALES ONLY	11
DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)	
10 MALES AND FEMALES	12
11 MALES ONLY	13
12 FEMALES ONLY	14

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
 MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 1: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	270	102,853	73	22.0	15.9-28.1	197	78.0	71.9-84.1
Male	146	68,559	44	25.6	17.0-34.2	102	74.4	65.8-83.0
Female	124	34,294	29	14.7	08.0-21.4	95	85.3	78.6-92.0
White/Non-Hisp	223	87,622	60	23.1	16.2-30.0	163	76.9	70.0-83.8
65+	166	49,438	51	26.9	19.1-34.7	115	73.1	65.3-80.9
Some Post-H.S.	59	27,301	15	13.9	03.9-23.9	44	86.1	76.1-96.1
\$15,000- 24,999	70	28,308	17	14.1	05.7-22.5	53	85.9	77.5-94.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
 MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 2: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)**  
 Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	146	68,559	44	25.6	17.0-34.2	102	74.4	65.8-83.0
White/Non-Hisp	124	59,492	39	27.0	17.2-36.8	85	73.0	63.2-82.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
 MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 3: FOLLOWING YOUR HEART ATTACK, DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (HAREHAB1)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	124	34,294	29	14.7	08.0-21.4	95	85.3	78.6-92.0
White/Non-Hisp	99	28,130	21	14.8	07.4-22.2	78	85.2	77.8-92.6
65+	86	20,641	26	21.1	11.7-30.5	60	78.9	69.5-88.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
 MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 4: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)**  
 Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	211	72,252	76	36.4	27.8-45.0	135	63.6	55.0-72.2
Female	141	40,459	46	30.9	21.7-40.1	95	69.1	59.9-78.3
White/Non-Hisp	162	55,569	53	31.8	23.2-40.4	109	68.2	59.6-76.8
65+	139	40,216	49	34.2	24.6-43.8	90	65.8	56.2-75.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
MODULE 6: CARDIOVASCULAR HEALTH

TABLE 5: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

All of the Confidence Intervals for this table are too wide  
(half-width greater than 10)  
to print this table.

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
 MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 6: FOLLOWING YOUR STROKE DID YOU GO TO ANY KIND OF OUTPATIENT REHABILITATION? THIS IS SOMETIMES CALLED "REHAB." (STREHAB1)**  
 Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	141	40,459	46	30.9	21.7-40.1	95	69.1	59.9-78.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 7: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**  
Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents less than 35 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	3709	1,994,495	1385	27.1	25.1-29.1	2324	72.9	70.9-74.9
Male	1290	953,696	567	30.1	27.0-33.2	723	69.9	66.8-73.0
Female	2419	1,040,799	818	24.5	22.3-26.7	1601	75.5	73.3-77.7
White/Non-Hisp	2983	1,666,692	1155	28.0	25.8-30.2	1828	72.0	69.8-74.2
Black or Afr. Am./Non-Hisp	463	147,738	151	24.2	18.1-30.3	312	75.8	69.7-81.9
18-24	83	186,149	9	6.4	01.5-11.3	74	93.6	88.7-98.5
25-34	267	403,869	21	8.8	03.9-13.7	246	91.2	86.3-96.1
35-44	438	342,175	45	10.7	07.0-14.4	393	89.3	85.6-93.0
45-54	646	365,335	198	31.2	26.9-35.5	448	68.8	64.5-73.1
55-64	886	308,875	384	44.8	40.9-48.7	502	55.2	51.3-59.1
65+	1368	381,649	723	53.2	50.1-56.3	645	46.8	43.7-49.9
Less Than H.S.	461	201,513	187	34.8	27.7-41.9	274	65.2	58.1-72.3
H.S. or G.E.D.	1298	684,108	531	29.6	26.3-32.9	767	70.4	67.1-73.7
Some Post-H.S.	917	509,938	327	26.4	22.5-30.3	590	73.6	69.7-77.5
College Graduate	1027	596,779	338	22.2	19.3-25.1	689	77.8	74.9-80.7
Less than \$15,000	484	197,076	192	30.2	23.5-36.9	292	69.8	63.1-76.5
\$15,000- 24,999	637	297,170	271	32.6	27.5-37.7	366	67.4	62.3-72.5
\$25,000- 34,999	417	202,494	160	31.9	26.0-37.8	257	68.1	62.2-74.0
\$35,000- 49,999	503	290,945	194	25.6	21.1-30.1	309	74.4	69.9-78.9
\$50,000- 74,999	469	285,398	175	27.6	22.5-32.7	294	72.4	67.3-77.5
\$75,000+	682	469,665	199	19.6	16.3-22.9	483	80.4	77.1-83.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
 MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 8: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1290	953,696	567	30.1	27.0-33.2	723	69.9	66.8-73.0
White/Non-Hisp	1066	791,360	486	31.2	27.7-34.7	580	68.8	65.3-72.3
25-34	107	203,231	8	9.5	01.3-17.7	99	90.5	82.3-98.7
35-44	138	164,939	15	10.6	04.3-16.9	123	89.4	83.1-95.7
45-54	230	180,304	79	34.3	27.2-41.4	151	65.7	58.6-72.8
55-64	340	151,752	178	51.3	45.2-57.4	162	48.7	42.6-54.8
65+	439	164,358	280	62.6	57.5-67.7	159	37.4	32.3-42.5
H.S. or G.E.D.	417	320,181	192	29.1	23.6-34.6	225	70.9	65.4-76.4
Some Post-H.S.	311	236,369	130	30.3	23.6-37.0	181	69.7	63.0-76.4
College Graduate	418	301,966	178	27.2	22.5-31.9	240	72.8	68.1-77.5
\$15,000- 24,999	229	143,273	109	37.3	29.3-45.3	120	62.7	54.7-70.7
\$35,000- 49,999	195	147,355	90	29.4	22.0-36.8	105	70.6	63.2-78.0
\$50,000- 74,999	195	143,114	85	31.7	23.7-39.7	110	68.3	60.3-76.3
\$75,000+	291	256,665	104	21.7	16.4-27.0	187	78.3	73.0-83.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
 Rows with less than 50 observations have been suppressed.  
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 9: DO YOU TAKE ASPIRIN DAILY OR EVERY OTHER DAY? (CVDASPRN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2419	1,040,799	818	24.5	22.3-26.7	1601	75.5	73.3-77.7
White/Non-Hisp	1917	875,332	669	25.0	22.6-27.4	1248	75.0	72.6-77.4
Black or Afr. Am./Non-Hisp	345	87,946	102	23.1	16.2-30.0	243	76.9	70.0-83.8
Hispanic	58	33,664	10	10.7	02.3-19.1	48	89.3	80.9-97.7
18-24	52	99,713	5	5.9	00.0-11.8	47	94.1	88.2-0100
25-34	160	200,638	13	8.0	02.9-13.1	147	92.0	86.9-97.1
35-44	300	177,237	30	10.7	06.6-14.8	270	89.3	85.2-93.4
45-54	416	185,031	119	28.2	22.9-33.5	297	71.8	66.5-77.1
55-64	546	157,122	206	38.6	33.7-43.5	340	61.4	56.5-66.3
65+	929	217,291	443	46.2	42.3-50.1	486	53.8	49.9-57.7
Less Than H.S.	319	107,311	121	28.6	21.7-35.5	198	71.4	64.5-78.3
H.S. or G.E.D.	881	363,927	339	30.1	26.0-34.2	542	69.9	65.8-74.0
Some Post-H.S.	606	273,569	197	23.0	18.5-27.5	409	77.0	72.5-81.5
College Graduate	609	294,813	160	17.2	13.9-20.5	449	82.8	79.5-86.1
Less than \$15,000	362	115,640	135	29.9	22.8-37.0	227	70.1	63.0-77.2
\$15,000- 24,999	408	153,897	162	28.3	22.2-34.4	246	71.7	65.6-77.8
\$25,000- 34,999	257	107,485	78	23.1	16.6-29.6	179	76.9	70.4-83.4
\$35,000- 49,999	308	143,589	104	21.7	16.6-26.8	204	78.3	73.2-83.4
\$50,000- 74,999	274	142,284	90	23.4	17.5-29.3	184	76.6	70.7-82.5
\$75,000+	391	213,000	95	17.0	13.1-20.9	296	83.0	79.1-86.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 10: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 35 years of age and those that take aspirin daily/every other day

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2306	1,447,316	189	6.4	05.0-07.8	197	5.8	04.6-07.0	1920	87.8	86.0-89.6
Male	717	663,468	56	6.0	03.8-08.2	39	3.5	02.1-04.9	622	90.5	88.0-93.0
Female	1589	783,848	133	6.8	05.0-08.6	158	7.7	05.9-09.5	1298	85.6	83.2-88.0
White/Non-Hisp	1813	1,196,548	156	7.0	05.4-08.6	151	5.8	04.6-07.0	1506	87.2	85.2-89.2
Black or Afr. Am./Non-Hisp	308	110,181	23	3.1	01.5-04.7	27	4.1	01.9-06.3	258	92.8	90.1-95.5
Hispanic	83	64,221	3	1.7	00.0-03.7	5	1.8	00.0-03.8	75	96.5	93.6-99.4
18-24	73	173,036	1	1.3	00.0-03.8	2	3.2	00.0-07.5	70	95.5	90.4-0100
25-34	246	368,355	14	6.0	02.3-09.7	6	2.2	00.2-04.2	226	91.7	87.6-95.8
35-44	393	305,188	14	3.9	01.4-06.4	18	4.8	02.3-07.3	361	91.2	87.7-94.7
45-54	446	251,355	23	6.5	03.8-09.2	32	5.3	03.1-07.5	391	88.2	84.9-91.5
55-64	500	170,041	43	8.0	05.3-10.7	61	12.7	09.4-16.0	396	79.3	75.2-83.4
65+	633	175,295	94	14.9	11.6-18.2	78	11.5	08.8-14.2	461	73.6	69.5-77.7
Less Than H.S.	267	129,975	31	10.5	05.4-15.6	38	8.3	05.0-11.6	198	81.2	75.1-87.3
H.S. or G.E.D.	762	480,030	68	7.4	04.9-09.9	76	7.0	04.6-09.4	618	85.6	82.3-88.9
Some Post-H.S.	587	373,091	48	5.1	03.1-07.1	48	5.7	03.7-07.7	491	89.3	86.4-92.2
College Graduate	686	463,484	42	5.3	02.9-07.7	35	3.9	02.1-05.7	609	90.8	87.9-93.7
Less than \$15,000	290	136,243	40	12.3	07.0-17.6	37	7.3	04.0-10.6	213	80.4	74.1-86.7
\$15,000- 24,999	359	198,599	39	6.7	04.0-09.4	38	9.3	04.8-13.8	282	84.0	78.7-89.3
\$25,000- 34,999	257	137,833	29	6.6	03.7-09.5	30	9.3	05.4-13.2	198	84.1	79.2-89.0
\$35,000- 49,999	308	216,214	22	7.8	03.5-12.1	22	5.2	02.7-07.7	264	87.0	82.1-91.9
\$50,000- 74,999	292	205,840	17	5.1	02.0-08.2	20	5.4	02.5-08.3	255	89.5	85.2-93.8
\$75,000+	480	377,078	20	3.4	01.2-05.6	19	3.1	01.3-04.9	441	93.6	90.9-96.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2009  
MODULE 6: CARDIOVASCULAR HEALTH**

**TABLE 11: DO YOU HAVE A HEALTH PROBLEM OR CONDITION THAT MAKES TAKING ASPIRIN UNSAFE FOR YOU? (ASPUNSAF)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	717	663,468	56	6.0	03.8-08.2	39	3.5	02.1-04.9	622	90.5	88.0-93.0
White/Non-Hisp	575	542,175	47	6.4	04.0-08.8	31	3.5	02.1-04.9	497	90.1	87.4-92.8
Black or Afr. Am./Non-Hisp	68	43,145	4	1.8	00.0-03.6	3	1.3	00.0-02.9	61	96.9	94.4-99.4
25-34	99	183,840	4	6.1	00.2-12.0	2	1.8	00.0-04.3	93	92.1	85.6-98.6
35-44	122	146,737	2	1.6	00.0-04.0	4	3.7	00.0-07.4	116	94.7	90.4-99.0
45-54	151	118,490	13	9.7	04.6-14.8	6	2.9	00.4-05.4	132	87.4	81.7-93.1
55-64	162	73,956	13	7.6	03.1-12.1	12	8.9	03.8-14.0	137	83.5	77.0-90.0
65+	155	60,118	24	14.9	08.6-21.2	15	7.7	03.2-12.2	116	77.4	70.1-84.7
Less Than H.S.	75	54,420	11	13.9	03.9-23.9	8	5.9	01.4-10.4			
H.S. or G.E.D.	223	226,225	18	6.4	02.5-10.3	8	2.4	00.4-04.4	197	91.1	86.8-95.4
Some Post-H.S.	179	162,677	14	5.3	01.8-08.8	9	2.1	00.3-03.9	156	92.6	88.7-96.5
College Graduate	239	219,657	13	4.0	00.7-07.3	14	5.1	01.8-08.4	212	90.9	86.2-95.6
Less than \$15,000	64	55,232	8	11.4	01.8-21.0	3	2.1	00.0-04.6	53	86.5	76.5-96.5
\$15,000- 24,999	118	88,969	9	5.8	01.1-10.5	7	2.1	00.1-04.1	102	92.1	87.0-97.2
\$25,000- 34,999	78	55,272	9	6.8	01.5-12.1	5	4.7	00.0-09.4	64	88.5	81.4-95.6
\$35,000- 49,999	104	103,723	10	7.3	01.6-13.0	6	4.7	00.8-08.6	88	88.1	81.2-95.0
\$50,000- 74,999	110	97,775	7	3.9	00.6-07.2	8	5.4	00.5-10.3	95	90.7	84.8-96.6
\$75,000+	186	200,726	8	3.9	00.2-07.6	6	3.0	00.3-05.7	172	93.2	88.7-97.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, not stomach related			Yes, stomach problems			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1589	783,848	133	6.8	05.0-08.6	158	7.7	05.9-09.5	1298	85.6	83.2-88.0
White/Non-Hisp	1238	654,373	109	7.4	05.4-09.4	120	7.8	05.8-09.8	1009	84.8	82.1-87.5
Black or Afr. Am./Non-Hisp	240	67,037	19	3.9	01.7-06.1	24	5.9	02.6-09.2	197	90.1	86.0-94.2
25-34	147	184,514	10	6.0	01.5-10.5	4	2.7	00.0-05.4	133	91.3	86.0-96.6
35-44	271	158,451	12	6.1	01.8-10.4	14	5.9	02.4-09.4	245	88.0	82.7-93.3
45-54	295	132,866	10	3.6	01.2-06.0	26	7.4	04.1-10.7	259	89.0	84.9-93.1
55-64	338	96,085	30	8.4	04.9-11.9	49	15.5	11.0-20.0	259	76.1	70.8-81.4
65+	478	115,177	70	14.9	11.0-18.8	63	13.5	10.0-17.0	345	71.6	66.9-76.3
Less Than H.S.	192	75,555	20	8.0	03.1-12.9	30	10.1	05.6-14.6	142	81.9	75.0-88.8
H.S. or G.E.D.	539	253,805	50	8.3	05.0-11.6	68	11.0	07.1-14.9	421	80.7	75.8-85.6
Some Post-H.S.	408	210,413	34	4.9	02.5-07.3	39	8.4	05.1-11.7	335	86.7	82.8-90.6
College Graduate	447	243,828	29	6.4	03.1-09.7	21	2.8	01.2-04.4	397	90.8	87.3-94.3
Less than \$15,000	226	81,011	32	12.8	06.9-18.7	34	10.9	05.8-16.0	160	76.3	68.7-83.9
\$15,000- 24,999	241	109,630	30	7.5	04.0-11.0	31	15.2	07.4-23.0	180	77.4	69.0-85.8
\$25,000- 34,999	179	82,562	20	6.4	02.9-09.9	25	12.3	06.4-18.2	134	81.2	74.3-88.1
\$35,000- 49,999	204	112,491	12	8.3	02.0-14.6	16	5.7	02.2-09.2	176	86.0	78.9-93.1
\$50,000- 74,999	182	108,065	10	6.2	00.9-11.5	12	5.4	01.7-09.1	160	88.5	82.2-94.8
\$75,000+	294	176,352	12	2.8	00.6-05.0	13	3.2	01.0-05.4	269	94.0	91.1-96.9