


# ARKANSAS

## 2011 Land Line Only Diabetes Module Variables Report

### Behavioral Risk Factor Surveillance System

May 27, 2012



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 1: PRE-DIABETES

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)  
Denominator excludes: Respondents with do not know/refused/missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 1: PRE-DIABETES

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 1: PRE-DIABETES

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

**MODULE 2: DIABETES CONTENTS**

\* NOTE \* \* \* \* \*

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

\* \* \* \* \*

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	653	250,807	14	3.2	00.5-05.9	34	15.8	08.9-22.7	123	23.5	18.0-29.0	271	36.0	30.7-41.3	211	21.4	17.7-25.1
Male	259	122,388	3	1.3	00.0-02.9	9	7.0	02.1-11.9	47	28.0	19.2-36.8	122	44.3	36.3-52.3	78	19.5	14.4-24.6
Female	394	128,419	11	5.1	00.2-10.0	25	24.3	12.9-35.7	76	19.3	13.2-25.4	149	28.2	21.7-34.7	133	23.1	17.6-28.6
White/Non-Hisp	469	183,243	12	4.3	00.6-08.0	17	11.2	04.7-17.7	78	24.3	17.6-31.0	191	36.7	30.6-42.8	171	23.6	19.1-28.1
Black or Afr. Am./Non-Hisp	115	33,638	1	0.6	00.0-01.8	10	21.1	06.0-36.2	33	29.4	15.1-43.7	50	34.8	21.3-48.3	21	14.1	04.9-23.3
45-54	85	50,768	3	3.8	00.0-08.5	5	11.0	00.0-23.5	44	50.1	35.6-64.6	33	35.0	22.1-47.9			
55-64	171	61,994	2	0.6	00.0-01.8	5	3.4	00.0-08.1	37	19.8	12.9-26.7	111	68.4	60.0-76.8	16	7.8	03.5-12.1
65+	361	87,949	4	0.9	00.0-01.9	5	1.6	00.0-03.2	31	8.0	04.3-11.7	127	34.3	28.2-40.4	194	55.2	48.7-61.7
Less Than H.S.	114	52,422	1	0.4	00.0-01.2	4	14.2	00.5-27.9	20	19.8	10.0-29.6	45	37.7	25.9-49.5	44	27.9	18.1-37.7
H.S. or G.E.D.	252	90,753	3	1.8	00.0-04.2	10	15.7	03.2-28.2	39	17.3	09.5-25.1	112	42.1	32.5-51.7	88	23.1	16.8-29.4
Some Post-H.S.	155	82,118	3	4.6	00.0-11.7	11	18.7	06.4-31.0	40	32.3	20.5-44.1	62	29.5	20.3-38.7	39	14.9	09.0-20.8
College Graduate	130	25,344	7	9.8	00.6-19.0	9	10.7	02.1-19.3	24	25.7	11.6-39.8	51	31.7	21.5-41.9	39	22.1	13.9-30.3
Less than \$15,000	122	49,954	3	2.2	00.0-04.9	11	27.0	11.3-42.7	23	17.1	08.1-26.1	54	37.5	25.5-49.5	31	16.2	08.9-23.5
\$15,000- 24,999	151	57,830	4	8.8	00.0-19.2	7	10.9	00.0-24.0	28	19.4	09.4-29.4	62	39.1	26.9-51.3	50	21.8	14.0-29.6
\$25,000- 34,999	82	30,519				2	3.1	00.0-07.4	23	37.6	22.9-52.3	31	34.9	22.0-47.8	26	24.4	14.0-34.8
\$35,000- 49,999	82	23,604	1	0.2	00.0-00.6	3	13.0	00.0-33.4	13	20.5	08.3-32.7	34	38.3	23.4-53.2	31	28.0	15.5-40.5
\$50,000- 74,999	63	29,239				6	41.6	14.6-68.6	13	14.2	03.0-25.4	29	31.2	13.6-48.8	15	13.0	03.4-22.6
\$75,000+	60	25,206	3	2.7	00.0-06.0	3	6.2	00.0-14.2	11	38.8	16.1-61.5	29	38.7	21.1-56.3	14	13.5	04.5-22.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	259	122,388	3	1.3	00.0-03.1	9	7.0	02.1-11.9	47	28.0	19.0-37.0	122	44.3	36.3-52.3	78	19.5	14.2-24.8
White/Non-Hisp	201	91,236	3	1.7	00.0-03.9	5	5.2	00.3-10.1	37	28.8	18.2-39.4	94	45.3	35.9-54.7	62	19.0	13.3-24.7
55-64	82	38,720	1	0.9	00.0-02.7	1	3.8	00.0-11.1	14	16.6	07.8-25.4	59	72.1	60.7-83.5	7	6.6	01.1-12.1
65+	132	41,847				1	0.9	00.0-02.7	11	9.3	02.6-16.0	49	38.8	28.8-48.8	71	51.0	40.8-61.2
H.S. or G.E.D.	105	48,150				4	8.2	00.2-16.2	15	19.6	07.1-32.1	55	52.3	39.8-64.8	31	19.9	12.1-27.7
Some Post-H.S.	59	36,565	1	0.9	00.0-02.7	2	5.7	00.0-14.9	16	44.5	26.1-62.9	28	34.8	20.1-49.5	12	14.0	04.8-23.2
College Graduate	55	14,138	2	8.5	00.0-21.4	2	7.3	00.0-18.9	11	32.7	10.6-54.8	18	25.6	12.1-39.1	22	25.7	12.6-38.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)**  
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	394	128,419	11	5.1	00.2-10.0	25	24.3	13.1-35.5	76	19.3	13.2-25.4	149	28.2	21.7-34.7	133	23.1	17.6-28.6
White/Non-Hisp	268	92,007	9	6.8	00.0-13.7	12	17.1	05.7-28.5	41	19.8	12.4-27.2	97	28.2	20.9-35.5	109	28.2	21.3-35.1
Black or Afr. Am./Non-Hisp	89	18,576	1	1.1	00.0-03.3	8	31.6	09.6-53.6	28	27.1	13.4-40.8	39	33.9	18.4-49.4	13	6.3	01.6-11.0
45-54	53	25,347	1	2.9	00.0-08.6	4	20.5	00.0-43.0	29	45.9	26.9-64.9	19	30.7	14.8-46.6			
55-64	89	23,274	1	0.2	00.0-00.6	4	2.8	00.0-05.7	23	25.1	13.9-36.3	52	62.2	49.7-74.7	9	9.8	03.1-16.5
65+	229	46,102	4	1.7	00.0-03.7	4	2.2	00.0-04.9	20	6.9	03.4-10.4	78	30.2	23.1-37.3	123	59.1	51.3-66.9
Less Than H.S.	75	28,986	1	0.7	00.0-02.1	3	20.6	00.0-42.2	15	22.3	08.8-35.8	24	24.7	12.0-37.4	32	31.8	17.9-45.7
H.S. or G.E.D.	147	42,603	3	3.9	00.0-09.0	6	24.1	01.4-46.8	24	14.6	06.0-23.2	57	30.6	18.6-42.6	57	26.8	16.2-37.4
Some Post-H.S.	96	45,553	2	7.5	00.0-19.8	9	29.1	10.3-47.9	24	22.5	10.5-34.5	34	25.3	13.7-36.9	27	15.7	08.1-23.3
College Graduate	75	11,206	5	11.3	00.0-24.4	7	15.0	02.5-27.5	13	16.9	05.9-27.9	33	39.2	25.1-53.3	17	17.6	08.0-27.2
Less than \$15,000	90	30,738	2	2.5	00.0-06.4	9	33.4	12.4-54.4	18	17.0	06.4-27.6	36	29.6	16.7-42.5	25	17.4	08.4-26.4
\$15,000- 24,999	102	33,976	4	15.0	00.0-31.9	5	14.4	00.0-35.4	19	16.1	05.1-27.1	38	30.9	16.4-45.4	36	23.6	12.8-34.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents with do not know/refused/missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	694	262,173	211	30.9	25.4-36.4	483	69.1	63.6-74.6
Male	269	126,983	79	31.0	23.4-38.6	190	69.0	61.4-76.6
Female	425	135,190	132	30.8	22.8-38.8	293	69.2	61.2-77.2
White/Non-Hisp	493	189,672	129	28.3	22.0-34.6	364	71.7	65.4-78.0
Black or Afr. Am./Non-Hisp	129	37,530	53	37.8	24.9-50.7	76	62.2	49.3-75.1
45-54	86	51,540	27	42.0	26.9-57.1	59	58.0	42.9-73.1
55-64	178	64,123	54	26.4	18.6-34.2	124	73.6	65.8-81.4
65+	392	95,298	112	27.0	21.5-32.5	280	73.0	67.5-78.5
Less Than H.S.	126	56,544	48	36.8	24.8-48.8	78	63.2	51.2-75.2
H.S. or G.E.D.	272	96,032	69	27.0	18.6-35.4	203	73.0	64.6-81.4
Some Post-H.S.	161	83,787	49	30.6	19.4-41.8	112	69.4	58.2-80.6
College Graduate	133	25,640	44	33.2	21.2-45.2	89	66.8	54.8-78.8
Less than \$15,000	132	53,453	50	38.6	25.7-51.5	82	61.4	48.5-74.3
\$15,000- 24,999	159	59,004	45	28.4	16.4-40.4	114	71.6	59.6-83.6
\$25,000- 34,999	84	31,691	29	33.5	20.6-46.4	55	66.5	53.6-79.4
\$35,000- 49,999	86	24,800	23	30.7	12.7-48.7	63	69.3	51.3-87.3
\$50,000- 74,999	64	29,281	14	21.0	05.9-36.1	50	79.0	63.9-94.1
\$75,000+	62	26,192	15	17.6	06.2-29.0	47	82.4	71.0-93.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	269	126,983	79	31.0	23.4-38.6	190	69.0	61.4-76.6
White/Non-Hisp	207	93,324	55	28.3	19.7-36.9	152	71.7	63.1-80.3
55-64	84	39,587	23	24.3	14.1-34.5	61	75.7	65.5-85.9
65+	139	44,803	40	31.1	21.7-40.5	99	68.9	59.5-78.3
H.S. or G.E.D.	110	50,475	26	30.5	17.8-43.2	84	69.5	56.8-82.2
Some Post-H.S.	60	37,312	19	28.1	14.0-42.2	41	71.9	57.8-86.0
College Graduate	56	14,281	16	28.8	11.4-46.2	40	71.2	53.8-88.6
\$15,000- 24,999	50	24,184	9	18.3	05.2-31.4	41	81.7	68.6-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	425	135,190	132	30.8	22.8-38.8	293	69.2	61.2-77.2
White/Non-Hisp	286	96,348	74	28.3	18.9-37.7	212	71.7	62.3-81.1
Black or Afr. Am./Non-Hisp	100	20,709	40	36.1	21.2-51.0	60	63.9	49.0-78.8
45-54	53	25,347	16	43.8	23.2-64.4	37	56.2	35.6-76.8
55-64	94	24,536	31	29.9	17.7-42.1	63	70.1	57.9-82.3
65+	253	50,495	72	23.5	17.6-29.4	181	76.5	70.6-82.4
Less Than H.S.	84	31,729	31	36.5	19.3-53.7	53	63.5	46.3-80.7
H.S. or G.E.D.	162	45,557	43	23.0	13.0-33.0	119	77.0	67.0-87.0
Some Post-H.S.	101	46,475	30	32.6	16.1-49.1	71	67.4	50.9-83.9
College Graduate	77	11,359	28	38.6	23.5-53.7	49	61.4	46.3-76.5
Less than \$15,000	97	32,857	34	33.0	16.3-49.7	63	67.0	50.3-83.7
\$15,000- 24,999	109	34,820	36	35.5	17.9-53.1	73	64.5	46.9-82.1
\$35,000- 49,999	50	13,137	11	31.4	01.2-61.6	39	68.6	38.4-98.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	686	252,758	53	8.8	05.3-12.3	160	24.1	19.2-29.0	463	64.1	58.4-69.8	10	3.1	00.4-05.8
Male	265	124,124	23	9.6	04.5-14.7	68	24.4	17.9-30.9	167	62.3	54.5-70.1	7	3.8	00.3-07.3
Female	421	128,634	30	8.0	03.3-12.7	92	23.8	16.5-31.1	296	65.8	57.8-73.8	3	2.4	00.0-06.5
White/Non-Hisp	486	186,087	40	7.6	04.3-10.9	115	24.3	18.4-30.2	325	66.8	60.5-73.1	6	1.3	00.0-02.7
Black or Afr. Am./Non-Hisp	128	37,472	8	17.3	02.2-32.4	32	29.5	17.0-42.0	88	53.3	38.8-67.8			
45-54	86	51,540	8	10.2	01.4-19.0	18	15.2	07.0-23.4	59	72.8	61.0-84.6	1	1.8	00.0-05.3
55-64	179	64,166	10	7.1	00.8-13.4	47	25.0	17.2-32.8	120	66.6	57.6-75.6	2	1.3	00.0-03.5
65+	385	93,541	31	8.2	04.7-11.7	87	25.9	20.2-31.6	263	65.1	59.0-71.2	4	0.8	00.0-01.8
Less Than H.S.	126	56,274	6	7.5	00.0-15.7	27	22.4	12.8-32.0	93	70.0	58.6-81.4			
H.S. or G.E.D.	268	89,360	22	9.4	04.1-14.7	67	24.8	18.1-31.5	179	65.8	58.2-73.4			
Some Post-H.S.	158	83,103	12	8.9	02.0-15.8	32	23.8	13.0-34.6	110	60.7	48.5-72.9	4	6.7	00.0-14.1
College Graduate	132	23,852	13	8.8	02.9-14.7	33	26.2	16.2-36.2	80	55.5	43.9-67.1	6	9.5	00.0-19.3
Less than \$15,000	133	53,529	12	13.2	03.0-23.4	24	17.4	08.6-26.2	94	64.8	52.1-77.5	3	4.6	00.0-11.3
\$15,000- 24,999	154	57,644	11	11.3	02.1-20.5	29	22.7	09.6-35.8	113	65.3	51.4-79.2	1	0.7	00.0-02.1
\$25,000- 34,999	83	31,542	7	6.5	00.4-12.6	19	23.6	12.4-34.8	56	69.5	57.3-81.7	1	0.4	00.0-01.2
\$35,000- 49,999	85	24,470	5	4.8	00.0-10.5	24	26.4	14.1-38.7	55	57.4	40.2-74.6	1	11.3	00.0-31.3
\$50,000- 74,999	63	23,435	7	9.5	00.5-18.5	16	29.3	12.8-45.8	38	59.9	42.8-77.0	2	1.3	00.0-03.5
\$75,000+	62	26,192	1	2.2	00.0-06.5	19	30.3	14.2-46.4	41	64.3	47.1-81.5	1	3.2	00.0-09.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	265	124,124	23	9.6	04.5-14.7	68	24.4	17.9-30.9	167	62.3	54.5-70.1	7	3.8	00.3-07.3
White/Non-Hisp	203	90,465	16	7.9	02.8-13.0	53	25.0	17.4-32.6	130	64.8	56.0-73.6	4	2.3	00.0-05.0
55-64	84	39,587	4	9.1	00.0-18.7	21	23.0	12.4-33.6	58	66.2	53.7-78.7	1	1.7	00.0-05.0
65+	136	43,797	14	9.9	03.8-16.0	36	27.9	18.9-36.9	83	61.0	51.2-70.8	3	1.1	00.0-02.9
H.S. or G.E.D.	108	49,815	9	11.1	02.7-19.5	29	22.1	13.3-30.9	70	66.8	55.6-78.0			
Some Post-H.S.	60	37,312	5	10.3	00.0-22.1	13	21.0	08.5-33.5	39	61.2	44.5-77.9	3	7.5	00.0-17.1
College Graduate	55	12,427	6	8.9	01.1-16.7	16	33.6	17.5-49.7	29	42.2	26.3-58.1	4	15.4	00.0-32.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	421	128,634	30	8.0	03.3-12.7	92	23.8	16.7-30.9	296	65.8	57.6-74.0	3	2.4	00.0-06.5
White/Non-Hisp	283	95,623	24	7.2	02.9-11.5	62	23.7	14.9-32.5	195	68.7	59.5-77.9	2	0.4	00.0-01.0
Black or Afr. Am./Non-Hisp	99	20,650	5	15.5	00.0-35.1	23	31.1	15.4-46.8	71	53.4	35.6-71.2			
45-54	53	25,347	3	5.2	00.0-11.7	11	14.4	04.6-24.2	39	80.4	68.6-92.2			
55-64	95	24,579	6	4.0	00.3-07.7	26	28.3	16.7-39.9	62	67.1	55.1-79.1	1	0.5	00.0-01.5
65+	249	49,743	17	6.7	02.6-10.8	51	24.1	17.4-30.8	180	68.7	61.4-76.0	1	0.5	00.0-01.5
Less Than H.S.	85	31,804	3	9.0	00.0-22.5	17	16.9	07.5-26.3	65	74.1	59.4-88.8			
H.S. or G.E.D.	160	39,545	13	7.3	02.4-12.2	38	28.2	18.2-38.2	109	64.5	53.9-75.1			
Some Post-H.S.	98	45,790	7	7.7	00.0-15.5	19	26.0	09.5-42.5	71	60.2	42.8-77.6	1	6.1	00.0-17.5
College Graduate	77	11,425	7	8.8	00.2-17.4	17	18.1	08.3-27.9	51	70.0	57.3-82.7	2	3.2	00.0-07.7
Less than \$15,000	98	32,932	7	15.5	00.2-30.8	18	14.6	06.6-22.6	73	69.9	54.2-85.6			
\$15,000- 24,999	106	34,136	4	3.1	00.0-06.6	17	22.8	02.8-42.8	85	74.1	54.3-93.9			
\$35,000- 49,999	50	13,137	2	2.7	00.0-07.4	12	20.3	05.2-35.4	35	55.8	28.9-82.7	1	21.1	00.0-54.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents with do not know/refused/missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	676	248,520	435	58.0	51.9-64.1	112	17.1	12.4-21.8	30	5.8	02.3-09.3	7	1.2	00.2-02.2	85	17.2	12.1-22.3	7	0.7	00.1-01.3
Male	258	121,393	163	61.0	52.6-69.4	47	18.1	11.2-25.0	8	5.4	00.0-11.9	2	1.0	00.0-02.4	35	14.2	08.9-19.5	3	0.3	00.0-00.7
Female	418	127,127	272	55.1	46.7-63.5	65	16.1	09.8-22.4	22	6.2	02.9-09.5	5	1.5	00.8-03.1	50	20.1	11.7-28.5	4	1.1	00.0-02.3
White/Non-Hisp	479	183,280	298	57.3	50.2-64.4	87	19.3	13.4-25.2	19	5.1	00.8-09.4	5	1.1	00.0-02.3	66	16.6	10.9-22.3	4	0.7	00.0-01.5
Black or Afr. Am./Non-Hisp	127	37,212	94	60.2	45.7-74.7	13	10.8	02.6-19.0	7	10.1	00.7-19.5	1	0.6	00.0-01.8	10	17.1	04.2-30.0	2	1.1	00.0-02.9
45-54	86	51,540	56	61.6	47.5-75.7	12	17.6	04.9-30.3	3	3.8	00.0-08.7	2	2.4	00.0-05.9	13	14.5	06.1-22.9			
55-64	171	60,026	113	65.1	55.9-74.3	26	17.4	09.6-25.2	10	4.7	01.2-08.2	1	0.5	00.0-01.5	20	12.0	06.1-17.9	1	0.3	00.0-00.9
65+	382	91,588	246	63.3	57.2-69.4	69	16.4	12.1-20.7	14	4.2	01.5-06.9	3	0.7	00.0-01.5	44	13.7	09.2-18.2	6	1.8	00.2-03.4
Less Than H.S.	117	51,543	65	50.5	37.8-63.2	20	16.4	07.6-25.2	7	6.3	00.2-12.4				24	26.2	14.6-37.8	1	0.6	00.0-01.8
H.S. or G.E.D.	268	88,463	179	62.9	54.1-71.7	46	18.9	10.9-26.9	11	3.9	01.4-06.4	3	0.9	00.0-01.9	28	13.3	06.8-19.8	1	0.1	00.0-00.3
Some Post-H.S.	158	82,867	105	55.7	43.2-68.2	25	16.9	07.7-26.1	7	8.3	00.0-17.5	2	1.3	00.0-03.5	17	16.7	05.5-27.9	2	1.1	00.0-02.7
College Graduate	131	25,478	86	64.0	52.0-76.0	19	12.1	05.2-19.0	5	3.3	00.0-07.4	2	4.5	00.0-11.2	16	14.3	05.7-22.9	3	1.8	00.0-04.0
Less than \$15,000	130	51,845	87	59.9	46.8-73.0	15	11.5	04.1-18.9	9	5.3	01.2-09.4				19	23.3	10.8-35.8			
\$15,000- 24,999	155	57,264	105	60.2	46.3-74.1	27	18.9	07.5-30.3	5	3.4	00.0-07.7	2	1.0	00.0-02.4	15	15.9	02.8-29.0	1	0.6	00.0-01.8
\$25,000- 34,999	83	30,955	56	59.0	44.7-73.3	15	25.2	11.3-39.1	3	2.8	00.0-05.9				8	12.3	03.1-21.5	1	0.7	00.0-02.1
\$35,000- 49,999	85	24,487	59	63.0	45.2-80.8	16	13.4	04.8-22.0	2	2.2	00.0-05.3	1	0.9	00.0-02.7	6	19.3	00.0-38.9	1	1.2	00.0-03.6
\$50,000- 74,999	61	22,843	34	51.7	34.1-69.3	12	19.0	04.5-33.5	2	6.1	00.0-17.3	1	3.8	00.0-11.1	11	18.7	05.4-32.0	1	0.7	00.0-02.1
\$75,000+	62	26,192	35	49.1	29.5-68.7	8	9.1	01.5-16.7	4	17.9	00.0-42.6	2	4.4	00.0-11.1	11	17.0	04.5-29.5	2	2.5	00.0-06.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	121,393	163	61.0	52.4-69.6	47	18.1	11.2-25.0	8	5.4	00.0-11.9	2	1.0	00.0-02.4	35	14.2	08.9-19.5	3	0.3	00.0-00.7
White/Non-Hisp	200	89,176	126	59.0	48.8-69.2	38	20.1	11.5-28.7	5	5.7	00.0-14.1	1	0.4	00.0-01.2	28	14.4	08.3-20.5	2	0.4	00.0-01.0
55-64	79	36,630	52	63.5	50.8-76.2	11	18.4	07.0-29.8	4	3.4	00.0-07.7	1	0.9	00.0-02.7	11	13.8	05.2-22.4			
65+	133	42,169	83	67.6	58.6-76.6	29	17.4	10.3-24.5	2	0.4	00.0-01.0				16	13.6	06.3-20.9	3	1.0	00.0-02.2
H.S. or G.E.D.	108	49,261	71	64.1	51.4-76.8	20	22.5	09.8-35.2	3	2.3	00.0-05.4				13	10.9	04.4-17.4	1	0.2	00.0-00.6
Some Post-H.S.	59	36,626	41	64.7	46.3-83.1	11	15.9	05.3-26.5	2	11.0	00.0-29.8				5	8.4	00.6-16.2			
College Graduate	55	14,167	33	62.9	45.1-80.7	10	12.6	03.6-21.6	1	0.4	00.0-01.2	2	8.2	00.0-20.0	7	13.9	01.0-26.8	2	2.2	00.0-05.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	418	127,127	272	55.1	46.7-63.5	65	16.1	09.8-22.4	22	6.2	02.9-09.5	5	1.5	00.0-03.1	50	20.1	11.7-28.5	4	1.1	00.0-02.3
White/Non-Hisp	279	94,105	172	55.6	45.8-65.4	49	18.6	10.6-26.6	14	4.5	02.0-07.0	4	1.8	00.0-04.0	38	18.6	09.2-28.0	2	0.9	00.0-02.3
Black or Afr. Am./Non-Hisp	99	20,605	76	57.0	38.6-75.4	10	9.7	00.9-18.5	5	11.9	00.0-25.0	1	1.1	00.0-03.3	6	18.6	00.0-38.4	1	1.6	00.0-04.7
45-54	53	25,347	35	65.3	48.2-82.4	7	13.7	01.9-25.5	2	3.0	00.0-07.3	2	5.0	00.0-12.3	7	13.1	02.3-23.9			
55-64	92	23,396	61	67.5	55.3-79.7	15	15.9	06.3-25.5	6	6.7	00.4-13.0				9	9.2	02.3-16.1	1	0.6	00.0-01.8
65+	249	49,419	163	59.6	52.0-67.2	40	15.5	10.0-21.0	12	7.4	02.5-12.3	3	1.3	00.0-02.7	28	13.8	08.3-19.3	3	2.4	00.0-05.1
Less Than H.S.	82	30,304	47	53.1	36.2-70.0	15	17.3	06.5-28.1	5	6.4	00.0-13.5				14	22.1	07.2-37.0	1	1.1	00.0-03.3
H.S. or G.E.D.	160	39,202	108	61.4	49.8-73.0	26	14.4	07.3-21.5	8	5.9	01.6-10.2	3	2.0	00.0-04.4	15	16.3	04.5-28.1			
Some Post-H.S.	99	46,241	64	48.6	32.3-64.9	14	17.7	03.6-31.8	5	6.1	00.0-12.6	2	2.4	00.0-06.3	12	23.3	05.5-41.1	2	1.9	00.0-04.6
College Graduate	76	11,311	53	65.3	50.4-80.2	9	11.6	00.8-22.4	4	6.9	00.0-15.7				9	14.8	04.2-25.4	1	1.3	00.0-03.8
Less than \$15,000	97	32,180	66	60.9	44.2-77.6	10	8.3	02.4-14.2	7	6.0	01.3-10.7				14	24.8	08.1-41.5			
\$15,000- 24,999	106	33,766	77	57.1	37.3-76.9	16	19.9	03.0-36.8	2	1.5	00.0-03.7	2	1.7	00.0-04.2	8	18.9	00.0-39.5	1	1.0	00.0-03.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LANDWT.																	
	TOTAL	WEIGHTED	1 time			2 times			3 times			4 times			5 or more times			None		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	659	248,743	120	16.4	12.5-20.3	144	21.4	17.3-25.5	104	14.7	11.0-18.4	135	20.4	15.1-25.7	90	14.1	09.8-18.4	66	13.0	08.3-17.7
Male	263	124,911	53	17.3	11.2-23.4	66	24.1	17.8-30.4	35	13.4	08.3-18.5	48	23.1	14.9-31.3	34	11.6	07.1-16.1	27	10.6	05.9-15.3
Female	396	123,832	67	15.6	10.7-20.5	78	18.7	13.4-24.0	69	16.0	10.5-21.5	87	17.7	11.6-23.8	56	16.7	09.4-24.0	39	15.4	07.6-23.2
White/Non-Hisp	475	186,139	91	17.1	12.8-21.4	109	21.1	16.4-25.8	71	14.2	09.9-18.5	91	21.1	14.8-27.4	59	13.4	08.7-18.1	54	13.1	07.6-18.6
Black or Afr. Am./Non-Hisp	114	34,095	16	16.2	03.5-28.9	21	19.2	08.2-30.2	21	13.4	05.2-21.6	30	19.9	08.9-30.9	18	12.2	03.8-20.6	8	19.0	04.1-33.9
45-54	83	50,636	14	16.4	06.0-26.8	20	23.9	12.9-34.9	13	15.1	05.1-25.1	20	28.6	13.5-43.7	10	9.0	01.4-16.6	6	7.0	00.9-13.1
55-64	175	62,967	36	21.9	13.5-30.3	42	27.3	19.1-35.5	32	14.4	08.3-20.5	33	19.2	11.6-26.8	22	11.9	06.4-17.4	10	5.2	01.5-08.9
65+	365	90,292	64	16.9	12.2-21.6	76	21.3	15.8-26.8	54	15.4	10.9-19.9	77	18.1	13.4-22.8	51	14.8	10.3-19.3	43	13.5	09.2-17.8
Less Than H.S.	118	54,083	15	9.2	02.5-15.9	23	21.2	11.6-30.8	20	16.3	07.9-24.7	23	23.2	11.0-35.4	22	14.7	07.3-22.1	15	15.4	05.8-25.0
H.S. or G.E.D.	258	87,319	42	14.2	08.7-19.7	51	21.8	15.3-28.3	41	14.3	08.8-19.8	66	25.8	17.4-34.2	33	12.9	07.6-18.2	25	11.0	05.1-16.9
Some Post-H.S.	152	81,781	35	22.5	13.5-31.5	34	19.6	12.0-27.2	22	14.5	06.7-22.3	23	14.6	05.0-24.2	24	16.6	06.4-26.8	14	12.3	02.1-22.5
College Graduate	129	25,390	28	20.0	11.0-29.0	35	26.4	15.8-37.0	21	13.2	06.9-19.5	22	14.5	06.3-22.7	11	9.0	01.2-16.8	12	16.9	03.4-30.4
Less than \$15,000	121	51,117	24	14.2	06.6-21.8	23	21.3	10.9-31.7	14	10.9	02.9-18.9	22	19.5	07.2-31.8	26	17.1	08.9-25.3	12	16.9	05.1-28.7
\$15,000- 24,999	149	56,962	33	23.6	12.6-34.6	18	9.9	04.0-15.8	29	16.3	08.1-24.5	29	12.9	06.6-19.2	19	16.7	05.3-28.1	21	20.7	07.4-34.0
\$25,000- 34,999	83	31,362	9	6.6	02.1-11.1	16	23.0	11.4-34.6	16	15.4	07.2-23.6	22	28.6	15.5-41.7	13	19.5	06.8-32.2	7	6.8	00.7-12.9
\$35,000- 49,999	86	24,800	14	15.6	05.6-25.6	21	23.4	11.2-35.6	14	14.8	05.6-24.0	19	17.4	07.6-27.2	11	19.4	00.4-38.4	7	9.4	02.1-16.7
\$50,000- 74,999	63	23,435	12	25.2	10.1-40.3	22	29.4	14.7-44.1	11	17.4	03.5-31.3	11	15.1	02.9-27.3	2	3.3	00.0-08.0	5	9.6	00.0-21.0
\$75,000+	61	25,948	16	19.9	07.4-32.4	22	31.8	16.1-47.5	7	12.3	00.5-24.1	10	30.2	06.9-53.5	3	2.1	00.0-04.8	3	3.7	00.0-08.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	263	124,911	53	17.3	11.2-23.4	66	24.1	17.8-30.4	35	13.4	08.3-18.5	48	23.1	14.9-31.3	34	11.6	06.9-16.3	27	10.6	05.9-15.3
White/Non-Hisp	203	91,981	46	18.4	11.5-25.3	48	21.6	14.9-28.3	25	12.1	06.6-17.6	38	25.0	14.8-35.2	23	11.0	05.9-16.1	23	11.9	06.2-17.6
55-64	82	38,817	18	23.4	11.6-35.2	26	29.7	18.5-40.9	7	8.0	01.5-14.5	17	24.1	12.7-35.5	12	12.1	04.7-19.5	2	2.7	00.0-06.8
65+	136	43,744	30	16.4	09.5-23.3	28	23.4	14.4-32.4	22	19.6	11.6-27.6	20	12.2	06.1-18.3	18	13.7	06.6-20.8	18	14.5	07.6-21.4
H.S. or G.E.D.	109	50,145	23	17.0	08.4-25.6	22	21.5	12.1-30.9	15	12.6	05.5-19.7	25	28.2	15.5-40.9	13	11.4	04.3-18.5	11	9.3	03.2-15.4
Some Post-H.S.	57	36,299	12	22.6	08.1-37.1	15	22.0	10.2-33.8	9	16.7	04.2-29.2	7	20.8	01.6-40.0	9	10.1	02.5-17.7	5	7.8	00.0-15.6
College Graduate	56	14,281	15	17.6	07.2-28.0	16	26.5	11.2-41.8	5	7.8	00.5-15.1	9	15.8	02.7-28.9	5	10.9	00.0-24.0	6	21.4	00.0-43.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	396	123,832	67	15.6	10.7-20.5	78	18.7	13.2-24.2	69	16.0	10.5-21.5	87	17.7	11.6-23.8	56	16.7	09.6-23.8	39	15.4	07.4-23.4
White/Non-Hisp	272	94,158	45	15.8	10.3-21.3	61	20.5	14.0-27.0	46	16.3	09.6-23.0	53	17.3	10.0-24.6	36	15.7	07.9-23.5	31	14.4	05.2-23.6
Black or Afr. Am./Non-Hisp	87	18,003	12	9.0	02.3-15.7	13	13.0	02.8-23.2	18	18.5	06.2-30.8	24	19.1	07.1-31.1	13	10.0	02.9-17.1	7	30.3	07.6-53.0
45-54	51	24,687	12	20.6	07.5-33.7	10	23.9	08.6-39.2	10	24.2	06.6-41.8	12	25.6	04.4-46.8	6	3.3	00.2-06.4	1	2.3	00.0-06.8
55-64	93	24,150	18	19.5	08.1-30.9	16	23.4	11.8-35.0	25	24.7	13.3-36.1	16	11.5	04.4-18.6	10	11.7	03.5-19.9	8	9.3	02.0-16.6
65+	229	46,548	34	17.4	10.7-24.1	48	19.3	13.4-25.2	32	11.5	07.2-15.8	57	23.5	16.4-30.6	33	15.8	09.7-21.9	25	12.5	07.0-18.0
Less Than H.S.	78	29,996	12	8.8	02.3-15.3	11	13.5	03.3-23.7	14	18.7	06.4-31.0	16	25.5	07.5-43.5	15	14.8	05.8-23.8	10	18.7	03.8-33.6
H.S. or G.E.D.	149	37,174	19	10.5	05.2-15.8	29	22.1	13.5-30.7	26	16.4	07.6-25.2	41	22.6	13.4-31.8	20	14.9	06.7-23.1	14	13.3	02.3-24.3
Some Post-H.S.	95	45,482	23	22.4	11.2-33.6	19	17.6	07.4-27.8	13	12.8	03.0-22.6	16	9.7	04.0-15.4	15	21.8	05.3-38.3	9	15.8	00.0-32.5
College Graduate	73	11,109	13	23.1	08.2-38.0	19	26.2	12.3-40.1	16	20.2	09.6-30.8	13	12.8	04.6-21.0	6	6.5	00.6-12.4	6	11.2	01.4-21.0
Less than \$15,000	86	30,520	19	13.6	05.8-21.4	14	17.4	05.2-29.6	10	6.7	01.0-12.4	18	23.8	06.0-41.6	19	19.2	08.0-30.4	6	19.2	01.6-36.8
\$15,000- 24,999	101	33,548	18	16.6	05.6-27.6	14	13.5	04.1-22.9	23	19.5	07.3-31.7	23	14.6	05.8-23.4	10	13.1	00.0-29.4	13	22.6	02.2-43.0
\$35,000- 49,999	50	13,137	7	15.7	00.4-31.0	14	22.5	06.6-38.4	8	11.5	01.5-21.5	14	20.3	06.2-34.4	5	25.1	00.0-57.2	2	5.0	00.0-12.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	633	237,148	295	49.7	43.6-55.8	197	28.0	22.7-33.3	17	2.5	0.7-04.3	14	2.0	0.8-03.2	59	12.3	07.4-17.2	51	5.5	03.5-07.5
Male	251	117,913	121	50.6	42.2-59.0	70	27.2	19.4-35.0	8	3.5	0.6-06.4	9	2.9	0.7-05.1	25	10.5	05.4-15.6	18	5.2	02.1-08.3
Female	382	119,235	174	48.9	40.3-57.5	127	28.8	21.5-36.1	9	1.6	0.0-03.4	5	1.0	0.0-02.4	34	14.0	05.8-22.2	33	5.7	03.2-08.2
White/Non-Hisp	461	179,428	227	48.9	42.0-55.8	148	30.6	24.1-37.1	12	3.0	0.8-05.2	10	2.2	0.6-03.8	38	11.4	05.7-17.1	26	3.9	02.1-05.7
Black or Afr. Am./Non-Hisp	114	33,914	41	44.1	29.0-59.2	33	18.5	09.1-27.9	5	1.7	0.0-03.7	2	1.8	0.0-04.9	13	20.0	05.1-34.9	20	13.8	04.4-23.2
45-54	80	49,164	40	59.2	45.3-73.1	23	22.9	11.9-33.9	1	2.5	0.0-07.4	2	0.3	0.0-00.7	10	10.8	03.2-18.4	4	4.2	00.0-09.3
55-64	166	60,443	83	56.7	47.3-66.1	55	28.3	19.9-36.7	6	3.7	0.0-07.6	3	3.0	0.0-06.5	11	5.9	01.6-10.2	8	2.4	00.4-04.4
65+	353	85,861	155	45.8	39.3-52.3	109	29.1	23.4-34.8	10	3.0	0.5-05.5	9	3.2	0.8-05.6	32	9.1	04.8-13.4	38	9.8	05.9-13.7
Less Than H.S.	100	47,936	39	40.8	27.3-54.3	24	24.9	13.7-36.1	2	0.4	0.0-01.0	2	2.7	0.0-06.4	14	20.2	08.6-31.8	19	11.0	04.3-17.7
H.S. or G.E.D.	252	84,465	112	50.2	41.4-59.0	78	28.3	21.0-35.6	8	3.0	0.0-06.1	6	3.0	0.5-05.5	26	9.3	03.6-15.0	22	6.2	02.9-09.5
Some Post-H.S.	149	79,231	82	55.2	42.7-67.7	46	27.0	15.4-38.6	5	3.9	0.2-07.6	2	0.7	0.0-01.9	9	10.6	00.2-21.0	5	2.7	00.0-05.6
College Graduate	130	25,346	62	48.2	35.5-60.9	47	35.7	23.9-47.5	2	0.9	0.0-02.3	4	1.3	0.0-02.7	10	12.5	00.0-25.8	5	1.4	00.0-02.8
Less than \$15,000	114	46,775	53	47.6	33.7-61.5	24	19.4	08.8-30.0	3	1.9	0.0-05.0	5	3.9	0.0-08.4	16	21.8	08.9-34.7	13	5.4	01.7-09.1
\$15,000- 24,999	142	54,359	61	40.7	27.8-53.6	43	26.4	14.4-38.4	8	7.3	0.8-13.8	2	0.7	0.0-02.1	15	17.0	03.1-30.9	13	8.0	01.9-14.1
\$25,000- 34,999	79	29,831	35	49.8	35.5-64.1	27	29.7	17.4-42.0	2	1.4	0.0-03.4	3	4.6	0.0-09.9	5	6.7	00.0-14.1	7	7.7	01.0-14.4
\$35,000- 49,999	85	24,662	41	53.7	37.8-69.6	32	33.7	20.0-47.4	1	0.6	0.0-01.8	2	2.7	0.0-07.0	6	5.4	00.0-11.3	3	4.0	00.0-10.7
\$50,000- 74,999	62	23,392	32	64.4	48.7-80.1	20	21.3	09.0-33.6	1	2.0	0.0-05.9	1	1.3	0.0-03.8	2	6.7	00.0-17.7	6	4.3	00.0-08.6
\$75,000+	61	25,649	32	50.7	30.5-70.9	22	44.0	22.8-65.2				1	0.3	0.0-00.9	6	5.0	00.0-10.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	251	117,913	121	50.6	42.2-59.0	70	27.2	19.4-35.0	8	3.5	0.6-06.4	9	2.9	0.7-05.1	25	10.5	05.4-15.6	18	5.2	02.1-08.3
White/Non-Hisp	197	88,360	95	47.6	38.0-57.2	57	30.4	20.8-40.0	6	4.2	0.5-07.9	7	3.2	0.7-05.7	20	11.1	05.0-17.2	12	3.5	01.1-05.9
55-64	78	37,704	40	55.5	42.6-68.4	26	32.0	20.0-44.0	3	2.4	0.0-05.3	2	2.7	0.0-06.6	4	5.3	0.0-11.4	3	2.0	0.0-04.4
65+	130	41,744	61	49.2	38.8-59.6	31	20.5	13.1-27.9	4	4.8	0.0-09.7	7	5.8	01.1-10.5	14	12.0	04.6-19.4	13	7.6	02.5-12.7
H.S. or G.E.D.	105	48,301	50	52.4	40.1-64.7	27	24.6	14.6-34.6	4	4.4	0.0-09.7	5	4.7	0.4-09.0	8	6.7	01.6-11.8	11	7.2	01.9-12.5
Some Post-H.S.	56	34,225	31	57.3	38.9-75.7	16	28.7	09.9-47.5	4	5.9	0.0-12.2	1	1.4	0.0-04.1	2	4.3	0.0-11.0	2	2.4	0.0-06.7
College Graduate	55	14,012	26	42.9	24.7-61.1	17	34.5	16.1-52.9				2	1.3	0.0-03.5	8	20.2	00.0-42.3	2	1.1	0.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	382	119,235	174	48.9	40.3-57.5	127	28.8	21.4-36.2	9	1.6	00.0-03.4	5	1.0	00.0-02.4	34	14.0	05.8-22.2	33	5.7	03.2-08.2
White/Non-Hisp	264	91,067	132	50.2	40.2-60.2	91	30.7	21.9-39.5	6	1.9	00.0-04.3	3	1.2	00.0-03.0	18	11.7	02.3-21.1	14	4.3	01.6-07.0
Black or Afr. Am./Non-Hisp	88	17,931	32	39.0	21.8-56.2	27	21.7	09.0-34.4	3	0.9	00.0-02.1	1	0.3	00.0-00.9	9	25.7	02.8-48.6	16	12.4	04.6-20.2
55-64	88	22,739	43	58.6	45.3-71.9	29	22.1	12.5-31.7	3	6.0	00.0-14.8	1	3.4	00.0-09.9	7	6.8	00.9-12.7	5	3.2	00.0-06.5
65+	223	44,117	94	42.6	34.6-50.6	78	37.2	29.2-45.2	6	1.2	00.2-02.2	2	0.7	00.0-01.9	18	6.4	02.3-10.5	25	11.9	06.2-17.6
Less Than H.S.	66	26,660	25	40.6	21.2-60.0	15	24.3	09.2-39.4	2	0.7	00.0-01.7	1	2.9	00.0-08.4	7	18.0	01.3-34.7	16	13.6	05.2-22.0
H.S. or G.E.D.	147	36,163	62	47.3	35.3-59.3	51	33.1	22.3-43.9	4	1.2	00.0-02.6	1	0.7	00.0-02.1	18	12.8	01.6-24.0	11	4.8	01.5-08.1
Some Post-H.S.	93	45,007	51	53.6	36.4-70.8	30	25.7	11.2-40.2	1	2.3	00.0-06.8	1	0.1	00.0-00.3	7	15.3	00.0-32.2	3	2.8	00.0-06.7
College Graduate	75	11,334	36	54.9	40.8-69.0	30	37.2	23.9-50.5	2	2.1	00.0-05.0	2	1.2	00.0-03.0	2	2.9	00.0-07.0	3	1.7	00.0-03.9
Less than \$15,000	85	30,197	37	44.0	26.0-62.0	20	20.7	07.6-33.8	2	0.5	00.0-01.3	3	3.5	00.0-08.8	10	22.9	04.9-40.9	13	8.4	02.5-14.3
\$15,000- 24,999	95	31,651	41	37.6	20.7-54.5	34	35.9	17.3-54.5	4	4.5	00.0-11.0	1	0.2	00.0-00.6	8	18.0	00.0-40.0	7	3.9	00.2-07.6
\$35,000- 49,999	50	13,137	25	60.8	38.8-82.8	20	27.0	10.1-43.9	1	1.1	00.0-03.5				3	4.7	00.0-12.0	1	6.4	00.0-18.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	661	251,303	155	24.5	19.6-29.4	99	11.7	08.8-14.6	50	7.2	04.7-09.7	70	9.0	06.3-11.7	48	7.3	03.8-10.8	239	40.3	33.8-46.8
Male	258	121,999	68	29.0	21.6-36.4	41	13.0	08.5-17.5	30	9.7	05.6-13.8	27	9.1	05.4-12.8	11	6.3	00.8-11.8	81	33.0	24.8-41.2
Female	403	129,304	87	20.4	13.9-26.9	58	10.5	06.8-14.2	20	4.9	01.6-08.2	43	9.0	05.1-12.9	37	8.2	03.5-12.9	158	47.1	37.9-56.3
White/Non-Hisp	475	184,481	122	26.5	20.6-32.4	67	11.2	07.9-14.5	32	6.7	03.8-09.6	46	8.8	05.7-11.9	27	6.5	02.6-10.4	181	40.3	33.2-47.4
Black or Afr. Am./Non-Hisp	118	34,931	20	22.9	09.2-36.6	20	13.6	05.6-21.6	12	8.6	00.4-16.8	17	11.6	04.2-19.0	15	7.2	01.1-13.3	34	36.1	21.0-51.2
45-54	86	51,540	18	23.3	11.1-35.5	11	11.5	03.9-19.1	5	8.1	00.1-16.1	7	7.5	01.4-13.6	10	10.6	00.0-22.4	35	39.0	25.1-52.9
55-64	174	62,754	43	31.7	22.3-41.1	26	13.4	07.5-19.3	12	6.9	02.2-11.6	20	9.6	04.7-14.5	8	3.0	00.5-05.5	65	35.5	26.7-44.3
65+	365	88,036	86	25.5	19.8-31.2	57	14.4	09.9-18.9	32	9.8	06.1-13.5	39	11.1	07.0-15.2	29	9.3	05.0-13.6	122	29.9	24.2-35.6
Less Than H.S.	116	52,948	26	20.0	10.8-29.2	16	8.8	03.1-14.5	7	7.0	00.5-13.5	14	9.1	03.4-14.8	9	6.3	01.6-11.0	44	48.8	36.1-61.5
H.S. or G.E.D.	263	93,223	70	24.5	17.1-31.9	36	10.4	06.1-14.7	18	6.2	02.5-09.9	29	13.1	07.4-18.8	17	8.3	01.2-15.4	93	37.5	26.7-48.3
Some Post-H.S.	150	79,780	33	28.3	17.3-39.3	27	13.8	07.5-20.1	14	8.8	03.5-14.1	15	5.0	02.1-07.9	11	7.5	00.2-14.8	50	36.7	24.0-49.4
College Graduate	130	25,181	26	22.3	11.7-32.9	20	15.9	07.5-24.3	10	6.0	01.5-10.5	11	6.3	02.0-10.6	11	5.1	01.2-09.0	52	44.5	31.2-57.8
Less than \$15,000	129	50,667	29	20.5	11.5-29.5	16	8.5	03.4-13.6	4	2.7	00.0-05.8	14	10.5	03.6-17.4	15	6.5	01.6-11.4	51	51.3	38.4-64.2
\$15,000- 24,999	152	57,621	35	30.3	17.4-43.2	21	9.5	04.2-14.8	11	7.8	01.3-14.3	19	9.3	04.0-14.6	11	5.1	00.4-09.8	55	37.9	24.6-51.2
\$25,000- 34,999	81	30,832	14	17.8	07.6-28.0	11	13.0	04.2-21.8	10	16.9	05.3-28.5	9	11.9	02.9-20.9	7	5.1	00.4-09.8	30	35.2	21.5-48.9
\$35,000- 49,999	84	24,103	23	27.2	14.5-39.9	15	12.7	03.3-22.1	12	11.3	03.7-18.9	7	10.0	01.6-18.4	5	19.7	00.0-39.7	22	19.0	09.0-29.0
\$50,000- 74,999	62	28,801	18	26.4	09.2-43.6	11	11.6	01.0-22.2	6	8.2	00.0-16.8	7	6.1	00.0-12.6				20	47.7	22.6-72.8
\$75,000+	60	25,531	15	25.7	10.8-40.6	11	18.8	06.6-31.0	4	4.3	00.0-08.8	2	1.4	00.0-03.6	3	3.0	00.0-06.9	25	46.7	25.9-67.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	258	121,999	68	29.0	21.6-36.4	41	13.0	08.3-17.7	30	9.7	05.6-13.8	27	9.1	05.4-12.8	11	6.3	00.8-11.8	81	33.0	24.8-41.2
White/Non-Hisp	200	91,084	56	29.6	21.2-38.0	29	12.1	07.0-17.2	23	8.8	04.9-12.7	20	8.7	04.4-13.0	8	7.3	00.2-14.4	64	33.4	23.6-43.2
55-64	84	39,587	23	34.2	21.5-46.9	12	12.8	05.4-20.2	8	9.4	02.1-16.7	10	10.7	03.6-17.8	2	1.0	00.0-02.6	29	31.8	20.4-43.2
65+	129	41,540	34	29.5	19.7-39.3	23	17.5	09.5-25.5	19	14.6	07.7-21.5	12	9.3	03.8-14.8	7	7.2	01.1-13.3	34	21.8	13.8-29.8
H.S. or G.E.D.	106	49,370	31	29.6	18.4-40.8	13	10.5	04.0-17.0	11	9.3	03.0-15.6	14	13.5	05.9-21.1	4	9.7	00.0-21.9	33	27.5	17.5-37.5
Some Post-H.S.	59	35,591	18	35.3	19.0-51.6	12	15.0	05.4-24.6	12	15.9	05.5-26.3	4	4.6	00.0-09.3	2	3.1	00.0-07.6	11	26.1	06.7-45.5
College Graduate	54	13,972	12	27.5	09.9-45.1	9	13.8	03.6-24.0	5	6.8	00.1-13.5	4	4.8	00.0-10.1	3	3.2	00.0-07.9	21	43.9	23.1-64.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	403	129,304	87	20.4	13.9-26.9	58	10.5	06.8-14.2	20	4.9	01.6-08.2	43	9.0	05.1-12.9	37	8.2	03.5-12.9	158	47.1	37.9-56.3
White/Non-Hisp	275	93,398	66	23.4	15.4-31.4	38	10.2	05.9-14.5	9	4.7	00.6-08.8	26	8.9	04.4-13.4	19	5.8	02.7-08.9	117	47.0	37.2-56.8
Black or Afr. Am./Non-Hisp	91	18,416	14	12.3	03.9-20.7	15	16.8	05.4-28.2	10	8.0	00.4-15.6	13	11.2	02.8-19.6	13	8.3	00.9-15.7	26	43.4	23.4-63.4
45-54	53	25,347	12	25.3	08.8-41.8	6	10.5	00.7-20.3	2	8.6	00.0-20.8	2	3.7	00.0-09.8	8	4.6	00.7-08.5	23	47.2	27.4-67.0
55-64	90	23,167	20	27.4	14.7-40.1	14	14.5	05.5-23.5	4	2.5	00.0-05.4	10	7.6	02.3-12.9	6	6.3	00.0-12.6	36	41.7	28.2-55.2
65+	236	46,496	52	22.0	15.7-28.3	34	11.7	07.4-16.0	13	5.4	01.7-09.1	27	12.6	06.7-18.5	22	11.2	05.3-17.1	88	37.1	29.5-44.7
Less Than H.S.	78	29,983	19	20.8	09.4-32.2	9	4.4	01.1-07.7	6	10.6	00.0-21.4	9	9.2	01.4-17.0	7	6.6	00.9-12.3	28	48.4	31.0-65.8
H.S. or G.E.D.	157	43,854	39	18.8	10.4-27.2	23	10.3	04.6-16.0	7	2.8	00.0-05.9	15	12.7	03.9-21.5	13	6.7	01.4-12.0	60	48.7	31.8-65.6
Some Post-H.S.	91	44,188	15	22.8	07.7-37.9	15	12.8	04.6-21.0	2	3.0	00.0-07.7	11	5.2	01.1-09.3	9	11.0	00.0-23.2	39	45.2	28.0-62.4
College Graduate	76	11,209	14	15.8	06.8-24.8	11	18.5	05.2-31.8	5	4.9	00.0-10.6	7	8.2	01.5-14.9	8	7.6	01.3-13.9	31	45.2	29.7-60.7
Less than \$15,000	97	32,838	22	18.2	09.0-27.4	10	6.5	01.8-11.2	4	4.1	00.0-09.0	10	11.0	01.8-20.2	12	5.1	01.4-08.8	39	55.0	39.1-70.9
\$15,000- 24,999	103	33,767	20	27.7	10.3-45.1	16	10.0	03.1-16.9	6	6.9	00.0-15.9	14	9.7	02.6-16.8	9	4.7	01.0-08.4	38	40.9	22.1-59.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	690	256,007	105	16.4	11.1-21.7	384	48.4	42.5-54.3	95	13.6	10.1-17.1	78	15.8	10.9-20.7	28	5.8	03.1-08.5
Male	264	123,375	43	14.5	09.2-19.8	142	49.8	41.6-58.0	38	15.3	09.4-21.2	25	11.0	06.1-15.9	16	9.4	04.1-14.7
Female	426	132,632	62	18.2	09.2-27.2	242	47.1	38.5-55.7	57	11.9	07.8-16.0	53	20.3	12.1-28.5	12	2.4	00.6-04.2
White/Non-Hisp	491	188,372	74	15.0	10.3-19.7	270	47.7	41.0-54.4	67	13.1	09.4-16.8	65	18.8	12.5-25.1	15	5.3	02.0-08.6
Black or Afr. Am./Non-Hisp	126	34,894	18	15.2	05.8-24.6	73	48.3	34.8-61.8	18	17.4	04.9-29.9	9	10.2	01.4-19.0	8	8.9	00.5-17.3
45-54	86	51,540	13	16.2	03.9-28.5	33	36.1	22.0-50.2	18	20.0	09.4-30.6	16	20.6	10.2-31.0	6	7.1	00.4-13.8
55-64	178	63,301	18	13.2	06.1-20.3	89	48.2	39.0-57.4	35	18.7	11.4-26.0	28	14.2	07.9-20.5	8	5.7	00.0-11.6
65+	390	94,004	70	19.5	14.2-24.8	246	61.6	55.5-67.7	38	9.3	06.0-12.6	26	6.7	03.8-09.6	10	2.9	00.5-05.3
Less Than H.S.	124	53,070	22	22.3	10.1-34.5	58	40.6	29.2-52.0	19	13.1	06.2-20.0	16	12.9	05.6-20.2	9	11.1	03.1-19.1
H.S. or G.E.D.	271	95,045	40	19.2	08.2-30.2	160	51.5	41.5-61.5	32	11.6	06.7-16.5	31	12.2	06.7-17.7	8	5.4	00.3-10.5
Some Post-H.S.	160	82,066	21	10.0	04.7-15.3	90	49.8	37.8-61.8	22	12.5	05.6-19.4	20	24.8	12.6-37.0	7	3.0	00.1-05.9
College Graduate	133	25,656	22	14.8	06.2-23.4	74	48.5	36.0-61.0	22	25.3	11.6-39.0	11	6.4	02.1-10.7	4	5.0	00.0-11.7
Less than \$15,000	130	47,987	16	18.5	05.6-31.4	72	44.3	31.8-56.8	19	12.9	05.8-20.0	19	19.4	09.4-29.4	4	4.9	00.0-11.0
\$15,000- 24,999	157	58,460	15	6.5	01.6-11.4	77	34.2	23.6-44.8	27	19.7	09.9-29.5	26	28.3	13.8-42.8	12	11.2	02.8-19.6
\$25,000- 34,999	84	31,691	16	16.3	06.7-25.9	48	66.3	54.1-78.5	12	10.7	03.6-17.8	6	5.4	00.1-10.7	2	1.3	00.0-03.1
\$35,000- 49,999	86	24,800	18	20.5	09.1-31.9	47	57.9	42.8-73.0	12	13.5	04.3-22.7	6	3.9	00.2-07.6	3	4.1	00.0-09.2
\$50,000- 74,999	64	29,281	11	29.6	00.2-59.0	34	35.1	16.1-54.1	9	7.2	01.3-13.1	8	19.6	03.7-35.5	2	8.6	00.0-20.2
\$75,000+	61	26,100	3	2.0	00.0-04.5	41	63.6	46.0-81.2	10	15.2	04.6-25.8	6	16.0	01.9-30.1	1	3.2	00.0-09.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	264	123,375	43	14.5	09.2-19.8	142	49.8	41.6-58.0	38	15.3	09.4-21.2	25	11.0	06.1-15.9	16	9.4	04.1-14.7
White/Non-Hisp	206	92,460	37	16.3	09.8-22.8	103	45.6	36.2-55.0	33	15.6	09.3-21.9	22	13.4	07.1-19.7	11	9.2	02.9-15.5
55-64	83	38,723	9	14.3	04.1-24.5	43	49.8	37.1-62.5	16	16.0	07.6-24.4	10	12.3	04.5-20.1	5	7.6	00.0-16.6
65+	136	43,780	27	18.9	10.7-27.1	84	63.1	53.5-72.7	14	10.9	04.8-17.0	6	3.5	00.2-06.8	5	3.5	00.2-06.8
H.S. or G.E.D.	109	49,611	12	10.3	03.4-17.2	67	54.2	41.9-66.5	11	11.7	04.3-19.1	13	13.5	05.7-21.3	6	10.2	01.0-19.4
Some Post-H.S.	59	35,591	12	15.2	05.2-25.2	29	53.2	36.0-70.4	10	17.3	04.6-30.0	5	10.5	00.1-20.9	3	3.8	00.0-09.9
College Graduate	55	14,189	11	18.6	04.1-33.1	29	43.3	25.1-61.5	11	28.4	07.0-49.8	2	2.7	00.0-07.2	2	6.9	00.0-18.3
\$15,000- 24,999	50	24,184	4	9.1	00.0-19.5	23	30.3	16.2-44.4	11	28.3	10.7-45.9	5	9.9	00.5-19.3	7	22.4	05.2-39.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	426	132,632	62	18.2	09.2-27.2	242	47.1	38.5-55.7	57	11.9	07.8-16.0	53	20.3	12.1-28.5	12	2.4	00.6-04.2
White/Non-Hisp	285	95,912	37	13.8	06.7-20.9	167	49.9	40.3-59.5	34	10.6	06.3-14.9	43	24.1	13.9-34.3	4	1.6	00.0-03.4
Black or Afr. Am./Non-Hisp	99	18,380	15	16.9	05.9-27.9	57	47.3	32.6-62.0	15	13.2	04.2-22.2	7	17.4	02.3-32.5	5	5.2	00.0-11.9
45-54	53	25,347	6	16.9	00.0-37.9	22	36.2	18.0-54.4	13	22.5	09.4-35.6	8	19.0	05.3-32.7	4	5.5	00.0-11.6
55-64	95	24,579	9	11.3	02.9-19.7	46	45.6	32.7-58.5	19	23.0	10.5-35.5	18	17.3	07.3-27.3	3	2.7	00.0-06.0
65+	254	50,224	43	20.1	13.2-27.0	162	60.3	52.7-67.9	24	7.9	04.4-11.4	20	9.4	04.7-14.1	5	2.3	00.0-05.4
Less Than H.S.	84	29,185	14	24.5	06.3-42.7	42	41.4	26.3-56.5	13	13.9	04.9-22.9	11	14.2	04.2-24.2	4	6.0	00.0-12.7
H.S. or G.E.D.	162	45,435	28	28.8	09.4-48.2	93	48.7	33.0-64.4	21	11.5	05.0-18.0	18	10.8	03.2-18.4	2	0.2	00.0-00.4
Some Post-H.S.	101	46,475	9	6.0	01.1-10.9	61	47.2	30.9-63.5	12	8.7	01.8-15.6	15	35.8	18.0-53.6	4	2.3	00.0-04.8
College Graduate	78	11,467	11	10.0	03.1-16.9	45	54.9	39.8-70.0	11	21.5	06.4-36.6	9	10.9	03.3-18.5	2	2.6	00.0-07.1
Less than \$15,000	98	30,692	11	19.7	01.9-37.5	60	50.2	33.7-66.7	15	13.9	05.1-22.7	11	15.0	03.6-26.4	1	1.2	00.0-03.6
\$15,000- 24,999	107	34,276	11	4.7	01.0-08.4	54	37.0	21.9-52.1	16	13.7	03.9-23.5	21	41.3	21.3-61.3	5	3.4	00.0-07.9
\$35,000- 49,999	50	13,137	9	20.9	03.8-38.0	27	54.8	30.9-78.7	9	15.7	02.6-28.8	4	6.0	00.0-12.9	1	2.6	00.0-07.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	682	255,343	127	19.9	15.0-24.8	555	80.1	75.2-85.0
Male	263	122,074	57	23.9	16.6-31.2	206	76.1	68.8-83.4
Female	419	133,269	70	16.4	09.7-23.1	349	83.6	76.9-90.3
White/Non-Hisp	485	185,730	85	20.1	14.4-25.8	400	79.9	74.2-85.6
Black or Afr. Am./Non-Hisp	124	36,232	30	16.9	07.9-25.9	94	83.1	74.1-92.1
45-54	83	49,881	18	31.2	15.7-46.7	65	68.8	53.3-84.3
55-64	175	62,655	29	16.9	10.0-23.8	146	83.1	76.2-90.0
65+	388	94,568	73	18.5	13.6-23.4	315	81.5	76.6-86.4
Less Than H.S.	122	55,056	33	32.0	19.7-44.3	89	68.0	55.7-80.3
H.S. or G.E.D.	265	92,373	47	20.0	12.0-28.0	218	80.0	72.0-88.0
Some Post-H.S.	160	82,066	25	13.7	05.9-21.5	135	86.3	78.5-94.1
College Graduate	134	25,748	22	14.2	05.6-22.8	112	85.8	77.2-94.4
Less than \$15,000	128	49,933	35	30.2	17.3-43.1	93	69.8	56.9-82.7
\$15,000- 24,999	157	58,400	26	13.6	06.2-21.0	131	86.4	79.0-93.8
\$25,000- 34,999	83	31,485	15	17.7	07.3-28.1	68	82.3	71.9-92.7
\$35,000- 49,999	86	24,800	14	31.1	12.5-49.7	72	68.9	50.3-87.5
\$50,000- 74,999	61	27,659	9	12.6	01.6-23.6	52	87.4	76.4-98.4
\$75,000+	62	26,192	8	9.2	01.4-17.0	54	90.8	83.0-98.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	263	122,074	57	23.9	16.6-31.2	206	76.1	68.8-83.4
White/Non-Hisp	202	90,135	44	25.0	16.4-33.6	158	75.0	66.4-83.6
55-64	83	39,287	16	22.3	11.9-32.7	67	77.7	67.3-88.1
65+	137	44,399	31	23.4	14.8-32.0	106	76.6	68.0-85.2
H.S. or G.E.D.	106	47,484	25	28.8	15.9-41.7	81	71.2	58.3-84.1
Some Post-H.S.	59	35,591	10	12.8	04.0-21.6	49	87.2	78.4-96.0
College Graduate	56	14,281	7	11.7	00.0-24.8	49	88.3	75.2-0100
\$15,000- 24,999	50	24,184	7	11.8	00.8-22.8	43	88.2	77.2-99.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
 MODULE 2: DIABETES**

**TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)**

**Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

**Denominator excludes: Respondents that reported not being diagnosed with diabetes**

**Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	419	133,269	70	16.4	09.7-23.1	349	83.6	76.9-90.3
White/Non-Hisp	283	95,595	41	15.4	08.0-22.8	242	84.6	77.2-92.0
Black or Afr. Am./Non-Hisp	95	19,410	24	17.0	06.8-27.2	71	83.0	72.8-93.2
45-54	51	24,920	9	28.1	06.5-49.7	42	71.9	50.3-93.5
55-64	92	23,367	13	7.9	03.0-12.8	79	92.1	87.2-97.0
65+	251	50,169	42	14.1	09.4-18.8	209	85.9	81.2-90.6
Less Than H.S.	81	30,438	18	27.5	09.7-45.3	63	72.5	54.7-90.3
H.S. or G.E.D.	159	44,890	22	10.7	04.2-17.2	137	89.3	82.8-95.8
Some Post-H.S.	101	46,475	15	14.3	02.0-26.6	86	85.7	73.4-98.0
College Graduate	78	11,467	15	17.3	06.7-27.9	63	82.7	72.1-93.3
Less than \$15,000	96	32,487	23	24.8	08.1-41.5	73	75.2	58.5-91.9
\$15,000- 24,999	107	34,216	19	14.9	04.9-24.9	88	85.1	75.1-95.1
\$35,000- 49,999	50	13,137	4	22.6	00.0-55.3	46	77.4	44.7-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	693	261,493	349	50.3	44.2-56.4	344	49.7	43.6-55.8
Male	268	126,654	139	52.2	44.2-60.2	129	47.8	39.8-55.8
Female	425	134,839	210	48.6	39.8-57.4	215	51.4	42.6-60.2
White/Non-Hisp	492	189,216	240	47.9	41.2-54.6	252	52.1	45.4-58.8
Black or Afr. Am./Non-Hisp	127	37,429	69	49.3	35.2-63.4	58	50.7	36.6-64.8
45-54	86	51,540	41	46.4	32.3-60.5	45	53.6	39.5-67.7
55-64	179	64,166	93	51.0	41.8-60.2	86	49.0	39.8-58.2
65+	390	94,575	193	47.3	41.2-53.4	197	52.7	46.6-58.8
Less Than H.S.	128	56,709	51	32.4	22.0-42.8	77	67.6	57.2-78.0
H.S. or G.E.D.	270	95,423	117	46.9	36.9-56.9	153	53.1	43.1-63.1
Some Post-H.S.	160	83,486	105	65.2	53.8-76.6	55	34.8	23.4-46.2
College Graduate	133	25,705	75	54.3	41.4-67.2	58	45.7	32.8-58.6
Less than \$15,000	134	53,618	45	26.8	16.4-37.2	89	73.2	62.8-83.6
\$15,000- 24,999	158	58,703	78	50.4	37.3-63.5	80	49.6	36.5-62.7
\$25,000- 34,999	83	31,362	50	60.4	47.1-73.7	33	39.6	26.3-52.9
\$35,000- 49,999	86	24,800	44	58.5	43.6-73.4	42	41.5	26.6-56.4
\$50,000- 74,999	63	29,239	35	68.5	50.5-86.5	28	31.5	13.5-49.5
\$75,000+	62	26,192	43	73.6	58.1-89.1	19	26.4	10.9-41.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	268	126,654	139	52.2	44.2-60.2	129	47.8	39.8-55.8
White/Non-Hisp	207	93,324	105	50.4	41.0-59.8	102	49.6	40.2-59.0
55-64	84	39,587	47	55.3	42.8-67.8	37	44.7	32.2-57.2
65+	138	44,473	68	47.7	37.9-57.5	70	52.3	42.5-62.1
H.S. or G.E.D.	109	50,145	54	49.8	37.5-62.1	55	50.2	37.9-62.5
Some Post-H.S.	60	37,312	38	68.3	53.8-82.8	22	31.7	17.2-46.2
College Graduate	56	14,281	29	52.0	32.2-71.8	27	48.0	28.2-67.8
\$15,000- 24,999	50	24,184	27	60.6	43.7-77.5	23	39.4	22.5-56.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM  
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011  
MODULE 2: DIABETES**

**TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)**  
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses  
Denominator excludes: Respondents that reported not being diagnosed with diabetes  
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using \_LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	425	134,839	210	48.6	39.8-57.4	215	51.4	42.6-60.2
White/Non-Hisp	285	95,892	135	45.4	36.0-54.8	150	54.6	45.2-64.0
Black or Afr. Am./Non-Hisp	98	20,608	54	48.5	31.3-65.7	44	51.5	34.3-68.7
45-54	53	25,347	25	44.6	25.6-63.6	28	55.4	36.4-74.4
55-64	95	24,579	46	44.2	31.5-56.9	49	55.8	43.1-68.5
65+	252	50,101	125	46.9	39.3-54.5	127	53.1	45.5-60.7
Less Than H.S.	86	31,893	34	32.2	18.1-46.3	52	67.8	53.7-81.9
H.S. or G.E.D.	161	45,278	63	43.6	26.5-60.7	98	56.4	39.3-73.5
Some Post-H.S.	100	46,173	67	62.7	45.8-79.6	33	37.3	20.4-54.2
College Graduate	77	11,425	46	57.3	42.2-72.4	31	42.7	27.6-57.8
Less than \$15,000	99	33,021	34	27.0	14.5-39.5	65	73.0	60.5-85.5
\$15,000- 24,999	108	34,519	51	43.2	25.6-60.8	57	56.8	39.2-74.4
\$35,000- 49,999	50	13,137	28	66.5	46.9-86.1	22	33.5	13.9-53.1

NOTE:

Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.  
Rows with less than 50 observations have been suppressed.  
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'