


ARKANSAS

2011 Land Line Only Actions to Control Module Variables Report

Behavioral Risk Factor Surveillance System



May 27, 2012



**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)	
1	MALES AND FEMALES	43
2	MALES ONLY	44
3	FEMALES ONLY	45
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)	
4	MALES AND FEMALES	46
5	MALES ONLY	47
6	FEMALES ONLY	48
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)	
7	MALES AND FEMALES	49
8	MALES ONLY	50
9	FEMALES ONLY	51
	[ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)	
10	MALES AND FEMALES	52
11	MALES ONLY	53
12	FEMALES ONLY	54
	HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)	
13	MALES AND FEMALES	55
14	MALES ONLY	56
15	FEMALES ONLY	57
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)	
16	MALES AND FEMALES	58
17	MALES ONLY	59
18	FEMALES ONLY	60

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011

MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE		PAGE
	[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)	
19	MALES AND FEMALES	61
20	MALES ONLY	62
21	FEMALES ONLY	63

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)	
22 MALES AND FEMALES	64
23 MALES ONLY	65
24 FEMALES ONLY	66
[HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)	
25 MALES AND FEMALES	67
26 MALES ONLY	68
27 FEMALES ONLY	69
WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)	
28 MALES AND FEMALES	70
29 MALES ONLY	71
30 FEMALES ONLY	72

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011**

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 1: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1981	728,910	1507	73.4	70.1-76.7	474	26.6	23.3-29.9
Male	687	340,545	500	72.5	67.6-77.4	187	27.5	22.6-32.4
Female	1294	388,366	1007	74.2	69.5-78.9	287	25.8	21.1-30.5
White/Non-Hisp	1530	571,280	1128	73.1	69.6-76.6	402	26.9	23.4-30.4
Black or Afr. Am./Non-Hisp	310	99,109	270	76.1	63.6-88.6	40	23.9	11.4-36.4
35-44	95	88,422	76	72.8	60.3-85.3	19	27.2	14.7-39.7
45-54	268	149,638	211	74.7	67.8-81.6	57	25.3	18.4-32.2
55-64	501	159,255	403	81.1	77.0-85.2	98	18.9	14.8-23.0
65+	1067	250,638	782	71.8	68.5-75.1	285	28.2	24.9-31.5
Less Than H.S.	298	148,298	220	68.5	60.3-76.7	78	31.5	23.3-39.7
H.S. or G.E.D.	766	269,870	574	72.5	67.0-78.0	192	27.5	22.0-33.0
Some Post-H.S.	450	201,075	350	76.8	69.5-84.1	100	23.2	15.9-30.5
College Graduate	463	109,252	360	76.1	70.2-82.0	103	23.9	18.0-29.8
Less than \$15,000	340	150,194	264	68.2	58.8-77.6	76	31.8	22.4-41.2
\$15,000- 24,999	419	152,618	309	73.5	65.1-81.9	110	26.5	18.1-34.9
\$25,000- 34,999	234	84,446	173	69.2	59.0-79.4	61	30.8	20.6-41.0
\$35,000- 49,999	249	83,502	184	70.5	61.9-79.1	65	29.5	20.9-38.1
\$50,000- 74,999	208	79,405	159	76.9	68.9-84.9	49	23.1	15.1-31.1
\$75,000+	243	89,470	195	82.1	76.0-88.2	48	17.9	11.8-24.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 2: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	687	340,545	500	72.5	67.6-77.4	187	27.5	22.6-32.4
White/Non-Hisp	554	262,487	388	69.8	63.9-75.7	166	30.2	24.3-36.1
Black or Afr. Am./Non-Hisp	70	41,989	63	88.6	78.0-99.2	7	11.4	00.8-22.0
45-54	99	69,360	74	71.9	61.7-82.1	25	28.1	17.9-38.3
55-64	199	83,450	162	81.4	74.9-87.9	37	18.6	12.1-25.1
65+	334	104,397	224	67.0	61.1-72.9	110	33.0	27.1-38.9
Less Than H.S.	94	68,031	69	67.7	54.0-81.4	25	32.3	18.6-46.0
H.S. or G.E.D.	245	122,747	168	71.2	63.2-79.2	77	28.8	20.8-36.8
Some Post-H.S.	146	88,025	111	79.1	71.1-87.1	35	20.9	12.9-28.9
College Graduate	201	61,642	151	71.0	61.8-80.2	50	29.0	19.8-38.2
Less than \$15,000	90	62,143	70	73.3	60.0-86.6	20	26.7	13.4-40.0
\$15,000- 24,999	123	66,905	85	77.5	68.3-86.7	38	22.5	13.3-31.7
\$25,000- 34,999	92	44,439	58	58.6	42.9-74.3	34	41.4	25.7-57.1
\$35,000- 49,999	100	40,924	73	65.3	51.0-79.6	27	34.7	20.4-49.0
\$50,000- 74,999	104	48,269	72	70.8	59.0-82.6	32	29.2	17.4-41.0
\$75,000+	114	52,087	92	80.8	71.6-90.0	22	19.2	10.0-28.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
 MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 3: ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (ARE YOU) CHANGING YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATHBT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1294	388,366	1007	74.2	69.5-78.9	287	25.8	21.1-30.5
White/Non-Hisp	976	308,792	740	76.0	71.9-80.1	236	24.0	19.9-28.1
Black or Afr. Am./Non-Hisp	240	57,120	207	66.9	49.1-84.7	33	33.1	15.3-50.9
35-44	57	42,034	50	87.1	76.7-97.5	7	12.9	02.5-23.3
45-54	169	80,278	137	77.2	68.0-86.4	32	22.8	13.6-32.0
55-64	302	75,804	241	80.8	75.5-86.1	61	19.2	13.9-24.5
65+	733	146,241	558	75.2	71.3-79.1	175	24.8	20.9-28.7
Less Than H.S.	204	80,267	151	69.2	59.6-78.8	53	30.8	21.2-40.4
H.S. or G.E.D.	521	147,123	406	73.6	66.2-81.0	115	26.4	19.0-33.8
Some Post-H.S.	304	113,051	239	75.0	64.0-86.0	65	25.0	14.0-36.0
College Graduate	262	47,610	209	82.7	77.2-88.2	53	17.3	11.8-22.8
Less than \$15,000	250	88,052	194	64.6	52.1-77.1	56	35.4	22.9-47.9
\$15,000- 24,999	296	85,713	224	70.5	57.8-83.2	72	29.5	16.8-42.2
\$25,000- 34,999	142	40,007	115	81.0	72.0-90.0	27	19.0	10.0-28.0
\$35,000- 49,999	149	42,579	111	75.5	66.5-84.5	38	24.5	15.5-33.5
\$50,000- 74,999	104	31,137	87	86.2	77.8-94.6	17	13.8	05.4-22.2
\$75,000+	129	37,384	103	84.1	77.0-91.2	26	15.9	08.8-23.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 4: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1993	734,229	1602	77.6	74.3-80.9	284	17.9	14.6-21.2	107	4.5	03.3-05.7
Male	689	344,414	527	74.7	69.2-80.2	122	20.2	14.9-25.5	40	5.1	03.1-07.1
Female	1304	389,816	1075	80.1	76.2-84.0	162	15.9	12.0-19.8	67	4.0	02.6-05.4
White/Non-Hisp	1540	576,313	1219	76.3	72.6-80.0	246	19.4	15.7-23.1	75	4.4	03.0-05.8
Black or Afr. Am./Non-Hisp	312	99,465	268	84.3	77.0-91.6	21	10.1	03.6-16.6	23	5.6	02.1-09.1
35-44	95	88,422	75	73.6	61.1-86.1	19	25.1	12.8-37.4	1	1.3	00.0-03.8
45-54	267	151,633	211	77.4	70.9-83.9	43	17.5	11.4-23.6	13	5.1	01.8-08.4
55-64	505	160,009	417	82.8	78.7-86.9	66	13.3	09.6-17.0	22	3.9	01.5-06.3
65+	1076	253,207	860	79.0	76.1-81.9	148	14.2	11.7-16.7	68	6.8	04.8-08.8
Less Than H.S.	301	149,957	238	74.9	66.9-82.9	39	18.6	10.8-26.4	24	6.6	03.3-09.9
H.S. or G.E.D.	773	273,963	624	79.7	74.8-84.6	115	16.7	11.8-21.6	34	3.5	01.7-05.3
Some Post-H.S.	449	199,935	365	77.6	70.0-85.2	56	17.7	10.1-25.3	28	4.7	02.3-07.1
College Graduate	466	109,959	372	75.7	69.8-81.6	73	20.5	14.8-26.2	21	3.8	01.8-05.8
Less than \$15,000	341	150,287	283	77.0	68.0-86.0	36	18.1	09.3-26.9	22	4.9	02.0-07.8
\$15,000- 24,999	422	153,429	346	81.8	73.6-90.0	57	15.3	07.1-23.5	19	2.9	00.9-04.9
\$25,000- 34,999	235	84,776	188	73.6	63.4-83.8	37	20.6	10.4-30.8	10	5.8	01.7-09.9
\$35,000- 49,999	251	83,807	200	77.0	69.6-84.4	33	15.4	08.9-21.9	18	7.6	03.1-12.1
\$50,000- 74,999	209	79,960	165	79.2	71.4-87.0	32	15.8	08.4-23.2	12	5.1	01.6-08.6
\$75,000+	243	89,565	193	76.1	67.7-84.5	44	22.6	14.2-31.0	6	1.3	00.0-02.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 5: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	689	344,414	527	74.7	69.2-80.2	122	20.2	14.7-25.7	40	5.1	03.1-07.1
White/Non-Hisp	555	265,926	415	72.3	65.8-78.8	110	23.1	16.6-29.6	30	4.6	02.4-06.8
Black or Afr. Am./Non-Hisp	71	42,419	59	81.2	69.0-93.4	4	9.3	00.0-19.3	8	9.5	01.7-17.3
45-54	100	72,426	78	80.6	72.0-89.2	15	12.8	05.7-19.9	7	6.6	00.9-12.3
55-64	199	83,450	163	80.6	73.7-87.5	30	15.4	09.5-21.3	6	4.0	00.0-08.1
65+	335	105,199	246	74.3	68.8-79.8	63	17.2	12.7-21.7	26	8.5	04.8-12.2
Less Than H.S.	96	69,248	73	74.8	61.7-87.9	13	16.2	03.5-28.9	10	9.0	02.5-15.5
H.S. or G.E.D.	246	125,797	187	79.5	72.4-86.6	51	17.3	10.6-24.0	8	3.2	00.5-05.9
Some Post-H.S.	145	87,627	112	68.9	55.0-82.8	24	26.1	12.0-40.2	9	5.0	01.1-08.9
College Graduate	201	61,642	154	72.9	64.1-81.7	34	22.3	13.5-31.1	13	4.9	01.8-08.0
Less than \$15,000	90	62,226	72	75.8	61.7-89.9	11	17.5	04.0-31.0	7	6.7	00.6-12.8
\$15,000- 24,999	123	66,905	98	78.1	62.4-93.8	20	18.5	02.6-34.4	5	3.4	00.0-07.3
\$25,000- 34,999	93	44,769	65	61.4	45.3-77.5	24	34.0	17.5-50.5	4	4.6	00.0-09.7
\$35,000- 49,999	100	40,924	76	73.5	61.3-85.7	14	17.2	06.6-27.8	10	9.3	01.7-16.9
\$50,000- 74,999	104	48,658	77	80.1	70.5-89.7	20	13.9	05.7-22.1	7	6.0	00.7-11.3
\$75,000+	114	52,087	94	75.9	63.0-88.8	18	23.2	10.3-36.1	2	0.9	00.0-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 6: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) CUTTING DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSALT)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1304	389,816	1075	80.1	76.2-84.0	162	15.9	12.0-19.8	67	4.0	02.6-05.4
White/Non-Hisp	985	310,387	804	79.6	75.7-83.5	136	16.2	12.3-20.1	45	4.2	02.6-05.8
Black or Afr. Am./Non-Hisp	241	57,046	209	86.7	77.9-95.5	17	10.7	02.1-19.3	15	2.6	00.8-04.4
35-44	57	42,034	46	77.4	62.7-92.1	10	19.9	05.8-34.0	1	2.7	00.0-08.0
45-54	167	79,207	133	74.6	65.0-84.2	28	21.8	12.6-31.0	6	3.6	00.0-07.3
55-64	306	76,559	254	85.2	80.7-89.7	36	11.1	07.0-15.2	16	3.7	01.5-05.9
65+	741	148,008	614	82.4	79.1-85.7	85	12.1	09.2-15.0	42	5.5	03.5-07.5
Less Than H.S.	205	80,710	165	75.0	65.2-84.8	26	20.6	11.0-30.2	14	4.5	01.6-07.4
H.S. or G.E.D.	527	148,167	437	79.9	73.0-86.8	64	16.2	09.3-23.1	26	3.8	01.6-06.0
Some Post-H.S.	304	112,307	253	84.3	77.6-91.0	32	11.2	05.1-17.3	19	4.5	01.8-07.2
College Graduate	265	48,317	218	79.4	72.5-86.3	39	18.1	11.4-24.8	8	2.5	00.3-04.7
Less than \$15,000	251	88,062	211	77.9	66.3-89.5	25	18.5	06.7-30.3	15	3.6	00.7-06.5
\$15,000- 24,999	299	86,524	248	84.6	77.2-92.0	37	12.8	05.4-20.2	14	2.5	00.7-04.3
\$25,000- 34,999	142	40,007	123	87.3	80.0-94.6	13	5.5	02.2-08.8	6	7.2	00.5-13.9
\$35,000- 49,999	151	42,883	124	80.4	71.8-89.0	19	13.7	06.3-21.1	8	5.9	00.8-11.0
\$50,000- 74,999	105	31,302	88	77.7	64.0-91.4	12	18.7	05.2-32.2	5	3.6	00.1-07.1
\$75,000+	129	37,478	99	76.4	67.0-85.8	26	21.8	12.6-31.0	4	1.9	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE
TABLE 7: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)**

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	2001	736,426	529	34.4	30.7-38.1	321	16.7	14.2-19.2	1151	48.8	45.3-52.3
Male	689	344,323	245	41.7	36.0-47.4	156	20.8	16.5-25.1	288	37.5	32.4-42.6
Female	1312	392,104	284	28.0	23.1-32.9	165	13.2	10.1-16.3	863	58.8	54.1-63.5
White/Non-Hisp	1546	578,097	387	31.6	27.7-35.5	275	17.5	14.6-20.4	884	50.8	46.9-54.7
Black or Afr. Am./Non-Hisp	313	99,670	108	49.9	39.1-60.7	27	12.4	05.5-19.3	178	37.8	28.6-47.0
35-44	95	88,422	46	42.1	29.6-54.6	22	31.0	18.1-43.9	27	26.9	15.5-38.3
45-54	268	152,386	94	39.1	31.5-46.7	44	15.6	10.1-21.1	130	45.3	37.7-52.9
55-64	504	159,492	146	31.2	26.1-36.3	81	15.8	11.7-19.9	277	53.0	47.5-58.5
65+	1084	255,168	222	21.8	18.7-24.9	166	14.5	12.1-16.9	696	63.8	60.3-67.3
Less Than H.S.	304	150,808	64	28.3	21.0-35.6	31	16.9	08.7-25.1	209	54.8	46.6-63.0
H.S. or G.E.D.	774	274,199	201	36.9	30.8-43.0	85	11.4	08.3-14.5	488	51.7	46.0-57.4
Some Post-H.S.	452	200,935	126	36.5	28.3-44.7	78	16.8	11.7-21.9	248	46.7	39.1-54.3
College Graduate	467	110,070	138	33.1	26.8-39.4	125	29.5	23.6-35.4	204	37.4	31.5-43.3
Less than \$15,000	345	151,480	81	35.6	26.2-45.0	39	12.9	07.0-18.8	225	51.5	42.5-60.5
\$15,000- 24,999	423	153,492	107	36.0	26.2-45.8	47	13.9	08.0-19.8	269	50.1	41.3-58.9
\$25,000- 34,999	234	84,729	65	29.4	21.4-37.4	37	19.6	09.2-30.0	132	51.0	41.4-60.6
\$35,000- 49,999	250	83,488	70	28.1	20.3-35.9	38	16.4	10.1-22.7	142	55.6	46.8-64.4
\$50,000- 74,999	210	80,357	70	43.1	32.5-53.7	53	18.9	12.6-25.2	87	38.0	28.6-47.4
\$75,000+	243	89,159	79	42.6	33.6-51.6	69	24.0	17.3-30.7	95	33.4	25.8-41.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 8: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	689	344,323	245	41.7	36.0-47.4	156	20.8	16.5-25.1	288	37.5	32.4-42.6
White/Non-Hisp	555	265,835	187	40.2	33.5-46.9	138	22.2	17.1-27.3	230	37.6	31.7-43.5
Black or Afr. Am./Non-Hisp	71	42,419	36	54.8	38.9-70.7	8	12.0	01.8-22.2	27	33.2	18.9-47.5
45-54	99	72,108	45	50.2	38.2-62.2	21	16.4	08.8-24.0	33	33.4	22.4-44.4
55-64	198	82,934	75	39.0	30.8-47.2	43	21.0	14.1-27.9	80	40.0	32.0-48.0
65+	337	105,943	98	29.4	23.7-35.1	77	18.6	14.3-22.9	162	52.0	45.7-58.3
Less Than H.S.	96	69,248	33	39.4	26.7-52.1	11	17.2	03.7-30.7	52	43.4	30.9-55.9
H.S. or G.E.D.	246	125,825	89	43.2	33.8-52.6	38	14.5	08.8-20.2	119	42.3	33.7-50.9
Some Post-H.S.	145	87,508	56	45.4	32.7-58.1	34	20.7	12.1-29.3	55	33.9	22.5-45.3
College Graduate	201	61,642	67	36.3	27.1-45.5	72	37.5	28.5-46.5	62	26.3	18.5-34.1
Less than \$15,000	91	62,573	29	37.9	23.4-52.4	17	15.7	06.1-25.3	45	46.4	31.9-60.9
\$15,000- 24,999	123	66,905	46	47.4	32.7-62.1	22	20.1	09.5-30.7	55	32.5	21.1-43.9
\$25,000- 34,999	93	44,769	31	34.6	21.7-47.5	13	22.1	04.7-39.5	49	43.3	29.6-57.0
\$35,000- 49,999	99	40,605	33	31.7	19.0-44.4	20	17.0	07.8-26.2	46	51.3	37.4-65.2
\$50,000- 74,999	105	49,055	41	51.5	37.8-65.2	33	21.4	12.4-30.4	31	27.1	15.9-38.3
\$75,000+	113	51,570	44	46.1	33.2-59.0	40	29.2	18.8-39.6	29	24.7	14.9-34.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 9: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) REDUCING ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCHOL)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1312	392,104	284	28.0	23.1-32.9	165	13.2	10.1-16.3	863	58.8	54.1-63.5
White/Non-Hisp	991	312,262	200	24.3	19.8-28.8	137	13.5	10.0-17.0	654	62.2	57.5-66.9
Black or Afr. Am./Non-Hisp	242	57,251	72	46.2	30.9-61.5	19	12.6	03.4-21.8	151	41.2	28.5-53.9
35-44	57	42,034	29	48.2	31.0-65.4	9	16.4	03.5-29.3	19	35.4	18.7-52.1
45-54	169	80,278	49	29.1	20.1-38.1	23	14.9	07.1-22.7	97	56.0	46.0-66.0
55-64	306	76,559	71	22.8	17.1-28.5	38	10.2	06.5-13.9	197	67.0	60.7-73.3
65+	747	149,225	124	16.3	13.0-19.6	89	11.5	08.8-14.2	534	72.1	68.2-76.0
Less Than H.S.	208	81,560	31	18.9	10.9-26.9	20	16.7	06.7-26.7	157	64.4	54.0-74.8
H.S. or G.E.D.	528	148,374	112	31.5	23.7-39.3	47	8.7	05.6-11.8	369	59.8	52.4-67.2
Some Post-H.S.	307	113,427	70	29.7	18.9-40.5	44	13.8	07.9-19.7	193	56.5	46.1-66.9
College Graduate	266	48,428	71	29.0	21.2-36.8	53	19.4	13.5-25.3	142	51.5	43.3-59.7
Less than \$15,000	254	88,907	52	34.0	21.7-46.3	22	10.9	03.5-18.3	180	55.0	43.4-66.6
\$15,000- 24,999	300	86,587	61	27.2	14.5-39.9	25	9.2	02.5-15.9	214	63.6	51.3-75.9
\$25,000- 34,999	141	39,960	34	23.5	14.3-32.7	24	16.8	07.8-25.8	83	59.7	48.3-71.1
\$35,000- 49,999	151	42,883	37	24.6	15.2-34.0	18	15.7	07.1-24.3	96	59.6	48.2-71.0
\$50,000- 74,999	105	31,302	29	29.9	16.2-43.6	20	15.0	07.0-23.0	56	55.1	40.8-69.4
\$75,000+	130	37,589	35	37.9	25.9-49.9	29	16.8	09.7-23.9	66	45.3	33.9-56.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 10: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1988	732,668	1259	62.4	58.9-65.9	729	37.6	34.1-41.1
Male	688	343,032	439	64.1	58.8-69.4	249	35.9	30.6-41.2
Female	1300	389,636	820	60.8	56.3-65.3	480	39.2	34.7-43.7
White/Non-Hisp	1535	575,582	977	62.5	58.8-66.2	558	37.5	33.8-41.2
Black or Afr. Am./Non-Hisp	311	98,426	196	61.1	50.9-71.3	115	38.9	28.7-49.1
35-44	95	88,422	61	63.6	50.9-76.3	34	36.4	23.7-49.1
45-54	269	152,705	154	51.4	43.8-59.0	115	48.6	41.0-56.2
55-64	501	157,571	341	71.0	66.3-75.7	160	29.0	24.3-33.7
65+	1073	253,013	669	62.5	59.0-66.0	404	37.5	34.0-41.0
Less Than H.S.	302	150,233	166	55.0	47.0-63.0	136	45.0	37.0-53.0
H.S. or G.E.D.	767	271,893	484	62.6	57.1-68.1	283	37.4	31.9-42.9
Some Post-H.S.	448	200,056	281	63.9	56.6-71.2	167	36.1	28.8-43.4
College Graduate	467	110,070	327	69.2	63.1-75.3	140	30.8	24.7-36.9
Less than \$15,000	342	150,605	218	57.9	48.7-67.1	124	42.1	32.9-51.3
\$15,000- 24,999	416	151,017	245	65.8	58.4-73.2	171	34.2	26.8-41.6
\$25,000- 34,999	235	84,776	140	57.1	47.3-66.9	95	42.9	33.1-52.7
\$35,000- 49,999	251	83,807	169	64.1	55.5-72.7	82	35.9	27.3-44.5
\$50,000- 74,999	210	80,357	147	72.7	64.5-80.9	63	27.3	19.1-35.5
\$75,000+	243	89,198	162	61.0	52.4-69.6	81	39.0	30.4-47.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 11: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	688	343,032	439	64.1	58.8-69.4	249	35.9	30.6-41.2
White/Non-Hisp	555	265,506	354	62.9	56.6-69.2	201	37.1	30.8-43.4
Black or Afr. Am./Non-Hisp	70	41,458	45	68.8	54.7-82.9	25	31.2	17.1-45.3
45-54	100	72,426	48	48.5	36.5-60.5	52	51.5	39.5-63.5
55-64	196	81,324	138	72.6	65.3-79.9	58	27.4	20.1-34.7
65+	337	105,943	217	66.8	60.9-72.7	120	33.2	27.3-39.1
Less Than H.S.	96	69,248	57	57.9	44.6-71.2	39	42.1	28.8-55.4
H.S. or G.E.D.	245	124,704	152	63.9	55.5-72.3	93	36.1	27.7-44.5
Some Post-H.S.	145	87,338	96	69.2	58.2-80.2	49	30.8	19.8-41.8
College Graduate	201	61,642	134	64.4	55.2-73.6	67	35.6	26.4-44.8
Less than \$15,000	91	62,573	61	61.6	46.5-76.7	30	38.4	23.3-53.5
\$15,000- 24,999	121	65,257	72	72.2	61.8-82.6	49	27.8	17.4-38.2
\$25,000- 34,999	93	44,769	52	52.2	37.3-67.1	41	47.8	32.9-62.7
\$35,000- 49,999	100	40,924	70	63.2	49.5-76.9	30	36.8	23.1-50.5
\$50,000- 74,999	105	49,055	73	71.6	60.2-83.0	32	28.4	17.0-39.8
\$75,000+	113	51,609	71	60.1	47.9-72.3	42	39.9	27.7-52.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
 MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 12: [ARE YOU NOW DOING ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (ARE YOU) EXERCISING (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXER)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1300	389,636	820	60.8	56.3-65.3	480	39.2	34.7-43.7
White/Non-Hisp	980	310,076	623	62.2	57.7-66.7	357	37.8	33.3-42.3
Black or Afr. Am./Non-Hisp	241	56,969	151	55.5	41.2-69.8	90	44.5	30.2-58.8
35-44	57	42,034	38	67.8	51.9-83.7	19	32.2	16.3-48.1
45-54	169	80,278	106	54.1	43.9-64.3	63	45.9	35.7-56.1
55-64	305	76,247	203	69.3	63.2-75.4	102	30.7	24.6-36.8
65+	736	147,069	452	59.4	55.1-63.7	284	40.6	36.3-44.9
Less Than H.S.	206	80,986	109	52.5	42.7-62.3	97	47.5	37.7-57.3
H.S. or G.E.D.	522	147,189	332	61.5	54.2-68.8	190	38.5	31.2-45.8
Some Post-H.S.	303	112,718	185	59.8	50.2-69.4	118	40.2	30.6-49.8
College Graduate	266	48,428	193	75.4	68.5-82.3	73	24.6	17.7-31.5
Less than \$15,000	251	88,032	157	55.2	43.6-66.8	94	44.8	33.2-56.4
\$15,000- 24,999	295	85,760	173	60.8	50.6-71.0	122	39.2	29.0-49.4
\$25,000- 34,999	142	40,007	88	62.6	51.4-73.8	54	37.4	26.2-48.6
\$35,000- 49,999	151	42,883	99	65.0	54.2-75.8	52	35.0	24.2-45.8
\$50,000- 74,999	105	31,302	74	74.3	62.5-86.1	31	25.7	13.9-37.5
\$75,000+	130	37,589	91	62.3	50.5-74.1	39	37.7	25.9-49.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 13: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1979	730,757	1229	63.6	60.3-66.9	750	36.4	33.1-39.7
Male	683	341,626	435	64.4	59.1-69.7	248	35.6	30.3-40.9
Female	1296	389,131	794	62.9	58.6-67.2	502	37.1	32.8-41.4
White/Non-Hisp	1529	574,664	900	60.5	56.8-64.2	629	39.5	35.8-43.2
Black or Afr. Am./Non-Hisp	309	97,598	239	83.4	76.9-89.9	70	16.6	10.1-23.1
35-44	95	88,422	66	64.9	51.8-78.0	29	35.1	22.0-48.2
45-54	269	152,705	183	65.1	57.7-72.5	86	34.9	27.5-42.3
55-64	496	156,630	358	70.6	65.5-75.7	138	29.4	24.3-34.5
65+	1069	252,042	591	55.1	51.4-58.8	478	44.9	41.2-48.6
Less Than H.S.	298	149,176	173	54.6	46.4-62.8	125	45.4	37.2-53.6
H.S. or G.E.D.	763	270,990	479	65.1	59.6-70.6	284	34.9	29.4-40.4
Some Post-H.S.	449	200,480	280	67.8	61.1-74.5	169	32.2	25.5-38.9
College Graduate	465	109,696	295	64.7	58.6-70.8	170	35.3	29.2-41.4
Less than \$15,000	344	151,361	215	63.6	54.8-72.4	129	36.4	27.6-45.2
\$15,000- 24,999	419	152,152	251	66.2	58.8-73.6	168	33.8	26.4-41.2
\$25,000- 34,999	232	83,030	147	62.0	52.0-72.0	85	38.0	28.0-48.0
\$35,000- 49,999	247	83,215	161	63.0	54.2-71.8	86	37.0	28.2-45.8
\$50,000- 74,999	210	80,357	134	60.8	50.4-71.2	76	39.2	28.8-49.6
\$75,000+	243	89,470	155	68.1	60.5-75.7	88	31.9	24.3-39.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
 MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 14: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	683	341,626	435	64.4	59.1-69.7	248	35.6	30.3-40.9
White/Non-Hisp	551	264,843	341	61.5	55.2-67.8	210	38.5	32.2-44.8
Black or Afr. Am./Non-Hisp	69	40,715	57	86.4	76.6-96.2	12	13.6	03.8-23.4
45-54	100	72,426	66	64.8	53.8-75.8	34	35.2	24.2-46.2
55-64	195	81,080	145	70.1	62.1-78.1	50	29.9	21.9-37.9
65+	333	104,782	186	56.4	50.1-62.7	147	43.6	37.3-49.9
Less Than H.S.	93	68,246	54	54.6	41.3-67.9	39	45.4	32.1-58.7
H.S. or G.E.D.	244	124,330	163	70.4	62.2-78.6	81	29.6	21.4-37.8
Some Post-H.S.	145	87,477	95	66.5	55.3-77.7	50	33.5	22.3-44.7
College Graduate	200	61,473	122	60.0	51.0-69.0	78	40.0	31.0-49.0
Less than \$15,000	90	62,453	60	67.6	53.9-81.3	30	32.4	18.7-46.1
\$15,000- 24,999	122	65,944	76	69.9	58.7-81.1	46	30.1	18.9-41.3
\$25,000- 34,999	91	43,335	54	55.7	40.2-71.2	37	44.3	28.8-59.8
\$35,000- 49,999	98	40,645	69	64.8	50.5-79.1	29	35.2	20.9-49.5
\$50,000- 74,999	105	49,055	63	58.3	44.0-72.6	42	41.7	27.4-56.0
\$75,000+	114	52,087	73	66.1	54.9-77.3	41	33.9	22.7-45.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
 MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 15: HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE? (EVER ADVISED YOU TO) CHANGE YOUR EATING HABITS (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEATADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1296	389,131	794	62.9	58.6-67.2	502	37.1	32.8-41.4
White/Non-Hisp	978	309,821	559	59.6	55.1-64.1	419	40.4	35.9-44.9
Black or Afr. Am./Non-Hisp	240	56,883	182	81.2	72.6-89.8	58	18.8	10.2-27.4
35-44	57	42,034	42	69.2	52.7-85.7	15	30.8	14.3-47.3
45-54	169	80,278	117	65.4	55.6-75.2	52	34.6	24.8-44.4
55-64	301	75,551	213	71.2	64.9-77.5	88	28.8	22.5-35.1
65+	736	147,260	405	54.2	49.9-58.5	331	45.8	41.5-50.1
Less Than H.S.	205	80,930	119	54.5	44.7-64.3	86	45.5	35.7-55.3
H.S. or G.E.D.	519	146,660	316	60.6	53.5-67.7	203	39.4	32.3-46.5
Some Post-H.S.	304	113,002	185	68.8	61.0-76.6	119	31.2	23.4-39.0
College Graduate	265	48,223	173	70.7	63.4-78.0	92	29.3	22.0-36.6
Less than \$15,000	254	88,907	155	60.8	49.6-72.0	99	39.2	28.0-50.4
\$15,000- 24,999	297	86,208	175	63.3	53.5-73.1	122	36.7	26.9-46.5
\$25,000- 34,999	141	39,696	93	68.9	58.7-79.1	48	31.1	20.9-41.3
\$35,000- 49,999	149	42,570	92	61.3	50.3-72.3	57	38.7	27.7-49.7
\$50,000- 74,999	105	31,302	71	64.8	51.1-78.5	34	35.2	21.5-48.9
\$75,000+	129	37,384	82	70.9	61.5-80.3	47	29.1	19.7-38.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 16: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1991	733,131	1394	70.5	67.2-73.8	576	28.8	25.5-32.1	21	0.7	00.3-01.1
Male	687	342,857	496	72.2	67.1-77.3	186	27.5	22.4-32.6	5	0.4	00.0-00.8
Female	1304	390,274	898	69.0	64.7-73.3	390	30.0	25.7-34.3	16	1.0	00.4-01.6
White/Non-Hisp	1540	576,607	1037	68.1	64.4-71.8	489	31.4	27.7-35.1	14	0.6	00.2-01.0
Black or Afr. Am./Non-Hisp	312	98,708	253	82.7	75.4-90.0	53	15.6	08.5-22.7	6	1.7	00.0-03.5
35-44	94	88,195	67	67.1	54.2-80.0	27	32.9	20.0-45.8			
45-54	269	152,705	205	75.5	68.8-82.2	64	24.5	17.8-31.2			
55-64	503	158,501	376	75.1	70.4-79.8	119	23.5	19.0-28.0	8	1.4	00.2-02.6
65+	1075	252,774	712	67.5	64.2-70.8	350	31.4	28.1-34.7	13	1.2	00.4-02.0
Less Than H.S.	303	150,721	211	66.5	58.5-74.5	84	31.9	23.9-39.9	8	1.6	00.2-03.0
H.S. or G.E.D.	768	271,938	548	72.0	66.5-77.5	216	27.6	22.1-33.1	4	0.4	00.0-01.0
Some Post-H.S.	450	200,329	309	73.1	66.4-79.8	135	26.1	19.4-32.8	6	0.7	00.1-01.3
College Graduate	466	109,729	323	67.1	61.0-73.2	140	32.7	26.6-38.8	3	0.3	00.0-00.7
Less than \$15,000	344	151,253	261	73.3	64.1-82.5	78	25.8	16.6-35.0	5	0.9	00.0-01.9
\$15,000- 24,999	419	152,152	292	73.6	66.7-80.5	124	25.9	19.0-32.8	3	0.4	00.0-01.0
\$25,000- 34,999	233	83,798	158	68.0	58.0-78.0	73	31.4	21.4-41.4	2	0.6	00.0-01.4
\$35,000- 49,999	250	83,569	173	66.7	58.1-75.3	75	33.1	24.5-41.7	2	0.2	00.0-00.6
\$50,000- 74,999	209	80,026	154	68.9	58.3-79.5	52	30.2	19.6-40.8	3	0.9	00.0-01.9
\$75,000+	244	89,676	164	69.7	62.1-77.3	80	30.3	22.7-37.9			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
 MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 17: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	687	342,857	496	72.2	67.1-77.3	186	27.5	22.4-32.6	5	0.4	00.0-00.8
White/Non-Hisp	555	265,782	394	70.6	64.5-76.7	156	29.0	22.9-35.1	5	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	70	41,458	58	78.7	64.6-92.8	12	21.3	07.2-35.4			
45-54	100	72,426	76	76.7	67.1-86.3	24	23.3	13.7-32.9			
55-64	197	81,942	152	76.9	69.8-84.0	44	22.9	15.8-30.0	1	0.2	00.0-00.6
65+	335	105,151	229	70.4	64.7-76.1	102	28.6	23.1-34.1	4	1.0	00.0-02.2
Less Than H.S.	96	69,248	65	66.4	53.1-79.7	30	32.9	19.6-46.2	1	0.7	00.0-02.1
H.S. or G.E.D.	245	124,732	183	74.0	65.6-82.4	61	25.9	17.5-34.3	1	0.2	00.0-00.6
Some Post-H.S.	145	87,477	107	77.9	68.1-87.7	36	21.7	11.9-31.5	2	0.4	00.0-01.0
College Graduate	200	61,301	140	66.7	57.7-75.7	59	33.0	24.0-42.0	1	0.2	00.0-00.6
Less than \$15,000	91	62,573	72	80.3	68.0-92.6	18	19.5	07.2-31.8	1	0.2	00.0-00.6
\$15,000- 24,999	122	65,944	84	76.5	67.1-85.9	37	22.7	13.3-32.1	1	0.8	00.0-02.4
\$25,000- 34,999	92	44,319	62	66.0	49.7-82.3	29	33.5	17.2-49.8	1	0.5	00.0-01.5
\$35,000- 49,999	100	40,924	73	67.9	53.8-82.0	26	31.7	17.6-45.8	1	0.3	00.0-00.9
\$50,000- 74,999	105	49,055	77	66.8	51.7-81.9	27	32.8	17.7-47.9	1	0.5	00.0-01.5
\$75,000+	114	52,087	81	71.4	60.6-82.2	33	28.6	17.8-39.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 18: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) CUT DOWN ON SALT (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPSLTADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not use salt		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1304	390,274	898	69.0	64.7-73.3	390	30.0	25.7-34.3	16	1.0	00.4-01.6
White/Non-Hisp	985	310,825	643	65.9	61.4-70.4	333	33.4	28.9-37.9	9	0.7	00.1-01.3
Black or Afr. Am./Non-Hisp	242	57,251	195	85.6	79.1-92.1	41	11.5	06.0-17.0	6	2.9	00.0-06.0
35-44	56	41,806	41	75.1	60.6-89.6	15	24.9	10.4-39.4			
45-54	169	80,278	129	74.3	65.1-83.5	40	25.7	16.5-34.9			
55-64	306	76,559	224	73.1	67.0-79.2	75	24.1	18.2-30.0	7	2.7	00.2-05.2
65+	740	147,623	483	65.4	61.3-69.5	248	33.3	29.2-37.4	9	1.3	00.3-02.3
Less Than H.S.	207	81,473	146	66.6	57.0-76.2	54	31.0	21.4-40.6	7	2.3	00.1-04.5
H.S. or G.E.D.	523	147,206	365	70.4	63.3-77.5	155	29.0	21.9-36.1	3	0.6	00.0-01.4
Some Post-H.S.	305	112,852	202	69.4	60.4-78.4	99	29.6	20.6-38.6	4	1.0	00.0-02.0
College Graduate	266	48,428	183	67.5	59.7-75.3	81	32.2	24.4-40.0	2	0.3	00.0-00.7
Less than \$15,000	253	88,680	189	68.4	56.1-80.7	60	30.3	17.8-42.8	4	1.3	00.0-02.9
\$15,000- 24,999	297	86,208	208	71.4	61.8-81.0	87	28.4	18.8-38.0	2	0.2	00.0-00.4
\$25,000- 34,999	141	39,480	96	70.3	60.3-80.3	44	29.0	19.0-39.0	1	0.8	00.0-02.4
\$35,000- 49,999	150	42,645	100	65.5	54.9-76.1	49	34.4	23.8-45.0	1	0.1	00.0-00.3
\$50,000- 74,999	104	30,971	77	72.3	59.6-85.0	25	26.3	13.8-38.8	2	1.4	00.0-03.4
\$75,000+	130	37,589	83	67.2	56.8-77.6	47	32.8	22.4-43.2			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 19: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1993	731,355	532	32.6	29.1-36.1	898	44.6	41.1-48.1	563	22.7	20.2-25.2
Male	685	340,085	242	38.5	33.0-44.0	312	44.9	39.4-50.4	131	16.6	12.7-20.5
Female	1308	391,270	290	27.5	23.0-32.0	586	44.4	39.9-48.9	432	28.1	24.6-31.6
White/Non-Hisp	1541	574,428	375	29.4	25.7-33.1	745	47.6	43.7-51.5	421	23.0	20.1-25.9
Black or Afr. Am./Non-Hisp	312	98,708	120	48.6	37.6-59.6	94	29.0	19.6-38.4	98	22.5	15.6-29.4
35-44	94	86,186	38	38.9	26.4-51.4	43	48.4	35.3-61.5	13	12.7	04.7-20.7
45-54	268	151,999	108	43.9	36.1-51.7	113	40.9	33.5-48.3	47	15.2	10.1-20.3
55-64	502	158,426	156	33.1	28.0-38.2	210	42.6	37.3-47.9	136	24.3	19.8-28.8
65+	1079	253,786	215	21.3	18.2-24.4	506	45.3	41.6-49.0	358	33.4	29.9-36.9
Less Than H.S.	302	150,270	79	34.8	26.8-42.8	111	39.0	31.0-47.0	112	26.2	20.3-32.1
H.S. or G.E.D.	772	272,761	219	34.0	28.7-39.3	310	42.8	37.1-48.5	243	23.2	19.3-27.1
Some Post-H.S.	448	197,840	107	30.4	22.2-38.6	222	45.8	38.2-53.4	119	23.7	17.6-29.8
College Graduate	467	110,070	126	30.4	24.3-36.5	254	54.6	48.3-60.9	87	15.0	10.9-19.1
Less than \$15,000	341	147,946	96	33.2	25.2-41.2	112	36.0	26.8-45.2	133	30.8	23.2-38.4
\$15,000- 24,999	419	152,041	107	40.5	30.9-50.1	178	36.2	28.4-44.0	134	23.3	17.6-29.0
\$25,000- 34,999	234	84,429	62	30.6	22.4-38.8	105	44.2	34.4-54.0	67	25.2	17.6-32.8
\$35,000- 49,999	250	83,732	74	28.9	20.1-37.7	115	49.3	40.3-58.3	61	21.8	15.3-28.3
\$50,000- 74,999	210	80,357	66	32.9	23.7-42.1	111	55.3	45.3-65.3	33	11.8	06.5-17.1
\$75,000+	244	89,676	71	33.3	24.9-41.7	134	53.3	44.7-61.9	39	13.4	08.3-18.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 20: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	685	340,085	242	38.5	33.0-44.0	312	44.9	39.4-50.4	131	16.6	12.7-20.5
White/Non-Hisp	553	262,835	185	35.7	29.4-42.0	260	47.0	40.7-53.3	108	17.3	12.8-21.8
Black or Afr. Am./Non-Hisp	70	41,458	37	54.1	38.0-70.2	23	33.0	17.9-48.1	10	12.9	03.1-22.7
45-54	99	71,721	46	47.4	35.4-59.4	41	39.9	28.5-51.3	12	12.8	05.0-20.6
55-64	197	81,942	79	41.4	33.2-49.6	83	42.4	34.2-50.6	35	16.3	10.0-22.6
65+	335	105,320	92	28.0	22.1-33.9	163	45.7	39.4-52.0	80	26.3	20.4-32.2
Less Than H.S.	95	68,972	32	38.2	25.5-50.9	38	41.4	28.1-54.7	25	20.4	11.2-29.6
H.S. or G.E.D.	245	124,835	98	43.5	34.5-52.5	95	40.8	31.6-50.0	52	15.7	10.6-20.8
Some Post-H.S.	143	84,536	45	33.6	20.7-46.5	68	45.3	33.0-57.6	30	21.1	10.5-31.7
College Graduate	201	61,642	66	35.5	26.5-44.5	111	56.5	47.3-65.7	24	8.0	03.9-12.1
Less than \$15,000	89	59,632	41	45.8	31.3-60.3	27	28.4	14.9-41.9	21	25.8	11.5-40.1
\$15,000- 24,999	121	65,668	38	45.4	30.3-60.5	52	35.4	23.1-47.7	31	19.2	10.4-28.0
\$25,000- 34,999	92	44,422	30	35.9	22.8-49.0	37	41.8	26.1-57.5	25	22.4	12.2-32.6
\$35,000- 49,999	100	40,924	38	35.9	22.8-49.0	43	47.2	33.3-61.1	19	16.9	08.3-25.5
\$50,000- 74,999	105	49,055	40	35.5	23.2-47.8	58	60.1	47.2-73.0	7	4.4	00.3-08.5
\$75,000+	114	52,087	37	33.3	21.7-44.9	66	58.7	46.5-70.9	11	8.0	02.5-13.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 21: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) REDUCE ALCOHOL USE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPALCADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Do not drink		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1308	391,270	290	27.5	23.0-32.0	586	44.4	39.9-48.9	432	28.1	24.6-31.6
White/Non-Hisp	988	311,593	190	24.0	19.9-28.1	485	48.1	43.4-52.8	313	27.9	24.2-31.6
Black or Afr. Am./Non-Hisp	242	57,251	83	44.6	29.3-59.9	71	26.0	14.2-37.8	88	29.4	19.2-39.6
35-44	57	42,034	20	35.2	18.7-51.7	26	41.4	24.5-58.3	11	23.4	08.5-38.3
45-54	169	80,278	62	40.8	30.8-50.8	72	41.9	31.9-51.9	35	17.3	10.8-23.8
55-64	305	76,484	77	24.3	18.6-30.0	127	42.8	35.9-49.7	101	32.9	26.4-39.4
65+	744	148,466	123	16.6	13.3-19.9	343	45.0	40.7-49.3	278	38.4	34.1-42.7
Less Than H.S.	207	81,298	47	32.0	21.6-42.4	73	37.0	27.8-46.2	87	31.1	23.5-38.7
H.S. or G.E.D.	527	147,925	121	25.9	20.2-31.6	215	44.6	37.3-51.9	191	29.5	24.0-35.0
Some Post-H.S.	305	113,304	62	28.0	17.2-38.8	154	46.3	36.5-56.1	89	25.7	18.6-32.8
College Graduate	266	48,428	60	24.0	16.6-31.4	143	52.1	43.9-60.3	63	23.9	16.6-31.2
Less than \$15,000	252	88,314	55	24.7	15.9-33.5	85	41.1	29.1-53.1	112	34.2	25.2-43.2
\$15,000- 24,999	298	86,373	69	36.8	24.6-49.0	126	36.7	26.7-46.7	103	26.5	19.2-33.8
\$25,000- 34,999	142	40,007	32	24.7	15.1-34.3	68	46.9	35.3-58.5	42	28.4	17.4-39.4
\$35,000- 49,999	150	42,809	36	22.3	10.3-34.3	72	51.2	39.4-63.0	42	26.5	16.9-36.1
\$50,000- 74,999	105	31,302	26	28.8	14.3-43.3	53	47.7	33.4-62.0	26	23.4	12.2-34.6
\$75,000+	130	37,589	34	33.3	21.5-45.1	68	45.9	34.7-57.1	28	20.9	11.9-29.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 22: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1986	729,382	1444	73.7	70.6-76.8	542	26.3	23.2-29.4
Male	683	338,669	511	74.7	70.0-79.4	172	25.3	20.6-30.0
Female	1303	390,712	933	72.8	68.9-76.7	370	27.2	23.3-31.1
White/Non-Hisp	1535	572,383	1099	73.0	69.7-76.3	436	27.0	23.7-30.3
Black or Afr. Am./Non-Hisp	310	98,504	246	82.1	75.2-89.0	64	17.9	11.0-24.8
35-44	94	86,186	73	68.6	55.3-81.9	21	31.4	18.1-44.7
45-54	269	152,705	212	75.7	68.8-82.6	57	24.3	17.4-31.2
55-64	503	158,501	395	76.2	71.3-81.1	108	23.8	18.9-28.7
65+	1070	251,033	727	68.3	65.0-71.6	343	31.7	28.4-35.0
Less Than H.S.	300	149,266	202	64.9	56.9-72.9	98	35.1	27.1-43.1
H.S. or G.E.D.	768	271,371	542	74.2	69.3-79.1	226	25.8	20.9-30.7
Some Post-H.S.	448	198,368	326	76.8	71.3-82.3	122	23.2	17.7-28.7
College Graduate	466	109,962	372	78.6	72.9-84.3	94	21.4	15.7-27.1
Less than \$15,000	343	148,914	249	73.1	64.9-81.3	94	26.9	18.7-35.1
\$15,000- 24,999	417	151,287	284	74.0	67.9-80.1	133	26.0	19.9-32.1
\$25,000- 34,999	235	84,776	162	69.0	59.0-79.0	73	31.0	21.0-41.0
\$35,000- 49,999	249	83,146	192	71.0	62.2-79.8	57	29.0	20.2-37.8
\$50,000- 74,999	208	79,462	175	80.8	72.8-88.8	33	19.2	11.2-27.2
\$75,000+	244	89,676	190	79.3	72.6-86.0	54	20.7	14.0-27.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 23: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	683	338,669	511	74.7	70.0-79.4	172	25.3	20.6-30.0
White/Non-Hisp	550	261,143	413	75.0	69.5-80.5	137	25.0	19.5-30.5
Black or Afr. Am./Non-Hisp	70	41,458	55	80.7	69.3-92.1	15	19.3	07.9-30.7
45-54	100	72,426	75	75.3	65.3-85.3	25	24.7	14.7-34.7
55-64	197	81,942	158	76.3	68.7-83.9	39	23.7	16.1-31.3
65+	332	103,199	238	71.7	66.0-77.4	94	28.3	22.6-34.0
Less Than H.S.	94	67,909	60	62.6	49.1-76.1	34	37.4	23.9-50.9
H.S. or G.E.D.	243	123,776	182	79.4	72.7-86.1	61	20.6	13.9-27.3
Some Post-H.S.	144	85,241	112	78.2	69.8-86.6	32	21.8	13.4-30.2
College Graduate	201	61,642	156	73.6	64.8-82.4	45	26.4	17.6-35.2
Less than \$15,000	90	60,337	67	78.2	67.6-88.8	23	21.8	11.2-32.4
\$15,000- 24,999	121	65,142	83	76.9	67.5-86.3	38	23.1	13.7-32.5
\$25,000- 34,999	93	44,769	63	64.9	48.8-81.0	30	35.1	19.0-51.2
\$35,000- 49,999	98	40,262	76	66.5	51.8-81.2	22	33.5	18.8-48.2
\$50,000- 74,999	104	48,269	87	79.3	68.1-90.5	17	20.7	09.5-31.9
\$75,000+	114	52,087	89	77.1	67.3-86.9	25	22.9	13.1-32.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 24: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) EXERCISE (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPEXRADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1303	390,712	933	72.8	68.9-76.7	370	27.2	23.3-31.1
White/Non-Hisp	985	311,239	686	71.3	67.2-75.4	299	28.7	24.6-32.8
Black or Afr. Am./Non-Hisp	240	57,047	191	83.2	74.8-91.6	49	16.8	08.4-25.2
35-44	57	42,034	47	76.1	60.0-92.2	10	23.9	07.8-40.0
45-54	169	80,278	137	76.1	66.5-85.7	32	23.9	14.3-33.5
55-64	306	76,559	237	76.1	70.0-82.2	69	23.9	17.8-30.0
65+	738	147,834	489	65.9	61.8-70.0	249	34.1	30.0-38.2
Less Than H.S.	206	81,356	142	66.8	57.6-76.0	64	33.2	24.0-42.4
H.S. or G.E.D.	525	147,595	360	69.9	63.0-76.8	165	30.1	23.2-37.0
Some Post-H.S.	304	113,126	214	75.8	68.7-82.9	90	24.2	17.1-31.3
College Graduate	265	48,320	216	85.0	79.5-90.5	49	15.0	09.5-20.5
Less than \$15,000	253	88,577	182	69.6	58.2-81.0	71	30.4	19.0-41.8
\$15,000- 24,999	296	86,145	201	71.9	63.9-79.9	95	28.1	20.1-36.1
\$25,000- 34,999	142	40,007	99	73.6	63.8-83.4	43	26.4	16.6-36.2
\$35,000- 49,999	151	42,883	116	75.1	65.7-84.5	35	24.9	15.5-34.3
\$50,000- 74,999	104	31,193	88	83.2	72.4-94.0	16	16.8	06.0-27.6
\$75,000+	130	37,589	101	82.2	74.4-90.0	29	17.8	10.0-25.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
 ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
 MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 25: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1994	733,921	1877	90.0	87.1-92.9	117	10.0	07.1-12.9
Male	686	342,508	634	87.1	82.0-92.2	52	12.9	07.8-18.0
Female	1308	391,413	1243	92.5	89.2-95.8	65	7.5	04.2-10.8
White/Non-Hisp	1543	576,994	1452	90.5	87.4-93.6	91	9.5	06.4-12.6
Black or Afr. Am./Non-Hisp	310	98,433	294	90.3	83.2-97.4	16	9.7	02.6-16.8
35-44	95	88,422	78	74.7	62.0-87.4	17	25.3	12.6-38.0
45-54	269	152,705	248	90.7	85.6-95.8	21	9.3	04.2-14.4
55-64	502	158,201	480	95.5	93.0-98.0	22	4.5	02.0-07.0
65+	1078	253,636	1032	96.2	94.8-97.6	46	3.8	02.4-05.2
Less Than H.S.	303	150,661	280	85.5	77.5-93.5	23	14.5	06.5-22.5
H.S. or G.E.D.	769	271,919	720	90.9	86.6-95.2	49	9.1	04.8-13.4
Some Post-H.S.	451	200,856	431	90.9	84.4-97.4	20	9.1	02.6-15.6
College Graduate	467	110,070	442	92.4	88.3-96.5	25	7.6	03.5-11.7
Less than \$15,000	344	151,352	318	86.5	78.5-94.5	26	13.5	05.5-21.5
\$15,000- 24,999	418	151,670	393	87.4	78.8-96.0	25	12.6	04.0-21.2
\$25,000- 34,999	234	84,527	219	86.8	76.2-97.4	15	13.2	02.6-23.8
\$35,000- 49,999	251	83,807	237	91.7	86.4-97.0	14	8.3	03.0-13.6
\$50,000- 74,999	210	80,357	199	95.2	91.3-99.1	11	4.8	00.9-08.7
\$75,000+	244	89,676	235	94.9	90.8-99.0	9	5.1	01.0-09.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 26: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	686	342,508	634	87.1	82.0-92.2	52	12.9	07.8-18.0
White/Non-Hisp	553	264,982	510	87.2	81.1-93.3	43	12.8	06.7-18.9
Black or Afr. Am./Non-Hisp	70	41,458	64	84.3	69.4-99.2	6	15.7	00.8-30.6
45-54	100	72,426	88	85.4	75.6-95.2	12	14.6	04.8-24.4
55-64	196	81,642	187	94.3	89.8-98.8	9	5.7	01.2-10.2
65+	335	105,102	319	96.0	93.6-98.4	16	4.0	01.6-06.4
Less Than H.S.	96	69,248	86	77.9	63.4-92.4	10	22.1	07.6-36.6
H.S. or G.E.D.	243	124,041	223	92.8	88.9-96.7	20	7.2	03.3-11.1
Some Post-H.S.	145	87,477	137	84.3	70.8-97.8	8	15.7	02.2-29.2
College Graduate	201	61,642	187	90.1	83.4-96.8	14	9.9	03.2-16.6
Less than \$15,000	91	62,573	84	86.4	74.6-98.2	7	13.6	01.8-25.4
\$15,000- 24,999	120	65,297	107	79.1	62.2-96.0	13	20.9	04.0-37.8
\$25,000- 34,999	93	44,769	86	81.3	63.3-99.3	7	18.7	00.7-36.7
\$35,000- 49,999	100	40,924	95	93.5	86.4-0100	5	6.5	00.0-13.6
\$50,000- 74,999	105	49,055	98	93.9	87.8-0100	7	6.1	00.0-12.2
\$75,000+	114	52,087	107	92.5	85.8-99.2	7	7.5	00.8-14.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 27: [HAS A DOCTOR OR OTHER HEALTH PROFESSIONAL EVER ADVISED YOU TO DO ANY OF THE FOLLOWING TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE?] (EVER ADVISED YOU TO) TAKE MEDICATION (TO HELP LOWER OR CONTROL YOUR HIGH BLOOD PRESSURE)? (BPMEDADV)

Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1308	391,413	1243	92.5	89.2-95.8	65	7.5	04.2-10.8
White/Non-Hisp	990	312,012	942	93.4	90.5-96.3	48	6.6	03.7-09.5
Black or Afr. Am./Non-Hisp	240	56,975	230	94.7	90.4-99.0	10	5.3	01.0-09.6
35-44	57	42,034	52	85.2	71.7-98.7	5	14.8	01.3-28.3
45-54	169	80,278	160	95.5	92.2-98.8	9	4.5	01.2-07.8
55-64	306	76,559	293	96.7	94.7-98.7	13	3.3	01.3-05.3
65+	743	148,534	713	96.3	94.7-97.9	30	3.7	02.1-05.3
Less Than H.S.	207	81,413	194	91.9	84.8-99.0	13	8.1	01.0-15.2
H.S. or G.E.D.	526	147,878	497	89.3	82.2-96.4	29	10.7	03.6-17.8
Some Post-H.S.	306	113,379	294	96.0	93.1-98.9	12	4.0	01.1-06.9
College Graduate	266	48,428	255	95.4	92.1-98.7	11	4.6	01.3-07.9
Less than \$15,000	253	88,779	234	86.5	75.5-97.5	19	13.5	02.5-24.5
\$15,000- 24,999	298	86,373	286	93.7	87.2-0100	12	6.3	00.0-12.8
\$25,000- 34,999	141	39,758	133	93.0	86.1-99.9	8	7.0	00.1-13.9
\$35,000- 49,999	151	42,883	142	90.0	82.4-97.6	9	10.0	02.4-17.6
\$50,000- 74,999	105	31,302	101	97.2	93.5-0100	4	2.8	00.0-06.5
\$75,000+	130	37,589	128	98.1	95.4-0100	2	1.9	00.0-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 28: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents with refused/missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1956	725,102	1606	81.7	79.0-84.4	5	1.0	00.0-02.4	338	16.8	14.3-19.3	7	0.5	00.1-00.9
Male	679	339,255	545	79.8	75.3-84.3				131	19.5	15.2-23.8	3	0.6	00.0-01.4
Female	1277	385,848	1061	83.3	79.6-87.0	5	1.8	00.0-04.3	207	14.5	11.6-17.4	4	0.4	00.0-00.8
White/Non-Hisp	1515	570,156	1232	82.1	79.2-85.0	2	0.3	00.0-00.7	276	17.3	14.4-20.2	5	0.4	00.0-00.8
Black or Afr. Am./Non-Hisp	304	97,700	256	84.1	77.4-90.8	2	0.8	00.0-02.0	44	13.6	07.3-19.9	2	1.5	00.0-03.7
35-44	95	88,422	72	72.7	60.2-85.2	1	0.7	00.0-02.1	22	26.6	14.1-39.1			
45-54	268	152,159	214	80.0	73.9-86.1	1	0.8	00.0-02.4	51	18.1	12.2-24.0	2	1.0	00.0-02.4
55-64	496	157,038	417	85.1	81.4-88.8	1	0.1	00.0-00.3	76	13.8	10.3-17.3	2	1.0	00.0-02.4
65+	1048	246,906	867	84.0	81.3-86.7	1	0.1	00.0-00.3	177	15.8	13.1-18.5	3	0.2	00.0-00.4
Less Than H.S.	296	147,871	253	80.8	73.2-88.4	1	0.1	00.0-00.3	41	18.5	10.9-26.1	1	0.5	00.0-01.5
H.S. or G.E.D.	750	267,910	618	82.7	78.2-87.2	2	2.2	00.0-05.7	128	14.6	11.3-17.9	2	0.4	00.0-01.2
Some Post-H.S.	449	200,282	366	83.0	77.7-88.3				80	16.3	11.2-21.4	3	0.7	00.0-01.7
College Graduate	457	108,625	366	78.1	72.6-83.6	2	0.7	00.0-01.9	88	20.9	15.4-26.4	1	0.2	00.0-00.6
Less than \$15,000	340	150,529	279	83.5	76.4-90.6	1	3.1	00.0-09.0	59	12.9	08.2-17.6	1	0.5	00.0-01.5
\$15,000- 24,999	411	150,603	345	84.7	79.2-90.2	1	0.1	00.0-00.3	65	15.2	09.7-20.7			
\$25,000- 34,999	228	82,980	191	79.2	68.8-89.6				36	19.6	09.2-30.0	1	1.2	00.0-03.4
\$35,000- 49,999	247	82,800	207	81.2	73.2-89.2				40	18.8	10.8-26.8			
\$50,000- 74,999	207	79,761	161	79.5	71.9-87.1	2	1.8	00.0-04.9	44	18.7	11.6-25.8			
\$75,000+	240	88,570	197	81.3	75.0-87.6	1	0.7	00.0-02.1	38	16.1	10.2-22.0	4	1.9	00.0-04.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 29: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are female or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	679	339,255	545	79.8	75.3-84.3	131	19.5	15.2-23.8	3	0.6	00.0-01.4
White/Non-Hisp	548	262,654	433	78.5	73.4-83.6	113	21.0	15.9-26.1	2	0.5	00.0-01.3
Black or Afr. Am./Non-Hisp	69	41,078	57	83.8	73.0-94.6	11	14.0	03.8-24.2	1	2.1	00.0-06.2
45-54	99	71,881	69	74.6	64.8-84.4	29	24.1	14.5-33.7	1	1.3	00.0-03.8
55-64	195	81,150	163	83.0	76.7-89.3	31	15.9	10.0-21.8	1	1.1	00.0-03.3
65+	331	103,266	276	85.0	80.5-89.5	54	14.8	10.3-19.3	1	0.2	00.0-00.6
Less Than H.S.	94	67,847	82	79.5	65.6-93.4	12	20.5	06.6-34.4			
H.S. or G.E.D.	241	123,110	191	80.6	74.1-87.1	49	18.6	12.3-24.9	1	0.8	00.0-02.4
Some Post-H.S.	145	87,477	118	83.4	76.0-90.8	26	15.6	08.5-22.7	1	1.0	00.0-03.0
College Graduate	198	60,721	153	73.6	65.2-82.0	44	26.0	17.6-34.4	1	0.4	00.0-01.2
Less than \$15,000	91	62,573	79	90.9	84.0-97.8	12	9.1	02.2-16.0			
\$15,000- 24,999	121	65,597	100	81.2	70.8-91.6	21	18.8	08.4-29.2			
\$25,000- 34,999	91	44,017	71	70.0	52.9-87.1	19	27.9	10.7-45.1	1	2.2	00.0-06.5
\$35,000- 49,999	99	40,372	84	84.6	75.0-94.2	15	15.4	05.8-25.0			
\$50,000- 74,999	105	49,055	79	77.1	66.7-87.5	26	22.9	12.5-33.3			
\$75,000+	112	51,229	88	78.1	68.7-87.5	22	19.7	10.7-28.7	2	2.2	00.0-05.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE**

TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

Data was weighted using _LANDWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No			Told Borderline, pre-hypertensive		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1277	385,848	1061	83.3	79.6-87.0	5	1.8	00.0-04.3	207	14.5	11.6-17.4	4	0.4	00.0-00.8
White/Non-Hisp	967	307,502	799	85.1	82.0-88.2	2	0.5	00.0-01.3	163	14.1	11.2-17.0	3	0.3	00.0-00.9
Black or Afr. Am./Non-Hisp	235	56,622	199	84.3	75.9-92.7	2	1.4	00.0-03.6	33	13.3	05.3-21.3	1	1.0	00.0-03.0
35-44	57	42,034	48	84.0	70.9-97.1	1	1.4	00.0-04.1	8	14.6	01.7-27.5			
45-54	169	80,278	145	84.9	77.5-92.3	1	1.6	00.0-04.7	22	12.8	05.9-19.7	1	0.7	00.0-02.1
55-64	301	75,887	254	87.3	83.2-91.4	1	0.3	00.0-00.9	45	11.4	07.7-15.1	1	1.0	00.0-03.0
65+	717	143,640	591	83.2	79.9-86.5	1	0.1	00.0-00.3	123	16.5	13.2-19.8	2	0.1	00.0-00.3
Less Than H.S.	202	80,024	171	81.9	74.5-89.3	1	0.3	00.0-00.9	29	16.9	09.5-24.3	1	1.0	00.0-03.0
H.S. or G.E.D.	509	144,800	427	84.6	78.1-91.1	2	4.1	00.0-10.4	79	11.2	08.1-14.3	1	0.1	00.0-00.3
Some Post-H.S.	304	112,804	248	82.6	75.3-89.9				54	16.8	09.5-24.1	2	0.5	00.0-01.5
College Graduate	259	47,904	213	83.9	78.0-89.8	2	1.7	00.0-04.2	44	14.4	08.9-19.9			
Less than \$15,000	249	87,956	200	78.2	67.6-88.8	1	5.3	00.0-15.3	47	15.6	09.1-22.1	1	0.9	00.0-02.7
\$15,000- 24,999	290	85,006	245	87.4	81.9-92.9	1	0.2	00.0-00.6	44	12.4	06.9-17.9			
\$25,000- 34,999	137	38,963	120	89.6	82.9-96.3				17	10.4	03.7-17.1			
\$35,000- 49,999	148	42,428	123	78.1	65.6-90.6				25	21.9	09.4-34.4			
\$50,000- 74,999	102	30,705	82	83.3	72.7-93.9	2	4.8	00.0-12.6	18	11.9	03.9-19.9			
\$75,000+	128	37,341	109	85.8	78.4-93.2	1	1.6	00.0-04.7	16	11.0	04.5-17.5	2	1.6	00.0-04.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2011
MODULE 10: ACTIONS TO CONTROL HIGH BLOOD PRESSURE

TABLE 30: WERE YOU TOLD ON TWO OR MORE DIFFERENT VISITS TO A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAD HIGH BLOOD PRESSURE? (BPHI2MR)
Denominator excludes: Respondents who are male or respondents with refused or with missing responses

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'