


ARKANSAS

2012 ADULT LandLine Cellphone Module Variables Report

Behavioral Risk Factor Surveillance System

June 2, 2013



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****
WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4171	1,884,560	2444	52.6	50.4-54.8	1727	47.4	45.2-49.6
Male	1558	911,616	922	51.9	48.6-55.2	636	48.1	44.8-51.4
Female	2613	972,944	1522	53.3	50.6-56.0	1091	46.7	44.0-49.4
White/Non-Hisp	3231	1,436,565	1877	52.1	49.7-54.5	1354	47.9	45.5-50.3
Black or Afr. Am./Non-Hisp	593	264,051	372	57.1	51.0-63.2	221	42.9	36.8-49.0
Oth. Race/Non-Hisp.	95	34,962	50	41.4	26.9-55.9	45	58.6	44.1-73.1
MultiRacial/Non-Hisp.	55	19,964	35	62.4	45.7-79.1	20	37.6	20.9-54.3
Hispanic	126	104,080	69	50.3	38.5-62.1	57	49.7	37.9-61.5
18-24	201	264,582	81	38.1	30.7-45.5	120	61.9	54.5-69.3
25-34	434	338,817	191	43.0	37.5-48.5	243	57.0	51.5-62.5
35-44	446	320,168	227	49.3	43.8-54.8	219	50.7	45.2-56.2
45-54	734	332,814	455	59.6	55.3-63.9	279	40.4	36.1-44.7
55-64	857	274,607	569	65.3	61.4-69.2	288	34.7	30.8-38.6
65+	1459	338,612	903	60.0	56.9-63.1	556	40.0	36.9-43.1
Less Than H.S.	516	322,150	266	46.4	40.3-52.5	250	53.6	47.5-59.7
H.S. or G.E.D.	1505	660,850	799	47.1	43.8-50.4	706	52.9	49.6-56.2
Some Post-H.S.	1054	557,953	665	56.9	53.0-60.8	389	43.1	39.2-47.0
College Graduate	1082	340,288	706	61.9	58.2-65.6	376	38.1	34.4-41.8
Less than \$15,000	607	288,047	335	47.8	42.1-53.5	272	52.2	46.5-57.9
\$15,000- 24,999	732	350,996	399	47.2	42.1-52.3	333	52.8	47.7-57.9
\$25,000- 34,999	437	191,530	241	47.3	40.8-53.8	196	52.7	46.2-59.2
\$35,000- 49,999	539	233,930	320	54.3	48.6-60.0	219	45.7	40.0-51.4
\$50,000- 74,999	521	237,502	324	59.7	54.2-65.2	197	40.3	34.8-45.8
\$75,000+	651	292,182	438	63.4	58.5-68.3	213	36.6	31.7-41.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1558	911,616	922	51.9	48.6-55.2	636	48.1	44.8-51.4
White/Non-Hisp	1212	691,669	728	52.4	48.7-56.1	484	47.6	43.9-51.3
Black or Afr. Am./Non-Hisp	200	126,137	121	56.3	46.7-65.9	79	43.7	34.1-53.3
Hispanic	55	53,801	26	42.2	26.3-58.1	29	57.8	41.9-73.7
18-24	96	139,007	32	28.4	19.0-37.8	64	71.6	62.2-81.0
25-34	175	165,008	68	40.1	31.9-48.3	107	59.9	51.7-68.1
35-44	194	161,257	101	51.2	42.8-59.6	93	48.8	40.4-57.2
45-54	287	165,220	187	62.0	55.1-68.9	100	38.0	31.1-44.9
55-64	316	132,200	212	66.8	60.5-73.1	104	33.2	26.9-39.5
65+	483	141,636	319	64.4	59.1-69.7	164	35.6	30.3-40.9
Less Than H.S.	190	153,756	89	42.7	33.5-51.9	101	57.3	48.1-66.5
H.S. or G.E.D.	558	329,241	298	45.3	40.2-50.4	260	54.7	49.6-59.8
Some Post-H.S.	362	263,131	234	58.1	51.8-64.4	128	41.9	35.6-48.2
College Graduate	443	164,030	298	63.3	57.6-69.0	145	36.7	31.0-42.4
Less than \$15,000	190	126,100	93	41.5	32.3-50.7	97	58.5	49.3-67.7
\$15,000- 24,999	253	157,371	144	51.5	43.1-59.9	109	48.5	40.1-56.9
\$25,000- 34,999	164	90,371	88	46.2	36.2-56.2	76	53.8	43.8-63.8
\$35,000- 49,999	233	127,747	139	54.3	45.9-62.7	94	45.7	37.3-54.1
\$50,000- 74,999	218	126,387	141	60.7	52.5-68.9	77	39.3	31.1-47.5
\$75,000+	317	161,877	226	65.3	58.4-72.2	91	34.7	27.8-41.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2613	972,944	1522	53.3	50.6-56.0	1091	46.7	44.0-49.4
White/Non-Hisp	2019	744,896	1149	51.9	49.0-54.8	870	48.1	45.2-51.0
Black or Afr. Am./Non-Hisp	393	137,915	251	57.9	50.3-65.5	142	42.1	34.5-49.7
Hispanic	71	50,279	43	59.1	42.2-76.0	28	40.9	24.0-57.8
18-24	105	125,575	49	48.9	38.1-59.7	56	51.1	40.3-61.9
25-34	259	173,809	123	45.6	38.5-52.7	136	54.4	47.3-61.5
35-44	252	158,911	126	47.4	40.0-54.8	126	52.6	45.2-60.0
45-54	447	167,594	268	57.2	51.5-62.9	179	42.8	37.1-48.5
55-64	541	142,407	357	63.9	58.8-69.0	184	36.1	31.0-41.2
65+	976	196,975	584	56.9	53.0-60.8	392	43.1	39.2-47.0
Less Than H.S.	326	168,394	177	49.7	41.7-57.7	149	50.3	42.3-58.3
H.S. or G.E.D.	947	331,609	501	48.9	44.6-53.2	446	51.1	46.8-55.4
Some Post-H.S.	692	294,822	431	55.8	50.9-60.7	261	44.2	39.3-49.1
College Graduate	639	176,258	408	60.5	55.6-65.4	231	39.5	34.6-44.4
Less than \$15,000	417	161,948	242	52.7	45.8-59.6	175	47.3	40.4-54.2
\$15,000- 24,999	479	193,625	255	43.7	37.2-50.2	224	56.3	49.8-62.8
\$25,000- 34,999	273	101,159	153	48.4	40.0-56.8	120	51.6	43.2-60.0
\$35,000- 49,999	306	106,182	181	54.2	46.8-61.6	125	45.8	38.4-53.2
\$50,000- 74,999	303	111,115	183	58.6	51.7-65.5	120	41.4	34.5-48.3
\$75,000+	334	130,305	212	61.0	53.9-68.1	122	39.0	31.9-46.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents with do not know/refused/missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4312	1,928,662	312	6.4	05.4-07.4	54	1.5	00.9-02.1	3946	92.1	91.1-93.1
Male	1609	933,827	129	6.4	05.0-07.8				1480	93.6	92.2-95.0
Female	2703	994,836	183	6.5	05.1-07.9	54	3.0	02.0-04.0	2466	90.6	89.0-92.2
White/Non-Hisp	3359	1,479,391	240	6.7	05.7-07.7	37	1.3	00.7-01.9	3082	92.0	90.8-93.2
Black or Afr. Am./Non-Hisp	597	261,781	46	4.8	02.6-07.0	13	3.5	01.3-05.7	538	91.8	88.9-94.7
Oth. Race/Non-Hisp.	97	36,257	10	7.1	01.2-13.0	2	1.0	00.0-02.6	85	91.9	85.8-98.0
MultiRacial/Non-Hisp.	58	20,520	5	11.3	00.3-22.3	2	3.4	00.0-09.1	51	85.3	73.3-97.3
Hispanic	127	104,946	4	4.6	00.0-10.5				123	95.4	89.5-0100
18-24	207	267,718	2	1.6	00.0-04.0	4	1.7	00.0-03.5	201	96.6	93.7-99.5
25-34	443	344,791	23	5.4	03.0-07.8	12	3.0	01.2-04.8	408	91.7	88.8-94.6
35-44	452	323,686	25	5.6	03.1-08.1	5	1.4	00.2-02.6	422	93.0	90.3-95.7
45-54	751	339,507	59	7.8	05.3-10.3	8	0.9	00.1-01.7	684	91.3	88.8-93.8
55-64	876	280,472	89	9.7	07.3-12.1	11	1.6	00.6-02.6	776	88.8	86.3-91.3
65+	1541	357,225	112	8.0	06.2-09.8	13	0.7	00.3-01.1	1416	91.4	89.6-93.2
Less Than H.S.	529	324,652	41	6.0	03.6-08.4	8	1.6	00.2-03.0	480	92.4	89.7-95.1
H.S. or G.E.D.	1555	676,423	106	6.3	04.7-07.9	20	1.7	00.9-02.5	1429	92.0	90.2-93.8
Some Post-H.S.	1090	574,543	76	6.4	04.4-08.4	16	1.7	00.7-02.7	998	91.9	89.7-94.1
College Graduate	1125	349,966	89	7.1	05.3-08.9	10	0.9	00.1-01.7	1026	92.0	90.0-94.0
Less than \$15,000	617	290,910	59	8.5	05.6-11.4	11	2.6	00.8-04.4	547	88.9	85.6-92.2
\$15,000- 24,999	751	357,397	55	5.5	03.5-07.5	16	2.9	01.1-04.7	680	91.6	89.1-94.1
\$25,000- 34,999	448	192,007	27	5.8	03.1-08.5	2	0.7	00.0-01.9	419	93.5	90.6-96.4
\$35,000- 49,999	558	242,706	45	5.8	03.6-08.0	3	0.6	00.0-01.2	510	93.6	91.4-95.8
\$50,000- 74,999	537	243,968	40	7.3	04.6-10.0	4	0.5	00.0-01.1	493	92.2	89.5-94.9
\$75,000+	665	298,002	43	5.6	03.6-07.6	8	1.3	00.1-02.5	614	93.1	90.7-95.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1609	933,827	129	6.4	05.0-07.8	1480	93.6	92.2-95.0
White/Non-Hisp	1256	711,343	103	6.8	05.2-08.4	1153	93.2	91.6-94.8
Black or Afr. Am./Non-Hisp	202	127,742	16	4.6	01.1-08.1	186	95.4	91.9-98.9
Hispanic	55	53,801	2	1.9	00.0-04.8	53	98.1	95.2-0100
18-24	98	141,108				98	100.0	0100-0100
25-34	181	169,933	13	7.1	03.2-11.0	168	92.9	89.0-96.8
35-44	195	161,297	8	3.8	01.1-06.5	187	96.2	93.5-98.9
45-54	293	168,279	24	7.9	04.0-11.8	269	92.1	88.2-96.0
55-64	319	133,877	34	9.5	05.8-13.2	285	90.5	86.8-94.2
65+	516	152,045	50	9.9	06.8-13.0	466	90.1	87.0-93.2
Less Than H.S.	196	157,507	15	5.0	01.9-08.1	181	95.0	91.9-98.1
H.S. or G.E.D.	577	335,558	46	7.0	04.5-09.5	531	93.0	90.5-95.5
Some Post-H.S.	376	271,645	27	4.9	02.5-07.3	349	95.1	92.7-97.5
College Graduate	455	167,659	41	8.6	05.7-11.5	414	91.4	88.5-94.3
Less than \$15,000	196	128,391	20	8.1	03.4-12.8	176	91.9	87.2-96.6
\$15,000- 24,999	260	160,847	20	4.7	02.0-07.4	240	95.3	92.6-98.0
\$25,000- 34,999	169	92,588	19	8.6	03.5-13.7	150	91.4	86.3-96.5
\$35,000- 49,999	241	131,738	17	5.8	02.5-09.1	224	94.2	90.9-97.5
\$50,000- 74,999	223	130,342	20	8.5	04.2-12.8	203	91.5	87.2-95.8
\$75,000+	323	164,475	20	5.4	02.7-08.1	303	94.6	91.9-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2703	994,836	183	6.5	05.1-07.9	54	3.0	02.0-04.0	2466	90.6	89.0-92.2
White/Non-Hisp	2103	768,048	137	6.6	05.2-08.0	37	2.5	01.5-03.5	1929	90.8	89.0-92.6
Black or Afr. Am./Non-Hisp	395	134,039	30	5.0	02.5-07.5	13	6.7	02.6-10.8	352	88.3	83.6-93.0
Hispanic	72	51,146	2	7.5	00.0-18.9				70	92.5	81.1-0100
18-24	109	126,610	2	3.5	00.0-08.6	4	3.7	00.0-07.4	103	92.8	86.7-98.9
25-34	262	174,858	10	3.7	01.2-06.2	12	5.9	02.4-09.4	240	90.5	86.4-94.6
35-44	257	162,389	17	7.3	03.2-11.4	5	2.7	00.2-05.2	235	89.9	85.2-94.6
45-54	458	171,228	35	7.7	04.6-10.8	8	1.8	00.4-03.2	415	90.5	87.2-93.8
55-64	557	146,595	55	9.8	06.9-12.7	11	3.0	01.0-05.0	491	87.3	83.8-90.8
65+	1025	205,180	62	6.6	04.6-08.6	13	1.1	00.3-01.9	950	92.3	90.3-94.3
Less Than H.S.	333	167,146	26	6.9	03.4-10.4	8	3.1	00.6-05.6	299	90.0	85.7-94.3
H.S. or G.E.D.	978	340,865	60	5.7	03.9-07.5	20	3.3	01.5-05.1	898	91.0	88.6-93.4
Some Post-H.S.	714	302,898	49	7.7	04.8-10.6	16	3.2	01.2-05.2	649	89.1	85.6-92.6
College Graduate	670	182,307	48	5.7	03.7-07.7	10	1.8	00.4-03.2	612	92.5	90.1-94.9
Less than \$15,000	421	162,518	39	8.9	05.4-12.4	11	4.6	01.3-07.9	371	86.5	81.8-91.2
\$15,000- 24,999	491	196,550	35	6.2	03.3-09.1	16	5.2	02.3-08.1	440	88.6	84.5-92.7
\$25,000- 34,999	279	99,419	8	3.2	00.7-05.7	2	1.4	00.0-03.8	269	95.5	92.2-98.8
\$35,000- 49,999	317	110,968	28	5.9	03.4-08.4	3	1.2	00.0-02.6	286	92.9	90.0-95.8
\$50,000- 74,999	314	113,626	20	6.0	02.7-09.3	4	1.0	00.0-02.2	290	93.0	89.7-96.3
\$75,000+	342	133,527	23	5.9	03.0-08.8	8	2.8	00.3-05.3	311	91.3	87.6-95.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012**

MODULE 2: DIABETES CONTENTS

* NOTE * * * * *

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

* * * * *

TABLE	PAGE
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19 MALES AND FEMALES	29
20 MALES ONLY	30
21 FEMALES ONLY	31
WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)	
22 MALES AND FEMALES	32
23 MALES ONLY	33
24 FEMALES ONLY	34
HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25 MALES AND FEMALES	35
26 MALES ONLY	36
27 FEMALES ONLY	37
HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28 MALES AND FEMALES	38
29 MALES ONLY	39
30 FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	754	241,767	10	2.1	00.3-03.9	56	11.8	08.1-15.5	165	29.4	24.7-34.1	310	37.7	33.4-42.0	213	18.9	16.0-21.8
Male	304	114,148	4	1.4	00.0-03.2	17	7.9	02.4-13.4	71	31.6	24.2-39.0	135	40.0	33.1-46.9	77	19.1	14.4-23.8
Female	450	127,619	6	2.8	00.0-05.7	39	15.3	10.0-20.6	94	27.5	21.6-33.4	175	35.7	30.0-41.4	136	18.8	15.1-22.5
White/Non-Hisp	517	172,824	6	2.2	00.0-04.6	31	9.5	05.6-13.4	106	27.4	22.3-32.5	212	38.8	33.7-43.9	162	22.0	18.3-25.7
Black or Afr. Am./Non-Hisp	154	40,295	3	1.2	00.0-02.8	17	17.2	07.4-27.0	39	32.0	20.0-44.0	67	40.5	29.3-51.7	28	9.0	04.5-13.5
45-54	102	45,991	3	1.8	00.0-04.9	12	13.8	04.2-23.4	48	53.3	41.5-65.1	39	31.2	21.2-41.2			
55-64	216	66,610	4	2.2	00.0-05.1	9	4.7	01.0-08.4	55	27.9	20.3-35.5	140	62.5	54.3-70.7	8	2.7	00.5-04.9
65+	375	86,779				8	1.2	00.2-02.2	35	8.8	05.3-12.3	127	39.3	33.0-45.6	205	50.7	44.4-57.0
Less Than H.S.	143	48,973	2	2.4	00.0-06.1	7	7.1	00.0-14.9	28	23.1	11.5-34.7	54	43.5	31.9-55.1	52	24.0	16.0-32.0
H.S. or G.E.D.	271	88,076	1	0.1	00.0-00.3	22	13.7	06.8-20.6	59	32.1	24.3-39.9	119	36.0	28.9-43.1	70	18.2	13.1-23.3
Some Post-H.S.	206	73,329	5	5.0	00.0-10.3	19	13.2	06.3-20.1	54	32.7	23.9-41.5	76	33.4	25.4-41.4	52	15.7	10.6-20.8
College Graduate	134	31,390	2	1.0	00.0-02.6	8	10.5	02.7-18.3	24	24.3	14.5-34.1	61	43.5	33.3-53.7	39	20.8	13.5-28.1
Less than \$15,000	170	49,385	3	0.3	00.0-00.7	15	17.7	07.7-27.7	36	27.0	17.6-36.4	68	37.4	27.6-47.2	48	17.6	11.3-23.9
\$15,000- 24,999	173	60,780	3	4.1	00.0-09.2	15	13.5	04.9-22.1	35	32.1	20.9-43.3	67	31.2	22.4-40.0	53	19.1	12.6-25.6
\$25,000- 34,999	67	25,786	1	0.8	00.0-02.4	8	14.9	02.4-27.4	13	29.0	13.5-44.5	27	37.7	23.0-52.4	18	17.6	08.4-26.8
\$35,000- 49,999	83	25,098				5	7.9	00.0-15.9	16	24.0	12.0-36.0	36	48.0	34.7-61.3	26	20.1	11.1-29.1
\$50,000- 74,999	80	27,791	2	3.5	00.0-08.8	2	1.7	00.0-04.4	26	44.1	29.8-58.4	35	35.7	23.4-48.0	15	15.1	06.3-23.9
\$75,000+	67	19,954				5	10.2	00.4-20.0	16	28.4	15.5-41.3	33	45.2	31.7-58.7	13	16.2	06.4-26.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	304	114,148	4	1.4	00.0-03.2	17	7.9	02.4-13.4	71	31.6	24.2-39.0	135	40.0	33.1-46.9	77	19.1	14.4-23.8
White/Non-Hisp	216	82,513	1	0.3	00.0-00.9	10	6.0	00.7-11.3	47	28.7	20.9-36.5	98	42.8	35.0-50.6	60	22.2	16.3-28.1
55-64	100	38,574	3	3.7	00.0-08.6	5	4.5	00.0-09.2	27	29.9	18.7-41.1	63	60.1	48.3-71.9	2	1.7	00.0-04.1
65+	150	42,387				4	1.5	00.0-03.3	14	7.8	02.9-12.7	57	40.8	31.6-50.0	75	50.0	40.6-59.4
Less Than H.S.	55	24,147	2	4.8	00.0-12.4	3	10.7	00.0-26.0	12	28.5	07.9-49.1	21	35.9	18.8-53.0	17	20.1	08.1-32.1
H.S. or G.E.D.	101	39,662				6	9.3	00.0-20.3	21	29.7	17.2-42.2	47	42.1	29.9-54.3	27	18.9	10.9-26.9
Some Post-H.S.	82	31,979	1	0.6	00.0-01.8	4	5.5	00.0-11.6	26	38.5	24.8-52.2	33	36.3	23.6-49.0	18	19.0	09.8-28.2
College Graduate	66	18,360	1	1.4	00.0-04.1	4	5.1	00.0-11.0	12	27.8	14.1-41.5	34	47.2	33.7-60.7	15	18.6	09.0-28.2
\$15,000- 24,999	66	31,948	2	3.6	00.0-09.5	2	8.6	00.0-21.9	16	41.2	23.4-59.0	28	29.2	16.1-42.3	18	17.4	08.2-26.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	450	127,619	6	2.8	00.0-05.7	39	15.3	10.2-20.4	94	27.5	21.6-33.4	175	35.7	30.0-41.4	136	18.8	15.1-22.5
White/Non-Hisp	301	90,311	5	3.9	00.0-08.2	21	12.8	06.9-18.7	59	26.2	19.5-32.9	114	35.3	28.6-42.0	102	21.9	17.0-26.8
Black or Afr. Am./Non-Hisp	105	26,378	1	0.2	00.0-00.6	11	19.6	06.3-32.9	26	30.0	16.1-43.9	43	38.6	25.1-52.1	24	11.5	05.2-17.8
45-54	63	25,725	3	3.2	00.0-08.7	9	12.4	03.6-21.2	27	48.7	34.2-63.2	24	35.7	22.2-49.2			
55-64	116	28,036	1	0.2	00.0-00.6	4	4.8	00.0-10.9	28	25.1	15.1-35.1	77	65.8	54.6-77.0	6	4.1	00.2-08.0
65+	225	44,392				4	1.0	00.0-02.0	21	9.8	04.9-14.7	70	37.9	29.3-46.5	130	51.4	43.0-59.8
Less Than H.S.	88	24,826				4	3.6	00.1-07.1	16	17.8	07.8-27.8	33	50.8	37.3-64.3	35	27.8	17.2-38.4
H.S. or G.E.D.	170	48,413	1	0.1	00.0-00.3	16	17.3	08.7-25.9	38	34.0	24.0-44.0	72	31.0	23.0-39.0	43	17.6	11.3-23.9
Some Post-H.S.	124	41,350	4	8.3	00.0-17.3	15	19.1	08.3-29.9	28	28.2	17.2-39.2	43	31.2	21.0-41.4	34	13.2	07.7-18.7
College Graduate	68	13,029	1	0.4	00.0-01.2	4	18.1	02.2-34.0	12	19.3	06.4-32.2	27	38.3	23.2-53.4	24	23.9	12.5-35.3
Less than \$15,000	124	32,034	3	0.5	00.0-01.1	10	17.7	06.9-28.5	24	25.2	14.2-36.2	52	39.5	28.1-50.9	35	17.1	10.4-23.8
\$15,000- 24,999	107	28,832	1	4.6	00.0-13.4	13	18.8	08.0-29.6	19	22.1	11.7-32.5	39	33.4	22.0-44.8	35	21.0	12.2-29.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	797	250,300	220	25.8	21.9-29.7	577	74.2	70.3-78.1
Male	314	116,593	90	24.1	18.4-29.8	224	75.9	70.2-81.6
Female	483	133,707	130	27.3	21.8-32.8	353	72.7	67.2-78.2
White/Non-Hisp	543	178,625	149	27.1	22.4-31.8	394	72.9	68.2-77.6
Black or Afr. Am./Non-Hisp	164	42,119	49	28.1	18.3-37.9	115	71.9	62.1-81.7
45-54	105	46,908	34	28.2	18.4-38.0	71	71.8	62.0-81.6
55-64	221	67,684	68	32.2	24.2-40.2	153	67.8	59.8-75.8
65+	407	92,662	102	22.9	18.0-27.8	305	77.1	72.2-82.0
Less Than H.S.	154	52,011	44	28.8	19.2-38.4	110	71.2	61.6-80.8
H.S. or G.E.D.	290	91,634	67	20.1	14.2-26.0	223	79.9	74.0-85.8
Some Post-H.S.	215	74,738	68	29.4	21.6-37.2	147	70.6	62.8-78.4
College Graduate	138	31,918	41	29.1	19.3-38.9	97	70.9	61.1-80.7
Less than \$15,000	179	50,560	48	28.6	19.2-38.0	131	71.4	62.0-80.8
\$15,000- 24,999	182	62,883	49	20.1	13.2-27.0	133	79.9	73.0-86.8
\$25,000- 34,999	69	25,973	21	30.1	16.0-44.2	48	69.9	55.8-84.0
\$35,000- 49,999	87	26,371	26	28.1	16.7-39.5	61	71.9	60.5-83.3
\$50,000- 74,999	80	27,791	22	23.8	13.0-34.6	58	76.2	65.4-87.0
\$75,000+	68	20,026	18	27.9	14.8-41.0	50	72.1	59.0-85.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	314	116,593	90	24.1	18.4-29.8	224	75.9	70.2-81.6
White/Non-Hisp	223	84,604	63	26.1	19.2-33.0	160	73.9	67.0-80.8
Black or Afr. Am./Non-Hisp	51	14,177	18	27.6	11.9-43.3	33	72.4	56.7-88.1
55-64	102	38,752	30	27.5	16.7-38.3	72	72.5	61.7-83.3
65+	157	44,047	43	24.4	16.6-32.2	114	75.6	67.8-83.4
Less Than H.S.	56	24,754	18	29.0	13.7-44.3	38	71.0	55.7-86.3
H.S. or G.E.D.	104	40,355	19	12.0	05.1-18.9	85	88.0	81.1-94.9
Some Post-H.S.	87	33,059	33	33.4	21.4-45.4	54	66.6	54.6-78.6
College Graduate	67	18,425	20	27.2	14.9-39.5	47	72.8	60.5-85.1
\$15,000- 24,999	70	32,816	19	16.8	07.6-26.0	51	83.2	74.0-92.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	483	133,707	130	27.3	21.8-32.8	353	72.7	67.2-78.2
White/Non-Hisp	320	94,021	86	28.0	21.3-34.7	234	72.0	65.3-78.7
Black or Afr. Am./Non-Hisp	113	27,942	31	28.4	15.9-40.9	82	71.6	59.1-84.1
45-54	65	26,035	21	29.8	16.7-42.9	44	70.2	57.1-83.3
55-64	119	28,932	38	38.5	26.7-50.3	81	61.5	49.7-73.3
65+	250	48,615	59	21.5	15.2-27.8	191	78.5	72.2-84.8
Less Than H.S.	98	27,257	26	28.6	16.6-40.6	72	71.4	59.4-83.4
H.S. or G.E.D.	186	51,279	48	26.4	17.8-35.0	138	73.6	65.0-82.2
Some Post-H.S.	128	41,679	35	26.2	16.0-36.4	93	73.8	63.6-84.0
College Graduate	71	13,493	21	31.7	16.2-47.2	50	68.3	52.8-83.8
Less than \$15,000	132	33,042	33	26.8	15.8-37.8	99	73.2	62.2-84.2
\$15,000- 24,999	112	30,066	30	23.6	13.8-33.4	82	76.4	66.6-86.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	782	243,080	60	7.9	05.4-10.4	175	23.9	20.0-27.8	539	67.0	62.5-71.5	8	1.3	00.3-02.3
Male	305	110,825	23	7.8	03.9-11.7	87	27.0	20.9-33.1	191	64.3	57.6-71.0	4	0.9	00.0-01.9
Female	477	132,255	37	7.9	04.6-11.2	88	21.3	16.0-26.6	348	69.2	63.3-75.1	4	1.6	00.0-03.4
White/Non-Hisp	531	173,828	37	6.9	04.2-09.6	127	26.2	21.3-31.1	361	65.2	59.9-70.5	6	1.7	00.3-03.1
Black or Afr. Am./Non-Hisp	163	41,899	13	6.5	01.2-11.8	27	14.3	07.2-21.4	121	78.7	70.3-87.1	2	0.5	00.0-01.1
45-54	103	43,964	7	4.1	00.8-07.4	24	21.0	12.4-29.6	70	72.2	62.8-81.6	2	2.7	00.0-06.4
55-64	218	66,814	20	11.1	05.2-17.0	51	24.9	17.5-32.3	143	62.6	54.2-71.0	4	1.4	00.0-03.2
65+	398	90,499	21	4.6	02.1-07.1	86	23.4	18.1-28.7	290	71.7	66.2-77.2	1	0.3	00.0-00.9
Less Than H.S.	151	48,869	11	9.3	02.6-16.0	27	17.0	09.2-24.8	113	73.8	64.2-83.4			
H.S. or G.E.D.	285	89,157	21	7.6	03.5-11.7	58	22.6	16.3-28.9	205	69.2	62.1-76.3	1	0.6	00.0-01.8
Some Post-H.S.	211	73,800	15	5.9	02.0-09.8	47	26.3	18.1-34.5	143	64.7	56.1-73.3	6	3.1	00.0-06.2
College Graduate	135	31,253	13	11.1	03.7-18.5	43	32.7	22.9-42.5	78	55.3	44.7-65.9	1	0.9	00.0-02.7
Less than \$15,000	175	47,150	19	10.5	04.6-16.4	28	17.6	09.4-25.8	127	71.6	62.2-81.0	1	0.4	00.0-01.2
\$15,000- 24,999	180	61,311	12	9.5	03.2-15.8	33	19.8	12.0-27.6	133	69.3	59.9-78.7	2	1.3	00.0-03.7
\$25,000- 34,999	68	25,898	2	0.6	00.0-01.6	14	20.9	09.3-32.5	52	78.5	66.9-90.1			
\$35,000- 49,999	84	25,709	8	7.5	00.4-14.6	22	31.6	18.7-44.5	52	56.2	42.9-69.5	2	4.6	00.0-11.1
\$50,000- 74,999	79	27,572	5	6.5	00.0-13.4	26	28.8	15.9-41.7	46	61.8	48.1-75.5	2	3.0	00.0-07.3
\$75,000+	67	19,655	3	3.6	00.0-07.9	23	38.8	25.3-52.3	41	57.6	43.9-71.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	305	110,825	23	7.8	03.9-11.7	87	27.0	20.9-33.1	191	64.3	57.4-71.2	4	0.9	00.0-01.9
White/Non-Hisp	216	81,039	14	6.2	02.5-09.9	65	29.7	22.4-37.0	134	63.0	55.4-70.6	3	1.1	00.0-02.5
Black or Afr. Am./Non-Hisp	51	14,177	5	5.1	00.0-10.4	9	16.7	04.7-28.7	36	77.4	64.1-90.7	1	0.8	00.0-02.4
55-64	100	38,103	11	13.2	04.2-22.2	27	29.3	18.3-40.3	60	56.7	44.5-68.9	2	0.8	00.0-02.0
65+	153	43,116	8	5.7	01.0-10.4	46	29.3	20.9-37.7	98	64.3	55.5-73.1	1	0.7	00.0-02.1
Less Than H.S.	54	21,810	7	16.8	02.9-30.7	9	15.4	02.5-28.3	38	67.8	50.4-85.2			
H.S. or G.E.D.	101	38,474	5	5.8	00.3-11.3	31	25.5	15.5-35.5	65	68.7	57.9-79.5			
Some Post-H.S.	86	32,781	3	1.6	00.0-03.8	25	30.6	18.8-42.4	55	65.5	53.3-77.7	3	2.3	00.0-05.2
College Graduate	64	17,761	8	12.4	02.4-22.4	22	37.9	24.0-51.8	33	48.1	34.0-62.2	1	1.6	00.0-04.7
\$15,000- 24,999	68	31,245	5	12.1	01.7-22.5	12	14.1	05.1-23.1	51	73.7	60.4-87.0			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never			< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	477	132,255	37	7.9	04.6-11.2	88	21.3	16.0-26.6	348	69.2	63.3-75.1	4	1.6	00.0-03.4
White/Non-Hisp	315	92,789	23	7.5	03.8-11.2	62	23.2	16.5-29.9	227	67.2	60.1-74.3	3	2.2	00.0-04.7
Black or Afr. Am./Non-Hisp	112	27,721	8	7.2	00.0-14.8	18	13.1	04.5-21.7	85	79.3	68.3-90.3	1	0.3	00.0-00.9
45-54	65	26,035	3	2.4	00.0-05.3	14	19.8	09.0-30.6	47	75.0	63.2-86.8	1	2.8	00.0-08.3
55-64	118	28,712	9	8.4	01.7-15.1	24	19.0	10.2-27.8	83	70.5	59.7-81.3	2	2.2	00.0-05.9
65+	245	47,383	13	3.5	01.3-05.7	40	18.0	11.5-24.5	192	78.5	71.8-85.2			
Less Than H.S.	97	27,059	4	3.2	00.0-06.7	18	18.3	08.5-28.1	75	78.6	68.4-88.8			
H.S. or G.E.D.	184	50,683	16	8.9	03.0-14.8	27	20.4	12.0-28.8	140	69.6	60.2-79.0	1	1.1	00.0-03.3
Some Post-H.S.	125	41,019	12	9.3	02.6-16.0	22	22.8	11.4-34.2	88	64.1	51.9-76.3	3	3.8	00.0-08.7
College Graduate	71	13,493	5	9.5	00.0-20.5	21	25.8	13.3-38.3	45	64.7	49.8-79.6			
Less than \$15,000	130	32,576	16	13.5	05.3-21.7	14	12.4	03.8-21.0	100	74.1	63.3-84.9			
\$15,000- 24,999	112	30,066	7	6.9	00.0-14.0	21	25.7	13.7-37.7	82	64.7	52.2-77.2	2	2.7	00.0-07.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics. Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

**Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy**

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	772	245,665	502	64.0	59.5-68.5	120	15.0	11.7-18.3	49	6.2	04.0-08.4	11	1.3	00.3-02.3	89	13.0	09.7-16.3	1	0.5	00.0-01.5
Male	309	115,444	204	67.5	60.8-74.2	46	14.9	09.8-20.0	14	4.1	01.7-06.5	5	1.9	00.0-03.9	40	11.6	07.3-15.9			
Female	463	130,222	298	60.9	54.8-67.0	74	15.0	10.7-19.3	35	8.0	04.5-11.5	6	0.8	00.0-01.6	49	14.3	09.6-19.0	1	1.0	00.0-03.0
White/Non-Hisp	527	175,339	338	61.8	56.5-67.1	85	17.1	13.0-21.2	33	6.4	03.7-09.1	5	0.8	00.0-01.6	65	13.1	09.2-17.0	1	0.8	00.0-02.4
Black or Afr. Am./Non-Hisp	160	41,597	111	75.2	66.0-84.4	21	7.2	03.7-10.7	11	7.5	01.6-13.4	4	3.2	00.0-07.5	13	6.9	01.4-12.4			
45-54	104	46,301	69	67.1	56.3-77.9	17	14.6	06.6-22.6	10	10.0	03.3-16.7				8	8.3	02.0-14.6			
55-64	217	67,207	148	63.6	55.2-72.0	30	16.4	09.7-23.1	14	5.9	02.0-09.8	5	2.7	00.0-05.8	20	11.4	05.3-17.5			
65+	389	89,609	247	64.1	58.2-70.0	67	17.4	12.5-22.3	22	5.2	02.5-07.9	6	1.5	00.1-02.9	47	11.7	08.0-15.4			
Less Than H.S.	145	50,275	82	58.1	46.9-69.3	30	20.3	11.3-29.3	15	9.5	03.6-15.4	3	1.4	00.0-03.2	15	10.7	03.6-17.8			
H.S. or G.E.D.	283	90,107	185	64.3	57.0-71.6	37	12.6	07.9-17.3	16	4.0	01.6-06.4	5	2.2	00.0-04.6	40	16.9	11.0-22.8			
Some Post-H.S.	208	73,735	141	67.2	58.6-75.8	34	14.3	08.2-20.4	12	7.1	02.0-12.2	1	0.3	00.0-00.9	19	9.3	03.8-14.8	1	1.8	00.0-05.3
College Graduate	136	31,548	94	65.2	55.0-75.4	19	14.7	07.6-21.8	6	4.9	00.8-09.0	2	0.6	00.0-01.4	15	14.7	06.3-23.1			
Less than \$15,000	173	49,983	115	64.3	54.3-74.3	24	13.1	06.0-20.2	9	5.0	00.9-09.1	4	1.7	00.0-03.7	21	16.0	07.8-24.2			
\$15,000- 24,999	175	61,460	113	68.6	59.2-78.0	31	12.6	06.9-18.3	11	5.4	01.5-09.3	3	1.2	00.0-02.8	17	12.2	04.9-19.5			
\$25,000- 34,999	68	25,909	47	65.7	51.2-80.2	9	13.5	03.1-23.9	3	6.1	00.0-13.5	1	2.0	00.0-05.9	8	12.8	03.2-22.4			
\$35,000- 49,999	86	26,307	50	53.9	40.8-67.0	17	22.2	11.0-33.4	6	8.0	00.7-15.3	1	3.4	00.0-09.9	12	12.5	03.7-21.3			
\$50,000- 74,999	80	27,791	52	63.6	50.1-77.1	14	15.9	06.5-25.3	6	10.1	00.0-20.3	1	0.3	00.0-00.9	7	10.1	01.7-18.5			
\$75,000+	67	19,772	49	71.7	59.2-84.2	8	12.9	04.1-21.7	5	6.2	00.5-11.9				5	9.2	00.0-18.4			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	309	115,444	204	67.5	60.8-74.2	46	14.9	09.8-20.0	14	4.1	01.7-06.5	5	1.9	00.0-03.9	40	11.6	07.3-15.9
White/Non-Hisp	220	83,837	144	65.8	58.2-73.4	31	15.5	09.6-21.4	10	4.7	01.6-07.8	3	1.2	00.0-02.8	32	12.8	07.7-17.9
Black or Afr. Am./Non-Hisp	50	14,065	38	80.0	65.7-94.3	6	8.3	00.9-15.7				2	8.2	00.0-20.5	4	3.5	00.0-07.2
55-64	100	38,575	65	58.2	46.2-70.2	15	18.7	08.5-28.9	6	5.1	00.4-09.8	2	3.7	00.0-08.8	12	14.4	05.6-23.2
65+	155	43,682	99	67.1	58.5-75.7	25	15.5	08.8-22.2	4	2.5	00.0-05.2	3	1.7	00.0-03.9	24	13.3	07.4-19.2
Less Than H.S.	53	23,782	32	64.4	46.6-82.2	12	20.2	05.7-34.7	3	4.6	00.0-10.9				6	10.7	00.1-21.3
H.S. or G.E.D.	104	40,355	67	66.1	54.5-77.7	14	13.2	05.2-21.2	3	3.1	00.0-07.0	4	4.7	00.0-10.0	16	12.9	05.3-20.5
Some Post-H.S.	85	32,882	57	70.3	58.5-82.1	11	13.5	04.5-22.5	5	4.7	00.0-09.4	1	0.8	00.0-02.4	11	10.7	03.1-18.3
College Graduate	67	18,425	48	69.6	56.9-82.3	9	14.2	04.4-24.0	3	4.6	00.0-09.9				7	11.7	02.5-20.9
\$15,000- 24,999	68	32,451	39	67.8	54.1-81.5	12	12.2	03.8-20.6	4	3.9	00.0-08.6	2	2.0	00.0-04.9	11	14.0	03.6-24.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	463	130,222	298	60.9	54.8-67.0	74	15.0	10.7-19.3	35	8.0	04.5-11.5	6	0.8	00.0-01.6	49	14.3	09.6-19.0	1	1.0	00.0-03.0
White/Non-Hisp	307	91,502	194	58.1	50.7-65.5	54	18.5	12.8-24.2	23	7.9	03.8-12.0	2	0.5	00.0-01.3	33	13.5	07.8-19.2	1	1.5	00.0-04.2
Black or Afr. Am./Non-Hisp	110	27,531	73	72.7	60.9-84.5	15	6.7	02.8-10.6	11	11.3	02.5-20.1	2	0.6	00.0-01.6	9	8.7	00.7-16.7			
45-54	65	26,035	42	60.5	46.2-74.8	12	17.0	06.4-27.6	6	11.4	01.6-21.2				5	11.2	01.0-21.4			
55-64	117	28,631	83	70.8	59.8-81.8	15	13.4	06.0-20.8	8	7.0	00.7-13.3	3	1.4	00.0-03.2	8	7.3	00.0-15.1			
65+	234	45,927	148	61.4	53.4-69.4	42	19.2	12.3-26.1	18	7.9	03.6-12.2	3	1.3	00.0-03.1	23	10.3	05.6-15.0			
Less Than H.S.	92	26,493	50	52.4	39.3-65.5	18	20.3	09.1-31.5	12	13.9	04.5-23.3	3	2.6	00.0-05.9	9	10.7	01.3-20.1			
H.S. or G.E.D.	179	49,752	118	62.8	53.4-72.2	23	12.1	06.4-17.8	13	4.7	01.8-07.6	1	0.3	00.0-00.9	24	20.1	11.7-28.5			
Some Post-H.S.	123	40,853	84	64.7	52.4-77.0	23	14.9	06.5-23.3	7	9.0	00.8-17.2				8	8.1	00.5-15.7	1	3.3	00.0-09.6
College Graduate	69	13,123	46	59.0	42.9-75.1	10	15.4	05.2-25.6	3	5.3	00.0-11.8	2	1.3	00.0-03.3	8	18.9	03.6-34.2			
Less than \$15,000	126	32,466	79	58.4	46.4-70.4	19	10.1	05.0-15.2	7	5.9	00.4-11.4	3	2.4	00.0-05.3	18	23.2	11.6-34.8			
\$15,000- 24,999	107	29,009	74	69.5	57.3-81.7	19	13.1	05.7-20.5	7	7.0	00.5-13.5	1	0.3	00.0-00.9	6	10.1	00.0-20.3			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Data was weighted using _LLCPWT.																	
	TOTAL	WEIGHTED	1 time		2 times			3 times			4 times			5 or more times			None			
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	752	241,855	105	13.3	10.2-16.4	142	18.5	15.0-22.0	98	13.1	10.0-16.2	185	24.1	20.0-28.2	118	15.2	11.9-18.5	104	15.9	12.0-19.8
Male	304	114,413	51	14.0	09.5-18.5	70	21.8	16.3-27.3	37	12.1	07.4-16.8	62	22.7	15.8-29.6	43	12.5	08.2-16.8	41	17.0	10.3-23.7
Female	448	127,442	54	12.6	08.3-16.9	72	15.5	11.2-19.8	61	13.9	09.4-18.4	123	25.4	20.3-30.5	75	17.7	12.8-22.6	63	14.9	10.2-19.6
White/Non-Hisp	517	173,635	78	14.3	10.6-18.0	107	20.1	16.0-24.2	68	12.9	09.2-16.6	129	25.8	21.1-30.5	64	12.4	08.9-15.9	71	14.5	10.2-18.8
Black or Afr. Am./Non-Hisp	150	39,932	14	9.4	03.3-15.5	24	16.7	07.1-26.3	19	12.2	04.4-20.0	39	20.2	11.8-28.6	37	27.3	16.7-37.9	17	14.3	04.9-23.7
45-54	100	45,037	12	9.8	03.7-15.9	21	21.4	11.8-31.0	14	16.2	07.6-24.8	21	20.8	11.6-30.0	18	15.8	07.6-24.0	14	15.9	05.3-26.5
55-64	212	65,246	33	15.5	09.2-21.8	48	23.8	16.9-30.7	33	17.9	10.8-25.0	46	22.2	14.9-29.5	28	10.7	05.6-15.8	24	10.0	04.9-15.1
65+	376	88,526	51	14.7	10.0-19.4	65	17.4	12.7-22.1	43	8.7	05.6-11.8	107	28.7	23.0-34.4	61	18.7	13.6-23.8	49	11.8	07.9-15.7
Less Than H.S.	135	47,574	24	16.1	08.1-24.1	14	9.6	03.9-15.3	18	15.0	06.8-23.2	32	21.3	09.9-32.7	33	25.5	15.7-35.3	14	12.6	03.2-22.0
H.S. or G.E.D.	275	89,909	35	11.6	07.1-16.1	59	20.7	14.4-27.0	35	12.4	07.3-17.5	71	23.7	17.6-29.8	33	10.5	06.0-15.0	42	21.2	13.8-28.6
Some Post-H.S.	208	73,098	23	10.5	05.0-16.0	44	20.9	14.2-27.6	25	13.3	07.0-19.6	51	27.8	19.6-36.0	39	15.8	09.5-22.1	26	11.8	05.5-18.1
College Graduate	134	31,273	23	20.4	11.2-29.6	25	20.1	11.9-28.3	20	11.3	05.2-17.4	31	21.0	12.8-29.2	13	11.9	04.8-19.0	22	15.2	07.8-22.6
Less than \$15,000	161	47,518	22	12.8	06.5-19.1	24	12.3	06.4-18.2	21	16.4	07.6-25.2	35	16.3	09.6-23.0	32	20.4	12.2-28.6	27	21.8	11.2-32.4
\$15,000- 24,999	176	61,762	31	14.7	08.4-21.0	21	9.4	04.7-14.1	21	10.1	04.2-16.0	42	25.5	15.3-35.7	34	18.2	10.9-25.5	27	22.0	11.8-32.2
\$25,000- 34,999	67	25,828	11	11.2	02.8-19.6	15	28.2	13.3-43.1	8	20.7	07.4-34.0	18	22.0	10.4-33.6	10	15.9	03.9-27.9	5	1.9	00.0-03.9
\$35,000- 49,999	85	26,204	10	11.4	03.6-19.2	30	36.5	23.6-49.4	8	8.2	01.9-14.5	17	23.1	11.3-34.9	9	10.2	03.1-17.3	11	10.5	03.1-17.9
\$50,000- 74,999	80	27,791	10	14.2	04.8-23.6	20	24.3	13.3-35.3	8	8.5	00.9-16.1	25	36.7	22.4-51.0	6	5.2	00.1-10.3	11	11.1	02.7-19.5
\$75,000+	68	20,026	9	15.6	04.4-26.8	13	23.3	11.5-35.1	14	16.2	06.8-25.6	18	27.9	15.6-40.2	5	6.0	00.0-12.1	9	11.1	03.3-18.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	304	114,413	51	14.0	09.5-18.5	70	21.8	16.3-27.3	37	12.1	07.4-16.8	62	22.7	15.8-29.6	43	12.5	08.2-16.8	41	17.0	10.3-23.7
White/Non-Hisp	218	83,334	34	12.8	08.1-17.5	58	24.2	17.9-30.5	25	12.4	06.7-18.1	49	24.8	17.5-32.1	25	11.5	06.6-16.4	27	14.4	07.9-20.9
55-64	100	38,617	15	14.5	06.1-22.9	29	28.0	18.2-37.8	19	23.0	12.2-33.8	13	16.4	06.6-26.2	13	9.7	02.8-16.6	11	8.4	02.5-14.3
65+	150	42,609	27	16.2	09.5-22.9	31	21.3	13.5-29.1	12	6.2	02.1-10.3	37	24.7	16.7-32.7	23	17.4	10.1-24.7	20	14.3	07.6-21.0
Less Than H.S.	53	23,766	13	16.1	04.5-27.7	7	10.5	01.7-19.3	7	17.2	03.5-30.9	7	19.1	00.0-39.9	13	23.2	08.5-37.9	6	13.9	00.0-29.8
H.S. or G.E.D.	99	39,998	17	12.4	05.3-19.5	25	24.1	13.7-34.5	12	11.6	04.0-19.2	23	23.0	13.0-33.0	9	6.4	01.7-11.1	13	22.4	09.3-35.5
Some Post-H.S.	86	32,573	10	9.5	02.6-16.4	22	24.6	14.0-35.2	9	10.2	02.2-18.2	19	27.7	15.0-40.4	16	15.4	06.8-24.0	10	12.6	02.8-22.4
College Graduate	66	18,076	11	22.8	10.3-35.3	16	26.7	14.4-39.0	9	9.5	01.7-17.3	13	17.4	07.0-27.8	5	6.8	00.7-12.9	12	16.8	06.8-26.8
\$15,000- 24,999	69	32,330	19	19.3	08.5-30.1	8	6.7	01.4-12.0	8	7.2	00.9-13.5	13	27.0	09.9-44.1	10	11.8	02.8-20.8	11	28.0	11.1-44.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time						2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	448	127,442	54	12.6	08.3-16.9	72	15.5	11.2-19.8	61	13.9	09.4-18.4	123	25.4	20.3-30.5	75	17.7	12.8-22.6	63	14.9	10.2-19.6			
White/Non-Hisp	299	90,302	44	15.7	10.0-21.4	49	16.3	11.2-21.4	43	13.3	08.2-18.4	80	26.7	20.4-33.0	39	13.4	08.5-18.3	44	14.5	08.8-20.2			
Black or Afr. Am./Non-Hisp	101	25,891	6	5.5	00.2-10.8	16	12.7	02.9-22.5	11	12.6	01.6-23.6	33	25.3	13.9-36.7	26	32.7	18.4-47.0	9	11.1	01.7-20.5			
45-54	61	24,771	4	5.6	00.0-11.9	14	24.6	11.9-37.3	10	21.9	09.2-34.6	12	20.5	08.5-32.5	13	18.7	07.3-30.1	8	8.7	02.0-15.4			
55-64	112	26,628	18	16.8	07.6-26.0	19	17.6	08.8-26.4	14	10.6	04.3-16.9	33	30.7	19.5-41.9	15	12.1	04.5-19.7	13	12.3	03.1-21.5			
65+	226	45,917	24	13.3	06.6-20.0	34	13.8	08.5-19.1	31	11.1	06.4-15.8	70	32.5	24.9-40.1	38	19.9	12.8-27.0	29	9.5	05.4-13.6			
Less Than H.S.	82	23,808	11	16.0	05.0-27.0	7	8.7	01.6-15.8	11	12.7	03.7-21.7	25	23.4	12.8-34.0	20	27.8	15.1-40.5	8	11.4	01.2-21.6			
H.S. or G.E.D.	176	49,911	18	10.9	05.0-16.8	34	18.0	10.6-25.4	23	13.0	06.1-19.9	48	24.2	16.6-31.8	24	13.7	06.8-20.6	29	20.1	11.7-28.5			
Some Post-H.S.	122	40,526	13	11.3	03.1-19.5	22	17.8	09.4-26.2	16	15.8	06.4-25.2	32	27.8	17.0-38.6	23	16.1	07.3-24.9	16	11.2	03.2-19.2			
College Graduate	68	13,197	12	17.2	04.1-30.3	9	11.1	02.7-19.5	11	13.8	04.2-23.4	18	26.0	12.7-39.3	8	18.9	04.8-33.0	10	12.9	01.5-24.3			
Less than \$15,000	118	30,557	14	11.8	04.5-19.1	17	12.6	05.3-19.9	10	9.9	00.9-18.9	30	18.8	10.8-26.8	23	20.9	11.1-30.7	24	26.0	13.8-38.2			
\$15,000- 24,999	107	29,432	12	9.7	03.4-16.0	13	12.5	04.9-20.1	13	13.4	03.4-23.4	29	23.8	13.4-34.2	24	25.3	14.1-36.5	16	15.3	05.9-24.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	697	224,116	292	43.5	38.4-48.6	259	34.0	29.5-38.5	28	4.5	0.2-0.6.7	13	1.6	0.0-0.2.8	76	12.7	0.9-16.4	29	3.7	0.1-0.5.5
Male	281	105,204	135	49.8	42.0-57.6	85	26.5	20.2-32.8	12	5.1	0.1-0.8.8	7	2.2	0.0-0.4.4	31	13.0	0.6-19.1	11	3.5	0.1-0.6.0
Female	416	118,911	157	37.9	31.4-44.4	174	40.6	34.3-46.9	16	3.9	0.1-0.6.3	6	1.2	0.0-0.2.2	45	12.5	0.8-17.0	18	3.9	0.1-0.6.4
White/Non-Hisp	480	161,810	212	46.0	40.3-51.7	188	36.1	30.8-41.4	19	4.5	0.1-0.7.2	5	1.3	0.0-0.2.7	43	9.0	0.5-12.1	13	3.0	0.0-0.5.2
Black or Afr. Am./Non-Hisp	136	34,517	44	33.6	21.4-45.8	52	37.0	25.0-49.0	4	5.3	0.0-11.2	7	3.8	0.0-0.7.1	18	15.9	0.5-26.3	11	4.4	0.1-0.7.3
45-54	97	43,185	41	40.0	28.0-52.0	33	36.6	25.0-48.2	5	6.5	0.0-12.6	2	1.0	0.0-0.2.6	13	13.4	0.4-22.0	3	2.4	0.0-0.5.7
55-64	205	62,076	94	47.4	38.6-56.2	80	38.9	30.5-47.3	5	1.2	0.0-0.2.4	5	1.4	0.0-0.2.8	14	6.8	0.2-11.3	7	4.3	0.0-0.8.8
65+	337	78,486	134	41.1	34.4-47.8	129	36.0	29.7-42.3	15	5.7	0.2-0.9.2	6	3.0	0.0-0.5.7	34	8.4	0.5-11.7	19	5.7	0.2-6.8.8
Less Than H.S.	119	43,480	42	43.7	30.4-57.0	38	23.3	14.3-32.3	7	8.0	0.0-15.1	3	3.1	0.0-0.6.8	17	10.7	0.4-17.4	12	11.2	0.3-19.0
H.S. or G.E.D.	257	81,344	105	40.8	33.0-48.6	88	33.4	26.0-40.8	13	3.9	0.1-0.6.4	5	1.5	0.0-0.3.1	34	17.6	1.0-24.9	12	2.8	0.0-0.4.8
Some Post-H.S.	195	70,169	84	45.0	35.8-54.2	83	39.0	30.2-47.8	5	3.7	0.0-0.8.2	4	1.4	0.0-0.3.4	15	9.5	0.3-15.8	4	1.4	0.0-0.3.4
College Graduate	126	29,122	61	46.9	36.1-57.7	50	39.9	29.3-50.5	3	2.5	0.0-0.5.4	1	0.4	0.0-0.1.2	10	9.9	0.2-17.2	1	0.4	0.0-0.1.2
Less than \$15,000	147	43,022	53	35.1	23.9-46.3	46	28.0	18.2-37.8	11	10.6	0.3-17.9	6	4.2	0.0-1.0.8.3	20	13.6	0.6-20.7	11	8.4	0.1-14.9
\$15,000- 24,999	156	55,544	69	42.0	30.6-53.4	55	29.1	19.9-38.3	5	2.0	0.0-0.4.2	2	2.1	0.0-0.5.0	22	22.4	1.4-33.4	3	2.3	0.0-0.5.6
\$25,000- 34,999	65	24,200	28	48.7	32.8-64.6	24	39.9	24.6-55.2	1	1.2	0.0-0.3.7	2	0.8	0.0-0.2.0	9	9.1	0.2-16.0	1	0.2	0.0-0.0.6
\$35,000- 49,999	82	25,025	40	49.6	36.1-63.1	30	36.0	23.3-48.7	1	0.6	0.0-0.1.8	8	10.5	0.3-17.9	3	3.3	0.0-0.7.8	3	3.3	0.0-0.7.8
\$50,000- 74,999	77	26,956	37	50.0	35.9-64.1	34	40.4	26.7-54.1	3	6.6	0.0-17.4	2	2.3	0.0-0.6.2	2	2.3	0.0-0.6.2	1	0.6	0.0-0.1.8
\$75,000+	66	19,519	30	51.2	37.1-65.3	28	37.7	24.2-51.2	2	3.5	0.0-0.8.8	5	4.0	0.0-0.7.7	1	3.5	0.0-10.2	1	3.5	0.0-10.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	281	105,204	135	49.8	42.0-57.6	85	26.5	20.2-32.8	12	5.1	01.2-09.0	7	2.2	00.0-04.4	31	13.0	06.9-19.1	11	3.5	01.0-06.0
White/Non-Hisp	200	77,008	102	52.0	43.8-60.2	68	31.5	23.9-39.1	6	5.0	00.1-09.9	4	2.6	00.0-05.3	16	6.9	03.2-10.6	4	2.0	00.0-04.4
55-64	94	35,557	47	54.9	42.6-67.2	31	32.0	20.4-43.6	3	1.4	00.0-03.4	2	0.5	00.0-01.3	7	7.5	00.8-14.2	4	3.7	00.0-08.8
65+	135	37,991	66	49.2	39.4-59.0	40	27.6	19.2-36.0	6	4.6	00.5-08.7	4	5.3	00.0-10.8	14	8.2	03.5-12.9	5	5.2	00.1-10.3
Less Than H.S.	50	22,782	24	56.1	36.5-75.7	10	16.1	04.1-28.1	2	4.6	00.0-12.8	1	3.1	00.0-09.2	8	11.7	00.9-22.5	5	8.4	00.0-17.4
H.S. or G.E.D.	91	35,189	41	45.4	32.3-58.5	26	25.2	14.6-35.8	5	4.2	00.0-08.5	2	1.6	00.0-04.3	14	21.3	07.8-34.8	3	2.3	00.0-05.8
Some Post-H.S.	81	31,071	35	43.7	30.8-56.6	32	36.1	23.2-49.0	3	7.6	00.0-17.6	3	2.9	00.0-07.4	5	6.7	00.0-16.1	3	2.9	00.0-07.4
College Graduate	59	16,162	35	62.4	48.3-76.5	17	25.7	13.4-38.0	2	2.8	00.0-06.9	1	0.6	00.0-02.0	4	8.5	00.0-17.5			
\$15,000- 24,999	58	28,134	26	39.2	20.6-57.8	15	22.4	09.3-35.5	1	0.2	00.0-00.6	2	4.2	00.0-10.1	11	29.4	10.8-48.0	3	4.6	00.0-11.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	416	118,911	157	37.9	31.4-44.4	174	40.6	34.3-46.9	16	3.9	01.5-06.3	6	1.2	00.2-02.2	45	12.5	08.0-17.0	18	3.9	01.4-06.4
White/Non-Hisp	280	84,801	110	40.6	33.0-48.2	120	40.4	33.1-47.7	13	4.0	01.3-06.7	1	0.1	00.0-00.3	27	10.9	05.8-16.0	9	4.0	00.7-07.3
Black or Afr. Am./Non-Hisp	92	23,473	29	28.6	13.7-43.5	42	48.8	33.3-64.3	1	3.8	00.0-11.1	4	4.4	00.0-08.9	10	11.7	02.1-21.3	6	2.7	00.3-05.1
45-54	60	24,450	26	39.7	25.4-54.0	23	43.5	28.8-58.2	3	5.3	00.0-11.8	1	1.4	00.0-04.1	6	7.3	00.8-13.8	1	2.8	00.0-08.1
55-64	111	26,519	47	37.3	25.7-48.9	49	48.2	36.2-60.2	2	0.8	00.0-02.0	3	2.5	00.0-05.6	7	5.9	01.0-10.8	3	5.3	00.0-13.3
65+	202	40,495	68	33.6	24.8-42.4	89	43.9	35.1-52.7	9	6.8	01.1-12.5	2	0.9	00.0-02.5	20	8.6	04.1-13.1	14	6.2	02.1-10.3
Less Than H.S.	69	20,698	18	30.0	15.7-44.3	28	31.3	18.4-44.2	5	11.8	00.6-23.0	2	3.2	00.0-07.5	9	9.5	02.2-16.8	7	14.2	01.7-26.7
H.S. or G.E.D.	166	46,155	64	37.3	27.5-47.1	62	39.6	29.8-49.4	8	3.7	00.6-06.8	3	1.4	00.0-03.2	20	14.8	07.2-22.4	9	3.2	00.8-05.6
Some Post-H.S.	114	39,098	49	46.1	33.6-58.6	51	41.2	29.2-53.2	2	0.6	00.0-01.4	1	0.2	00.0-00.6	10	11.7	02.9-20.5	1	0.1	00.0-00.3
College Graduate	67	12,960	26	27.7	13.4-42.0	33	57.6	41.5-73.7	1	2.0	00.0-05.9				6	11.8	00.0-23.6	1	0.9	00.0-02.7
Less than \$15,000	106	26,897	35	24.0	14.2-33.8	33	32.3	20.0-44.6	7	8.6	00.8-16.4	4	3.8	00.0-07.7	17	19.0	08.8-29.2	10	12.3	02.7-21.9
\$15,000- 24,999	98	27,409	43	44.9	31.8-58.0	40	36.0	23.8-48.2	4	3.9	00.0-08.2				11	15.3	04.9-25.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	770	244,044	166	21.6	17.5-25.7	122	14.8	11.7-17.9	58	7.3	04.9-09.7	103	12.5	09.4-15.6	57	7.0	04.6-09.4	264	36.8	32.1-41.5
Male	307	114,579	67	21.7	15.0-28.4	49	15.4	10.5-20.3	23	7.9	04.0-11.8	37	12.6	07.7-17.5	26	7.6	04.1-11.1	105	34.9	27.8-42.0
Female	463	129,465	99	21.6	16.7-26.5	73	14.3	10.2-18.4	35	6.7	03.8-09.6	66	12.4	08.7-16.1	31	6.5	03.4-09.6	159	38.6	32.5-44.7
White/Non-Hisp	523	173,246	119	23.1	18.4-27.8	75	14.5	10.8-18.2	38	7.5	04.6-10.4	65	12.4	08.7-16.1	36	6.3	03.8-08.8	190	36.2	31.1-41.3
Black or Afr. Am./Non-Hisp	161	41,736	31	17.0	08.8-25.2	30	17.8	09.6-26.0	14	5.6	01.7-09.5	27	15.4	07.6-23.2	15	9.4	02.1-16.7	44	34.8	23.2-46.4
45-54	103	46,161	18	18.6	08.6-28.6	15	14.9	07.1-22.7	4	6.3	00.2-12.4	15	13.5	05.7-21.3	9	7.9	01.8-14.0	42	38.7	27.3-50.1
55-64	221	67,684	55	23.9	17.0-30.8	41	20.4	13.5-27.3	18	8.4	03.5-13.3	25	12.0	05.9-18.1	8	2.2	00.4-04.0	74	33.2	25.2-41.2
65+	383	88,490	81	21.5	16.4-26.6	57	12.4	08.5-16.3	30	6.9	04.0-09.8	61	16.0	11.5-20.5	33	9.2	05.5-12.9	121	34.1	28.0-40.2
Less Than H.S.	146	50,614	26	23.2	11.0-35.4	14	6.4	02.1-10.7	14	11.0	03.9-18.1	26	14.8	07.5-22.1	17	11.0	04.5-17.5	49	33.6	23.2-44.0
H.S. or G.E.D.	282	90,326	58	18.1	12.4-23.8	51	17.1	11.6-22.6	18	6.4	02.7-10.1	39	11.8	07.3-16.3	17	5.5	02.2-08.8	99	41.1	33.3-48.9
Some Post-H.S.	207	71,441	52	25.4	18.0-32.8	35	17.3	10.8-23.8	14	5.5	02.0-09.0	24	13.0	06.3-19.7	15	5.7	01.2-10.2	67	33.1	24.5-41.7
College Graduate	135	31,663	30	20.5	12.5-28.5	22	16.0	08.2-23.8	12	7.7	02.0-13.4	14	9.6	03.7-15.5	8	8.0	02.3-13.7	49	38.2	28.0-48.4
Less than \$15,000	173	49,952	37	24.3	14.5-34.1	22	10.8	05.1-16.5	11	9.3	01.9-16.7	21	9.0	04.3-13.7	19	11.0	04.9-17.1	63	35.6	26.0-45.2
\$15,000- 24,999	175	61,418	36	21.1	11.5-30.7	27	12.2	06.1-18.3	16	6.9	03.0-10.8	26	14.0	07.1-20.9	16	7.5	03.2-11.8	54	38.3	27.5-49.1
\$25,000- 34,999	67	25,814	13	19.3	08.1-30.5	14	22.3	09.8-34.8	2	1.5	00.0-04.0	13	17.8	06.2-29.4	4	7.1	00.0-17.5	21	31.9	16.8-47.0
\$35,000- 49,999	83	25,525	24	30.9	18.7-43.1	18	18.4	08.0-28.8	7	11.9	02.9-20.9	5	5.2	00.0-12.3	4	6.2	00.0-13.6	25	27.4	15.8-39.0
\$50,000- 74,999	80	27,791	16	17.0	06.8-27.2	15	18.3	08.3-28.3	7	7.5	00.8-14.2	12	19.3	07.0-31.6	2	2.6	00.0-06.9	28	35.3	22.0-48.6
\$75,000+	68	20,026	18	25.0	13.4-36.6	8	10.3	02.7-17.9	7	7.0	00.1-13.9	8	12.3	03.5-21.1				27	45.4	31.5-59.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	307	114,579	67	21.7	15.0-28.4	49	15.4	10.5-20.3	23	7.9	04.0-11.8	37	12.6	07.7-17.5	26	7.6	04.1-11.1	105	34.9	27.6-42.2
White/Non-Hisp	217	82,701	50	21.9	15.0-28.8	34	15.9	10.0-21.8	15	8.1	03.4-12.8	28	14.9	08.8-21.0	16	6.8	02.9-10.7	74	32.3	25.0-39.6
Black or Afr. Am./Non-Hisp	51	14,177	7	14.7	01.8-27.6	9	22.9	06.6-39.2	6	7.6	00.0-15.4	3	2.3	00.0-05.0	6	7.0	00.7-13.3	20	45.6	25.0-66.2
55-64	102	38,752	25	22.3	12.9-31.7	21	25.5	14.9-36.1	10	9.5	01.9-17.1	7	9.7	01.5-17.9	4	1.9	00.0-04.1	35	31.1	20.3-41.9
65+	151	42,640	32	20.7	13.3-28.1	21	11.1	05.6-16.6	7	5.2	01.1-09.3	25	16.5	09.6-23.4	16	11.8	05.5-18.1	50	34.8	25.8-43.8
Less Than H.S.	54	24,051	12	34.2	12.6-55.8	6	7.6	00.3-14.9	6	15.3	01.8-28.8	8	10.7	00.7-20.7	6	11.4	00.6-22.2	16	20.8	08.1-33.5
H.S. or G.E.D.	101	39,829	23	15.2	07.4-23.0	17	17.2	08.4-26.0	4	4.1	00.0-08.2	12	11.5	04.1-18.9	9	8.1	01.6-14.6	36	43.9	30.8-57.0
Some Post-H.S.	86	32,348	17	19.6	10.2-29.0	18	22.5	11.5-33.5	6	6.3	00.4-12.2	11	16.5	04.9-28.1	7	4.7	00.8-08.6	27	30.4	18.1-42.7
College Graduate	66	18,350	15	22.9	11.5-34.3	8	9.0	01.9-16.1	7	9.1	00.7-17.5	6	10.4	01.6-19.2	4	6.8	00.3-13.3	26	41.8	28.1-55.5
\$15,000- 24,999	68	32,010	12	21.3	04.8-37.8	6	7.0	00.0-14.3	8	8.6	01.9-15.3	10	12.0	02.6-21.4	7	6.7	01.2-12.2	25	44.5	27.3-61.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	463	129,465	99	21.6	16.7-26.5	73	14.3	10.2-18.4	35	6.7	03.8-09.6	66	12.4	08.7-16.1	31	6.5	03.4-09.6	159	38.6	32.5-44.7
White/Non-Hisp	306	90,545	69	24.2	17.9-30.5	41	13.2	08.3-18.1	23	6.9	03.2-10.6	37	10.1	06.2-14.0	20	5.8	02.7-08.9	116	39.7	32.4-47.0
Black or Afr. Am./Non-Hisp	110	27,559	24	18.2	07.6-28.8	21	15.2	06.2-24.2	8	4.6	00.5-08.7	24	22.2	10.8-33.6	9	10.7	00.3-21.1	24	29.2	15.7-42.7
45-54	64	25,896	11	19.1	07.9-30.3	9	15.8	05.0-26.6	1	2.6	00.0-07.5	11	16.3	05.3-27.3	5	6.9	00.0-14.0	27	39.3	25.4-53.2
55-64	119	28,932	30	26.1	15.9-36.3	20	13.6	06.5-20.7	8	6.8	01.3-12.3	18	15.0	06.4-23.6	4	2.5	00.0-05.2	39	35.9	24.3-47.5
65+	232	45,850	49	22.1	15.4-28.8	36	13.6	08.3-18.9	23	8.5	04.4-12.6	36	15.4	09.5-21.3	17	6.8	02.7-10.9	71	33.5	25.3-41.7
Less Than H.S.	92	26,563	14	13.3	05.5-21.1	8	5.4	00.3-10.5	8	7.1	01.2-13.0	18	18.5	08.5-28.5	11	10.5	02.9-18.1	33	45.2	31.9-58.5
H.S. or G.E.D.	181	50,497	35	20.4	12.4-28.4	34	17.0	09.9-24.1	14	8.2	02.5-13.9	27	12.0	06.3-17.7	8	3.6	00.7-06.5	63	38.8	29.4-48.2
Some Post-H.S.	121	39,093	35	30.1	19.1-41.1	17	13.0	05.4-20.6	8	4.9	00.8-09.0	13	10.0	02.9-17.1	8	6.5	00.0-13.8	40	35.4	23.4-47.4
College Graduate	69	13,313	15	17.1	06.7-27.5	14	25.8	11.1-40.5	5	5.7	00.0-12.0	8	8.7	02.0-15.4	4	9.6	00.0-19.8	23	33.3	17.8-48.8
Less than \$15,000	127	32,546	27	22.2	12.0-32.4	14	9.9	03.0-16.8	5	5.0	00.0-12.1	15	7.7	03.0-12.4	12	8.3	02.8-13.8	54	46.9	34.9-58.9
\$15,000- 24,999	107	29,408	24	20.9	11.3-30.5	21	17.9	08.3-27.5	8	5.1	01.2-09.0	16	16.2	06.4-26.0	9	8.4	01.9-14.9	29	31.5	19.2-43.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	776	243,623	179	18.7	15.4-22.0	303	36.4	31.9-40.9	125	17.7	13.8-21.6	138	22.3	18.0-26.6	31	4.8	02.8-06.8
Male	311	115,454	69	16.9	12.2-21.6	112	34.9	28.2-41.6	58	20.1	13.6-26.6	60	24.2	17.1-31.3	12	3.8	01.3-06.3
Female	465	128,169	110	20.4	15.7-25.1	191	37.8	31.9-43.7	67	15.6	10.9-20.3	78	20.6	15.3-25.9	19	5.7	02.6-08.8
White/Non-Hisp	526	173,062	118	19.5	15.6-23.4	210	38.1	32.8-43.4	89	18.1	13.8-22.4	92	20.3	15.6-25.0	17	4.0	01.8-06.2
Black or Afr. Am./Non-Hisp	162	41,263	39	18.4	09.8-27.0	64	36.9	26.1-47.7	25	16.3	08.5-24.1	28	24.6	13.2-36.0	6	3.9	00.0-07.8
45-54	102	45,064	20	17.4	08.6-26.2	31	29.1	18.5-39.7	15	15.1	07.1-23.1	25	28.7	16.9-40.5	11	9.7	03.8-15.6
55-64	216	66,213	47	18.0	12.1-23.9	83	38.3	29.9-46.7	42	22.4	15.0-29.8	38	17.6	11.3-23.9	6	3.6	00.1-07.1
65+	396	90,300	102	23.2	18.3-28.1	171	45.5	39.4-51.6	59	14.7	10.6-18.8	55	14.5	09.8-19.2	9	2.1	00.5-03.7
Less Than H.S.	149	50,025	32	13.3	07.4-19.2	59	37.7	26.9-48.5	20	20.0	08.4-31.6	34	26.1	15.7-36.5	4	3.0	00.0-07.1
H.S. or G.E.D.	285	89,962	61	19.8	13.7-25.9	106	32.0	25.1-38.9	51	18.3	12.4-24.2	49	22.3	14.9-29.7	18	7.5	03.8-11.2
Some Post-H.S.	207	72,504	39	14.9	09.2-20.6	89	41.7	33.1-50.3	36	16.8	09.9-23.7	36	22.4	14.2-30.6	7	4.2	00.1-08.3
College Graduate	135	31,132	47	33.3	23.5-43.1	49	34.9	24.9-44.9	18	14.7	07.3-22.1	19	16.0	07.8-24.2	2	1.1	00.0-03.1
Less than \$15,000	174	49,135	33	13.4	07.7-19.1	65	33.7	24.1-43.3	36	24.9	15.7-34.1	37	26.1	16.1-36.1	3	1.8	00.0-04.3
\$15,000- 24,999	179	62,359	35	14.0	07.9-20.1	70	34.2	24.8-43.6	22	15.1	05.7-24.5	42	31.2	20.8-41.6	10	5.6	01.5-09.7
\$25,000- 34,999	68	25,154	17	24.6	11.3-37.9	20	27.4	13.5-41.3	10	12.5	02.9-22.1	19	31.0	15.9-46.1	2	4.4	00.0-10.5
\$35,000- 49,999	86	26,008	24	19.7	11.1-28.3	35	47.3	34.2-60.4	14	18.9	08.3-29.5	10	11.9	03.5-20.3	3	2.2	00.0-05.1
\$50,000- 74,999	80	27,791	23	23.9	12.7-35.1	29	34.3	21.6-47.0	13	19.1	07.3-30.9	11	16.2	04.2-28.2	4	6.5	00.0-13.0
\$75,000+	65	19,092	16	27.5	14.4-40.6	32	46.1	32.0-60.2	12	16.7	06.5-26.9	4	8.6	00.0-17.2	1	1.1	00.0-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	311	115,454	69	16.9	12.2-21.6	112	34.9	28.0-41.8	58	20.1	13.6-26.6	60	24.2	17.1-31.3	12	3.8	01.3-06.3
White/Non-Hisp	220	83,466	45	17.0	11.7-22.3	84	38.3	30.5-46.1	44	19.8	13.5-26.1	40	21.8	14.2-29.4	7	3.1	00.6-05.6
Black or Afr. Am./Non-Hisp	51	14,177	15	27.6	09.0-46.2	14	23.7	08.2-39.2	10	22.2	06.9-37.5	11	25.4	05.8-45.0	1	1.0	00.0-03.2
55-64	101	38,638	21	15.9	08.5-23.3	34	35.2	23.6-46.8	25	27.1	16.1-38.1	18	17.1	08.5-25.7	3	4.7	00.0-10.4
65+	157	44,047	40	23.0	15.6-30.4	64	44.7	35.5-53.9	26	17.3	10.4-24.2	22	13.1	06.6-19.6	5	1.9	00.1-03.7
Less Than H.S.	55	24,147	11	8.5	02.6-14.4	18	30.3	14.0-46.6	8	26.5	05.5-47.5	16	30.0	12.4-47.6	2	4.8	00.0-12.8
H.S. or G.E.D.	104	40,355	18	16.4	07.4-25.4	33	27.5	16.9-38.1	26	24.2	14.4-34.0	19	24.8	11.9-37.7	8	7.1	01.8-12.4
Some Post-H.S.	87	33,059	18	17.4	08.6-26.2	41	47.0	33.9-60.1	12	10.7	03.4-18.0	14	23.8	10.7-36.9	2	1.1	00.0-02.7
College Graduate	65	17,893	22	28.5	16.7-40.3	20	35.5	21.8-49.2	12	19.8	08.2-31.4	11	16.2	05.4-27.0			
\$15,000- 24,999	69	32,703	8	7.1	01.0-13.2	24	26.8	14.3-39.3	14	24.2	07.7-40.7	18	37.0	20.1-53.9	5	4.9	00.0-11.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	465	128,169	110	20.4	15.7-25.1	191	37.8	32.1-43.5	67	15.6	10.9-20.3	78	20.6	15.3-25.9	19	5.7	02.6-08.8
White/Non-Hisp	306	89,596	73	21.8	15.9-27.7	126	38.0	30.9-45.1	45	16.5	10.6-22.4	52	18.9	13.0-24.8	10	4.8	01.1-08.5
Black or Afr. Am./Non-Hisp	111	27,086	24	13.6	05.6-21.6	50	43.7	30.0-57.4	15	13.2	04.4-22.0	17	24.1	10.0-38.2	5	5.4	00.0-11.3
45-54	64	25,216	15	21.0	09.6-32.4	20	30.7	17.2-44.2	9	17.7	06.3-29.1	13	20.1	08.7-31.5	7	10.5	02.5-18.5
55-64	115	27,575	26	21.0	11.4-30.6	49	42.7	30.7-54.7	17	15.9	07.3-24.5	20	18.4	09.0-27.8	3	2.0	00.0-04.7
65+	239	46,253	62	23.4	16.7-30.1	107	46.3	38.1-54.5	33	12.2	07.3-17.1	33	15.8	09.1-22.5	4	2.2	00.0-04.9
Less Than H.S.	94	25,878	21	17.7	08.3-27.1	41	44.6	31.5-57.7	12	13.9	05.1-22.7	18	22.4	10.6-34.2	2	1.4	00.0-03.8
H.S. or G.E.D.	181	49,607	43	22.6	14.6-30.6	73	35.7	26.9-44.5	25	13.5	06.6-20.4	30	20.4	12.0-28.8	10	7.8	02.7-12.9
Some Post-H.S.	120	39,445	21	12.8	05.5-20.1	48	37.3	25.7-48.9	24	21.9	11.1-32.7	22	21.2	10.6-31.8	5	6.8	00.0-14.1
College Graduate	70	13,238	25	39.7	23.8-55.6	29	34.2	19.5-48.9	6	7.7	00.6-14.8	8	15.8	03.1-28.5	2	2.6	00.0-07.1
Less than \$15,000	127	31,617	26	16.0	08.4-23.6	49	33.3	22.3-44.3	25	23.2	12.8-33.6	26	27.2	16.0-38.4	1	0.2	00.0-00.6
\$15,000- 24,999	110	29,656	27	21.5	11.5-31.5	46	42.3	29.8-54.8	8	5.1	01.0-09.2	24	24.7	13.7-35.7	5	6.3	00.8-11.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	776	244,062	143	17.9	14.4-21.4	633	82.1	78.6-85.6
Male	306	113,399	66	18.3	12.8-23.8	240	81.7	76.2-87.2
Female	470	130,663	77	17.6	12.9-22.3	393	82.4	77.7-87.1
White/Non-Hisp	533	174,960	87	17.8	13.5-22.1	446	82.2	77.9-86.5
Black or Afr. Am./Non-Hisp	159	41,690	38	20.9	12.7-29.1	121	79.1	70.9-87.3
45-54	102	45,445	24	25.3	14.5-36.1	78	74.7	63.9-85.5
55-64	218	66,261	46	17.9	12.0-23.8	172	82.1	76.2-88.0
65+	394	90,137	62	15.7	11.4-20.0	332	84.3	80.0-88.6
Less Than H.S.	147	49,995	33	21.7	12.1-31.3	114	78.3	68.7-87.9
H.S. or G.E.D.	284	90,575	46	13.9	09.2-18.6	238	86.1	81.4-90.8
Some Post-H.S.	209	72,512	45	22.0	14.6-29.4	164	78.0	70.6-85.4
College Graduate	136	30,980	19	14.4	07.5-21.3	117	85.6	78.7-92.5
Less than \$15,000	173	47,899	37	24.3	14.7-33.9	136	75.7	66.1-85.3
\$15,000- 24,999	177	61,768	33	18.2	10.8-25.6	144	81.8	74.4-89.2
\$25,000- 34,999	69	25,973	15	16.1	06.5-25.7	54	83.9	74.3-93.5
\$35,000- 49,999	85	25,674	13	15.9	06.7-25.1	72	84.1	74.9-93.3
\$50,000- 74,999	79	27,572	20	27.8	15.1-40.5	59	72.2	59.5-84.9
\$75,000+	67	19,812	5	6.1	00.0-12.2	62	93.9	87.8-0100

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	306	113,399	66	18.3	12.8-23.8	240	81.7	76.2-87.2
White/Non-Hisp	219	83,133	44	19.6	12.9-26.3	175	80.4	73.7-87.1
Black or Afr. Am./Non-Hisp	51	14,177	14	21.4	08.1-34.7	37	78.6	65.3-91.9
55-64	102	38,752	23	16.0	08.4-23.6	79	84.0	76.4-91.6
65+	151	42,187	31	17.9	11.0-24.8	120	82.1	75.2-89.0
Less Than H.S.	54	23,482	13	22.3	05.4-39.2	41	77.7	60.8-94.6
H.S. or G.E.D.	102	39,744	19	13.5	06.2-20.8	83	86.5	79.2-93.8
Some Post-H.S.	84	31,967	23	23.7	13.3-34.1	61	76.3	65.9-86.7
College Graduate	66	18,206	11	14.2	05.4-23.0	55	85.8	77.0-94.6
\$15,000- 24,999	69	32,106	12	9.0	02.7-15.3	57	91.0	84.7-97.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	470	130,663	77	17.6	12.9-22.3	393	82.4	77.7-87.1
White/Non-Hisp	314	91,827	43	16.1	10.4-21.8	271	83.9	78.2-89.6
Black or Afr. Am./Non-Hisp	108	27,512	24	20.7	10.5-30.9	84	79.3	69.1-89.5
45-54	64	25,905	15	21.4	10.0-32.8	49	78.6	67.2-90.0
55-64	116	27,510	23	20.5	11.1-29.9	93	79.5	70.1-88.9
65+	243	47,950	31	13.9	08.4-19.4	212	86.1	80.6-91.6
Less Than H.S.	93	26,513	20	21.1	10.9-31.3	73	78.9	68.7-89.1
H.S. or G.E.D.	182	50,831	27	14.2	08.1-20.3	155	85.8	79.7-91.9
Some Post-H.S.	125	40,545	22	20.6	10.0-31.2	103	79.4	68.8-90.0
College Graduate	70	12,774	8	14.7	03.5-25.9	62	85.3	74.1-96.5
Less than \$15,000	129	31,820	29	24.0	14.6-33.4	100	76.0	66.6-85.4
\$15,000- 24,999	108	29,663	21	28.1	15.6-40.6	87	71.9	59.4-84.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	791	247,849	404	51.1	46.4-55.8	387	48.9	44.2-53.6
Male	311	115,030	158	49.6	42.2-57.0	153	50.4	43.0-57.8
Female	480	132,819	246	52.4	46.3-58.5	234	47.6	41.5-53.7
White/Non-Hisp	538	176,845	280	51.5	46.2-56.8	258	48.5	43.2-53.8
Black or Afr. Am./Non-Hisp	163	41,449	89	55.1	43.5-66.7	74	44.9	33.3-56.5
45-54	104	46,301	51	43.5	32.1-54.9	53	56.5	45.1-67.9
55-64	220	67,013	122	58.8	50.4-67.2	98	41.2	32.8-49.6
65+	404	92,208	196	47.7	41.6-53.8	208	52.3	46.2-58.4
Less Than H.S.	152	51,350	59	42.3	30.7-53.9	93	57.7	46.1-69.3
H.S. or G.E.D.	289	90,964	140	42.8	35.4-50.2	149	57.2	49.8-64.6
Some Post-H.S.	215	74,738	126	63.0	54.8-71.2	89	37.0	28.8-45.2
College Graduate	135	30,798	79	61.0	51.0-71.0	56	39.0	29.0-49.0
Less than \$15,000	178	49,841	86	53.9	43.5-64.3	92	46.1	35.7-56.5
\$15,000- 24,999	180	61,927	88	43.4	32.8-54.0	92	56.6	46.0-67.2
\$25,000- 34,999	68	25,919	37	54.8	39.3-70.3	31	45.2	29.7-60.7
\$35,000- 49,999	87	26,371	46	50.4	37.3-63.5	41	49.6	36.5-62.7
\$50,000- 74,999	80	27,791	52	66.3	53.6-79.0	28	33.7	21.0-46.4
\$75,000+	68	20,026	37	57.2	43.7-70.7	31	42.8	29.3-56.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	311	115,030	158	49.6	42.2-57.0	153	50.4	43.0-57.8
White/Non-Hisp	221	83,712	111	48.9	40.9-56.9	110	51.1	43.1-59.1
Black or Afr. Am./Non-Hisp	50	13,507	28	50.6	30.0-71.2	22	49.4	28.8-70.0
55-64	101	38,081	56	55.7	43.9-67.5	45	44.3	32.5-56.1
65+	156	43,762	74	45.3	36.1-54.5	82	54.7	45.5-63.9
Less Than H.S.	55	24,147	21	46.7	26.9-66.5	34	53.3	33.5-73.1
H.S. or G.E.D.	103	39,685	47	36.9	25.5-48.3	56	63.1	51.7-74.5
Some Post-H.S.	87	33,059	56	65.7	53.7-77.7	31	34.3	22.3-46.3
College Graduate	66	18,140	34	51.8	37.9-65.7	32	48.2	34.3-62.1
\$15,000- 24,999	68	31,861	26	39.5	22.4-56.6	42	60.5	43.4-77.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

Data was weighted using _LLCPWT.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	480	132,819	246	52.4	46.3-58.5	234	47.6	41.5-53.7
White/Non-Hisp	317	93,133	169	53.9	46.6-61.2	148	46.1	38.8-53.4
Black or Afr. Am./Non-Hisp	113	27,942	61	57.3	43.6-71.0	52	42.7	29.0-56.4
45-54	65	26,035	33	45.8	31.7-59.9	32	54.2	40.1-68.3
55-64	119	28,932	66	62.8	51.6-74.0	53	37.2	26.0-48.4
65+	248	48,446	122	49.8	42.0-57.6	126	50.2	42.4-58.0
Less Than H.S.	97	27,203	38	38.4	26.1-50.7	59	61.6	49.3-73.9
H.S. or G.E.D.	186	51,279	93	47.4	38.0-56.8	93	52.6	43.2-62.0
Some Post-H.S.	128	41,679	70	60.9	49.5-72.3	58	39.1	27.7-50.5
College Graduate	69	12,658	45	74.2	62.4-86.0	24	25.8	14.0-37.6
Less than \$15,000	131	32,324	55	48.3	36.5-60.1	76	51.7	39.9-63.5
\$15,000- 24,999	112	30,066	62	47.5	35.2-59.8	50	52.5	40.2-64.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
ARKANSAS MODULE QUESTIONS DATA REPORT, 2012**

End of Module Data Report