


Scott County Results 2005

County Youth Health Survey



What is the County Youth Health Survey?

- The CYHS is an 87 item multiple-choice questionnaire which was developed by the Centers for Disease Control and Prevention to measure behaviors that put youth health at risk.

In Scott County.....

- Survey was administered in November 2005
- A total of 631 students in 7th –12th grade completed valid surveys.
- The survey was representative of the 7th –12th grade school population.

Interpretation of Results


- “Snapshot in time”
- As accurate as students’ reporting
- Edited for consistency
- Confidential

What it covers...

- Behaviors that result in intentional & unintentional injuries
- Tobacco use
- Alcohol & other drug use
- Sexual Behaviors
- Physical Activity
- Nutrition


Demographics of Survey Participants

- Gender




Demographics of Survey Participants, cont.

- Age



Demographics of Survey Participants, cont.


- Grade




Scott County CYHS 2005

Summary of Scott County CYHS Findings


Physical Safety/Injuries




Summary of Scott County CYHS Findings Tobacco



Summary of Scott County CYHS Findings Alcohol and other Drugs




Summary of Scott County CYHS Findings Sexual Behavior




Summary of Scott County CYHS Findings

Diet and Exercise



Summary of Scott County CYHS Findings

School Property




Detailed Findings


Vehicle Safety



Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else.



Of students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a helmet




Detailed Findings


Violence



Percentage of students who did not go to school on one or more of the past 30 days because they felt unsafe at school or on their way to or from school.



Percentage of students who were in a physical fight one or more times during the past 12 months.




Detailed Findings



Depression and Suicide

Percentage of students who seriously considered attempting suicide during the past 12 months.




Detailed Findings




Tobacco


Percentage of students who ever tried cigarette smoking, even one or two puffs.



Percentage of students who smoked cigarettes on one or more of the past 30 days.



Percentage of students who used chewing tobacco or snuff on one or more of the past 30 days.




Detailed Findings




Alcohol

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days.




Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days.







Detailed Findings-Illicit Drugs



Percentage of students who used marijuana one or more times during the past 30 days.



Percentage of students who sniffed glue, breathed the contents of aerosol spray cans or inhaled any paints or sprays to get high during their life.




Detailed Findings




Sexual Behavior

Percentage of students who had sexual intercourse during the past three months



Percentage of students who were ever taught about AIDS or HIV infection in school







Detailed Findings- Weight, Diet & Exercise



Percentage of students who are overweight, as calculated by Body Mass Index.



Percentage of students who describe themselves as slightly or very overweight.



Percentage of students who were trying to lose weight.

