

**ACCR REPORTABLE LIST**  
**ICD-9 Casefinding Codes for ICD-O-3 Reportable Diseases**

The following ICD-9-CM list is intended to assist in reportable neoplasm casefinding activities. It should be used to identify potentially reportable tumors. Any reportable neoplasms diagnosed on or after January 1, 1996 should be reported to the Arkansas Central Cancer Registry

**Reportable Neoplasms:**

- Malignant neoplasms (exclusions noted below)
  - Benign and borderline neoplasms of the central nervous system (cases diagnosed on or after January 1, 2004)
  - Carcinoma in-situ (exclusions noted below)
  - Pilocytic/juvenile astrocytoma is listed as 9421/1 in ICD-0-3, is reportable, and should be coded 9421/3.
  - Squamous intraepithelial neoplasia grade III of vulva (**VIN**), vagina (**VAIN**), and anus (**AIN**) beginning with 2001 cases.
- Primary tumors that originate in a mucous membrane **are reportable** and include the following:

Lip	C00.1-C00.9	Vulva	C51.9
Anus	C21.0	Vagina	C52.9
Labia	C51.0-C51.1	Prepuce	C60.0
Clitoris	C51.2	Penis	C60.1-C60.9
Scrotum	C63.2		

**Non-Reportable Neoplasms**

The following are exclusions and do not need to be reported to ACCR

<b>Morphology Codes</b>	<b>Diagnosis/Terminology</b>
8000-8004	Neoplasms, malignant, NOS of skin
8010/2	Carcinoma in situ of cervix (CIS)
8010-8045	Epithelial carcinomas of skin
8050-8084	Papillary and Squamous Cell Carcinoma of skin
8077/2	Squamous intraepithelial neoplasia, grade III of cervix (CIN III)
8090-8110	Basal Cell Carcinoma of skin
8148/2	Prostatic Intraepithelial Neoplasia

- Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473, of the ovaries which moved from /3 to /1 are NOT collected as of 1/1/2001

## ICD-9 Codes for Casefinding

140.0-208.9	Malignancies (primary and secondary)
209.0-209.30	Neuroendocrine tumors
209.31-209.36	Merkel Cell Carcinoma
209.75	Secondary Merkel Cell Carcinoma
230.0-231.9	Carcinoma in-situ of digestive organs and respiratory system
233.0-234.9	Carcinoma in-situ of breast and genitourinary system; other and unspecified sites
238.4	Polycythemia vera (9950/3)*
238.6	Solitary plasmocytoma (9731/3), Extramedullary plasmacytoma (9734/3)
238.71-238.76	Essential thrombocythemia (9960/3-9962/3, 9985/3, 9986/3, 9987/3)
238.77	Post-Transplant lymphoproliferative disorder (PTLD) (9971/3, 9987/3)
238.79	Other lymphatic/hematopoietic tissues (9724/3, 9759/3, 9931/3, 9960/3, 9965/3-9967/3, 9975/3)
239.6-239.7	Neoplasms of uncertain nature brain, endocrine glands and other parts of nervous system
259.2	Carcinoid Syndrome
273.2	Gamma Heavy Chain Disease; Franklins Disease
273.3	Waldenstrom's macroglobulinemia
285.0	Sideroblastic Anemia (9982/3-9984)
288.3	Hypereosinophilic syndrome (9964/3)
288.4	Hemophagocytic syndrome (9751/3, 9754/3)
289.83	Myelofibrosis (9961/3)
289.89	Acute Myelofibrosis (9932/3)
789.51	Malignant ascites
V58.0	Encounter or admission for radiotherapy
V58.1	Encounter for chemotherapy and immunotherapy

## Benign Brain Tumor Codes

225.0-225.9	Benign neoplasm of brain and spinal cord neoplasm
227.3	Benign of pituitary, craniopharyngeal duct, craniobuccal pouch, hypophysis, rathke's pouch, sella turcica
227.4	Benign neoplasm of pineal gland, pineal body
237.70	Neurofibromatosis, Unspecified von Recklinghausen's Disease
237.71	Neurofibromatosis, Type One von Recklinghausen's Disease
237.72	Neurofibromatosis, Type Two von Recklinghausen's Disease

The following terms are synonymous with in-situ disease (Behavior code 2)

Adenocarcinoma in an adenomatous polyp with no invasion of stalk

Clark's level I melanoma or limited to epithelium

Noninfiltrating comedocarcinoma, confined to epithelium

Hutchison's melanotic freckle NOS, intracystic-noninfiltrating, intraductal, intraepithelium NOS, intraepidermal NOS (involvement up to but not including basement membrane.)

Lentigo maligna, lobular neoplasia, lobular-noninfiltrating, noninvasive, no stromal involvement, papillary noninfiltrating or intraductal

Vaginal intraepithelial neoplasia Grade III or VAIN III

Vulvar intraepithelial neoplasia Grade III or VIN III

Anal intraepithelial neoplasia Grade III or AIN III

- ◇ If any invasion is present, no matter how limited – cases must be coded to invasive behavior
- ◇ If other benign or borderline diseases are required to be collected by your hospital cancer committee or other appointed officials, they are not required to be reported to ACCR.

Revised: 01/24/2011