

---

# CONTENT SPECIFICATIONS FOR THE LIMITED SCOPE OF PRACTICE IN RADIOGRAPHY EXAMINATION



ARRT® Board Approved: January 2012  
Implementation Date: January 2013

---

The purpose of the The American Registry of Radiologic Technologists® (ARRT®) examination for the Limited Scope of Practice in Radiography is to assess the knowledge and cognitive skills required to radiograph selected anatomic regions (chest, extremities, etc.). These content specifications and task inventory represent a subset of the content specifications and task inventory developed for the radiography examination through the ARRT 2012 Practice Analysis. The task inventory appears in Attachment D of this document. The ARRT administers the examination at a state's request under contractual arrangement and provides the results directly to the state. This examination is not associated with any type of certification by the ARRT.

It is the philosophy of the ARRT that an individual licensed in limited scope radiography possess the same knowledge and cognitive skill, *in his or her specific area of radiography*, as radiographers. For example, if an individual is licensed to take radiographs only of the spine, then that individual should be as knowledgeable about the spine as a radiographer. However, that individual is not expected to demonstrate knowledge of radiographic procedures related to other anatomic regions (e.g., skull, chest). All individuals licensed in limited scope radiography are required to demonstrate fundamental knowledge and cognitive skill in the basic areas of radiation protection, equipment operation and quality assurance, image acquisition and evaluation, and patient care.

The modules covered by the examination are outlined below. Subsequent pages describe in detail the topics covered within each module. All candidates take the CORE module of the examination and one or more RADIOGRAPHIC PROCEDURE modules, depending on the type of license for which they have applied.

<b>Core Module</b>	<b>Number of Questions</b>	<b>Testing Time</b>
A. Radiation Protection	37	
B. Equipment Operation and Quality Control	11	
C. Image Acquisition and Evaluation	35	
D. Patient Care and Education	17	
Total for Core Module	100	1 hr, 40 min
<b>Radiographic Procedure Modules</b>		
E.1 Chest	20	20 min
E.2 Extremities	25	25 min
E.3 Skull/Sinuses	20	20 min
E.4 Spine	25	25 min
E.5 Podiatric	20 *	25 min

\* The podiatry section may include 1 or 2 additional unscored (pilot) questions.

## A. RADIATION PROTECTION (37)

### 1. Biological Aspects of Radiation (7)

- A. Radiosensitivity
  - 1. dose-response relationships
  - 2. relative tissue radiosensitivities (e.g., LET, RBE)
  - 3. cell survival and recovery ( $LD_{50}$ )
  - 4. oxygen effect
- B. Somatic Effects
  - 1. short-term versus long-term effects
  - 2. acute versus chronic effects
  - 3. carcinogenesis
  - 4. organ and tissue response (e.g., eye, thyroid, breast, bone marrow, skin, gonadal)
- C. Acute Radiation Syndromes
  - 1. CNS
  - 2. hemopoietic
  - 3. GI
- D. Embryonic and Fetal Risks
- E. Genetic Impact
  - 1. genetic significant dose
  - 2. goals of gonadal shielding
- F. Photon Interactions with Matter
  - 1. Compton effect
  - 2. photoelectric absorption
  - 3. coherent (classical) scatter
  - 4. attenuation by various tissues
    - a. thickness of body part (density)
    - b. type of tissue (atomic number)

### 2. Minimizing Patient Exposure (13)

- A. Exposure Factors
  - 1. kVp
  - 2. mAs
- B. Shielding
  - 1. rationale for use
  - 2. types
  - 3. placement
- C. Beam Restriction
  - 1. purpose of primary beam restriction
  - 2. types (e.g., collimators)
- D. Filtration
  - 1. effect on skin and organ exposure
  - 2. effect on average beam energy
  - 3. NCRP recommendations (NCRP #102, minimum filtration in useful beam)
- E. Exposure Reduction
  - 1. patient positioning
  - 2. patient communication
  - 3. digital imaging
  - 4. pediatric dose reduction
  - 5. ALARA
- F. Image Receptors (e.g., types, relative speed, digital versus film)

(Section A continues on the following page)

## A. RADIATION PROTECTION (cont.)

### 3. Personnel Protection (9)

- A. Sources of Radiation Exposure
  - 1. primary x-ray beam
  - 2. secondary radiation
    - a. scatter
    - b. leakage
  - 3. patient as source
- B. Basic Methods of Protection
  - 1. time
  - 2. distance
  - 3. shielding
- C. Protective Devices
  - 1. types
  - 2. attenuation properties
  - 3. minimum lead equivalent (NCRP #102)

### 4. Radiation Exposure and Monitoring (8)

- A. Units of Measurement\*
  - 1. absorbed dose
  - 2. dose equivalent
  - 3. exposure
- B. Dosimeters
  - 1. types
  - 2. proper use
- C. NCRP Recommendations for Personnel Monitoring (NCRP #116)
  - 1. occupational exposure
  - 2. public exposure
  - 3. embryo/fetus exposure
  - 4. ALARA and dose equivalent limits
  - 5. evaluation and maintenance of personnel dosimetry records
- D. Medical Exposure of Patients  
(i.e., typical effective dose per exam, NCRP #160)

---

\* Conventional units (e.g., rad, rem, Roentgen) are generally used. However, questions referenced to specific reports (e.g., NCRP) will use SI units to be consistent with such reports.

## B. EQUIPMENT OPERATION AND QUALITY CONTROL (11)

### 1. Principles of Radiation Physics (3)

- A. X-Ray Production
  - 1. source of free electrons (e.g., thermionic emission)
  - 2. acceleration of electrons
  - 3. focusing of electrons
  - 4. deceleration of electrons
- B. Target Interactions
  - 1. bremsstrahlung
  - 2. characteristic
- C. X-Ray Beam
  - 1. frequency and wavelength
  - 2. beam characteristics
    - a. quality
    - b. quantity
    - c. primary versus remnant (exit)
  - 3. inverse square law
  - 4. fundamental properties (e.g., travel in straight lines, ionize matter)

### 2. Imaging Equipment (4)

- A. Components of Radiographic Unit (fixed or mobile)
  - 1. operating console
  - 2. x-ray tube construction
    - a. electron sources
    - b. target materials
    - c. induction motor
  - 3. manual exposure controls
  - 4. beam restriction devices
- B. X-Ray Generator, Transformers, and Rectification System (basic principles)
- C. Components of Digital Imaging (CR and DR)
  - 1. PSP - photo-stimulable phosphor
  - 2. flat panel detectors - direct and indirect
  - 3. start up and shut down
  - 4. CR plate erasure
  - 5. equipment cleanliness (imaging plates, CR plates)

### 3. Quality Control of Imaging Equipment and Accessories (4)

- A. Beam Restriction
  - 1. light field to radiation field alignment
  - 2. central ray alignment
- B. Recognition and Reporting of Malfunctions
- C. Digital Imaging Receptor Systems
  - 1. artifacts (e.g., non-uniformity, erasure)
  - 2. maintenance (e.g., detector fog)
  - 3. display monitor quality assurance
- D. Shielding Accessories (e.g., lead apron and glove testing)

## C. IMAGE ACQUISITION AND EVALUATION (35)

### 1. Selection of Technical Factors (17)

A. Factors Affecting Radiographic Quality. Refer to Attachment C to clarify terms that may occur on the exam. (X indicates topics covered on the examination)

	1. Density/Brightness	2. Contrast/Gray Scale	3. Recorded Detail/Spatial Resolution	4. Distortion
a. mAs	X			
b. kVp	X	X		
c. OID		X (air gap)	X	X
d. SID	X		X	X
e. focal spot size			X	
f. filtration	X	X		
g. film-screen	X		X	
h. beam restriction	X	X		
i. motion			X	
j. anode heel effect	X			
k. patient factors (size, pathology)	X	X	X	X
l. angle (tube, part, or receptor)			X	X

### B. Technique Charts

1. pré-programmed techniques – anatomically programmed radiography (APR)
2. caliper measurement
3. fixed versus variable kVp
4. special considerations
  - a. anatomic and pathologic factors
  - b. pediatrics

### C. Digital Imaging Characteristics

1. spatial resolution
  - a. sampling frequency
  - b. DEL (detector element) size
  - c. receptor size and matrix size
2. image signal (exposure related)
  - a. quantum mottle (noise)
  - b. SNR (signal to noise ratio) or CNR (contrast to noise ratio)

(Section C continues on the following page)

## C. IMAGE ACQUISITION AND EVALUATION (cont.)

### 2. Image Processing and Quality Assurance (6)

- A. Image Identification
  - 1. methods (e.g., photographic, radiographic, electronic)
  - 2. legal considerations (e.g., patient data, examination data)
- B. Film Screen Processing
  - 1. film storage
  - 2. components\*
    - a. developer
    - b. fixer
  - 3. maintenance/malfunction
    - a. start up and shut down procedure
    - b. possible causes of malfunction (e.g., improper temperature, contamination, replenishment, water flow)
- C. Digital Imaging Processing
  - 1. electronic collimation (masking)
  - 2. grayscale rendition (look-up table [LUT], histogram)
  - 3. edge enhancement/noise suppression
  - 4. contrast enhancement
  - 5. system malfunctions (e.g., ghost image, banding, erasure, dead pixels, readout problems)
  - 6. CR reader components
- D. Image Display
  - 1. viewing conditions (i.e., luminance, ambient lighting)
  - 2. spatial resolution
  - 3. contrast resolution/dynamic range
  - 4. DICOM gray scale function
  - 5. window level and width function
- E. Digital Image Display Informatics
  - 1. PACS
  - 2. Patient data management system (e.g., RIS, HIS)
  - 3. Networking (e.g., HL7, DICOM)
  - 4. Workflow (inappropriate documentation, lost images, mismatched images, corrupt data)

### 3. Criteria for Image Evaluation (12)

- A. Brightness/Density (e.g., mAs, distance)
- B. Contrast/Gray Scale (e.g., kVp, filtration, grids)
- C. Recorded Detail (e.g., motion, poor film-screen contact)
- D. Distortion (e.g., magnification, OID, SID)
- E. Demonstration of Anatomical Structures (e.g., positioning, tube-part-image receptor alignment)
- F. Identification Markers (e.g., anatomical, patient, date)
- G. Patient Considerations (e.g., pathologic conditions)
- H. Image artifacts (e.g., film handling, static, pressure, Moiré effect or aliasing)
- I. Fog (e.g., age, chemical, radiation, temperature, safelight)
- J. Noise
- K. Acceptable Range of Exposure
- L. Exposure Indicator Determination
- M. Gross Exposure Error (e.g., mottle, light or dark, low contrast)

\* Specific chemicals in the processing solutions will not be covered (e.g., glutaraldehyde).

## D. PATIENT CARE AND EDUCATION (17)

### 1. Ethical and Legal Aspects (3)

- A. Patient's Rights
  - 1. informed consent (e.g., written, oral, implied)
  - 2. confidentiality (HIPAA)
  - 3. additional rights (e.g., Patient's Bill of Rights)
    - a. privacy
    - b. extent of care (e.g., DNR)
    - c. access to information
    - d. living will; health care proxy
    - e. research participation
- B. Legal Issues
  - 1. examination documentation (e.g., patient history, clinical diagnosis)
  - 2. common terminology (e.g., battery, negligence, malpractice)
  - 3. legal doctrines (e.g., *respondeat superior*, *res ipsa loquitur*)
  - 4. restraints versus immobilization
- C. Professional Ethics

### 2. Interpersonal Communication (3)

- A. Modes of Communication
  - 1. verbal/written
  - 2. nonverbal (e.g., eye contact, touching)
- B. Challenges in Communication
  - 1. patient characteristics
  - 2. explanation of medical terms
  - 3. strategies to improve understanding
  - 4. cultural diversity
- C. Patient Education (e.g., explanation of current procedure)

### 3. Infection Control (5)

- A. Terminology and Basic Concepts
  - 1. asepsis
    - a. medical
    - b. surgical
    - c. sterile technique
  - 2. pathogens
    - a. fomites, vehicles, vectors
    - b. nosocomial infections
- B. Cycle of Infection
  - 1. pathogen
  - 2. source or reservoir of infection
  - 3. susceptible host
  - 4. method of transmission
    - a. contact (direct, indirect)
    - b. droplet
    - c. airborne/suspended
    - d. common vehicle
    - e. vector borne
- C. Standard Precautions
  - 1. handwashing
  - 2. gloves, gowns
  - 3. masks
  - 4. medical asepsis (e.g., equipment disinfection)
- D. Additional or Transmission-Based Precautions
  - 1. airborne (e.g., respiratory protection, negative ventilation)
  - 2. droplet (e.g., particulate mask, restricted patient placement)
  - 3. contact (e.g., gloves, gown, restricted patient placement)
- E. Disposal of Contaminated Materials
  - 1. linens
  - 2. needles
  - 3. patient supplies (e.g., tubes, emesis basin)

(Section D continues on the following page)

## **D. PATIENT CARE AND EDUCATION (cont.)**

### **4. Physical Assistance and Transfer (3)**

- A. Patient Transfer and Movement
  - 1. body mechanics (balance, alignment, movement)
  - 2. patient transfer
- B. Assisting Patients with Medical Equipment (e.g., oxygen delivery systems)
- C. Routine Monitoring
  - 1. equipment (e.g., stethoscope, sphygmomanometer)
  - 2. vital signs (e.g., blood pressure, pulse, respiration)
  - 3. physical signs and symptoms (e.g., motor control, severity of injury)
  - 4. documentation

### **5. Medical Emergencies (3)**

- A. Allergic Reactions (e.g., latex)
- B. Cardiac or Respiratory Arrest (e.g., CPR)
- C. Physical Injury or Trauma
- D. Other Medical Disorders (e.g., seizures, diabetic reactions)

## E. SPECIFIC IMAGING PROCEDURES

The specific positions and projections within each anatomic region that may be covered on the examination are listed in Attachment A. A guide to positioning terminology appears in Attachment B.

<u>ANATOMIC MODULE</u> <sup>1</sup>	<u># QUESTIONS PER MODULE</u>	<u>FOCUS OF QUESTIONS</u> <sup>2</sup>
<b>I. Chest</b>		
A. Routine	16	1. <b>Positioning</b> (topographic landmarks, body positions, path of central ray, etc.)
B. Other	<u>4</u>	
<b>TOTAL</b>	<b>20</b>	emphasis: high
<b>II. Extremities</b>		
A. Lower (toes, foot, calcaneus, ankle, tibia, fibula, knee, patella, and distal femur)	11	2. <b>Anatomy</b> (including physiology, basic pathology, and related medical terminology)
B. Upper (fingers, hand, wrist, forearm, elbow, and humerus)	11	
C. Pectoral Girdle (shoulder, scapula, clavicle, and acromioclavicular joints)	<u>3</u>	emphasis: medium
<b>TOTAL</b>	<b>25</b>	
<b>III. Skull/Sinuses</b>		
A. Skull	8	3. <b>Technical Factors</b> (including adjustments for circumstances such as body habitus, trauma, pathology, breathing techniques, casts, splints, soft tissue for foreign body, etc.)
B. Paranasal Sinuses	8	
C. Facial Bones (nasal bones, orbits)	<u>4</u>	
<b>TOTAL</b>	<b>20</b>	emphasis: low
<b>IV. Spine</b>		
A. Cervical Spine	8	4. <b>Equipment and Accessories</b> (grids or Bucky, compensating filter, automatic exposure control [AEC], automatic collimation, dedicated chest unit)
B. Thoracic Spine	6	
C. Lumbosacral Spine	8	
D. Sacrum, Coccyx, and Sacroiliac Joints	2	
E. Scoliosis Series	<u>1</u>	
<b>TOTAL</b>	<b>25</b>	emphasis: low
<b>V. Podiatric</b> <sup>3</sup>		
A. Foot and Toes	14	
B. Ankle	5	
C. Calcaneus (os calcis)	<u>1</u>	
<b>TOTAL</b>	<b>20</b> <sup>3</sup>	

**Notes:**

1. Examinees take one or more anatomic modules, depending on the type of license they have applied for. Each anatomic module has 20 or 25 scored test questions, depending on the module (see chart above). The number of questions within a module should be regarded as approximate values.
2. The anatomic modules may include questions about the four areas listed under *FOCUS OF QUESTIONS* on the right side of the chart. The podiatric module does not include questions on any of the *technical factors* or specialized equipment/accessories section.
3. The podiatric module section may include 1 or 2 additional unscored (pilot) questions.

## Attachment A

### Radiographic Positions and Projections

#### I. Chest

- A. Chest
1. PA upright
  2. lateral upright
  3. AP Lordotic
  4. AP supine
  5. lateral decubitus
  6. posterior oblique
  7. anterior oblique

#### II. Extremities

- A. Toes
1. AP
  2. oblique
  3. lateral
- B. Foot
1. AP angle toward heel
  2. medial oblique
  3. lateral oblique
  4. mediolateral
  5. lateromedial
  6. sesamoids, tangential
  7. AP weight bearing
  8. lateral weight bearing
- C. Calcaneus (os calcis)
1. lateral
  2. plantodorsal, axial
  3. dorsoplantar, axial
- D. Ankle
1. AP
  2. mortise
  3. mediolateral
  4. oblique, 45° internal
  5. lateromedial
  6. AP stress views
- E. Tibia, Fibula
1. AP
  2. lateral
  3. oblique
- F. Knee
1. AP
  2. lateral
  3. AP weight bearing
  4. lateral oblique 45°
  5. medial oblique 45°
  6. PA
  7. PA axial – intercondylar fossa (tunnel)
- G. Patella
1. lateral
  2. supine flexion 45° (Merchant)
  3. PA
  4. prone flexion 90° (Settegast)
  5. prone flexion 55° (Hughston)
- H. Femur (Distal)
1. AP
  2. mediolateral
- I. Fingers
1. PA finger
  2. lateral
  3. oblique
  4. AP thumb
  5. oblique thumb
  6. lateral thumb

#### J. Hand

1. PA
2. lateral
3. oblique

#### K. Wrist

1. PA
2. oblique 45°
3. lateral
4. PA for scaphoid
5. scaphoid (Stecher)
6. carpal canal

#### L. Forearm

1. AP
2. lateral

#### M. Elbow

1. AP
2. lateral
3. external oblique
4. internal oblique
5. AP partial flexion
6. axial trauma (Coyle)

#### N. Humerus

1. AP
2. lateral
3. AP neutral
4. scapular Y
5. transthoracic lateral

#### O. Shoulder

1. AP internal and external rotation
2. inferosuperior axial
3. posterior oblique (Grashey)
4. tangential
5. AP neutral
6. transthoracic lateral
7. scapular Y

#### P. Scapula

1. AP
2. lateral, anterior oblique
3. lateral, posterior oblique

#### Q. Clavicle

1. AP
2. AP angle 15-30° cephalad
3. PA angle 15-30° caudad

#### R. Acromioclavicular joints

1. AP bilateral with and without weights

#### III. Skull/Sinuses

##### A. Skull

1. AP axial (Towne)
2. lateral
3. PA (Caldwell)
4. PA
5. submentovertical (full basal)

##### B. Facial Bones

1. lateral
2. parietoacanthial (Waters)
3. PA (Caldwell)
4. PA (modified Waters)

##### C. Nasal Bones

1. parietoacanthial (Waters)
2. lateral
3. PA (Caldwell)

#### D. Orbits

1. parietoacanthial (Waters)
2. lateral
3. PA (Caldwell)

#### E. Paranasal Sinuses

1. lateral
2. PA (Caldwell)
3. parietoacanthial (Waters)
4. submentovertical (full basal)
5. open mouth parietoacanthial (Waters)

#### IV. Spine

##### A. Cervical spine

1. AP angle cephalad
2. AP open mouth
3. lateral
4. anterior oblique
5. posterior oblique
6. lateral swimmers
7. lateral flexion and extension

##### B. Thoracic Spine

1. AP
2. lateral, breathing
3. lateral, expiration

##### C. Lumbar Spine

1. AP
2. PA
3. lateral
4. L5-S1 lateral spot
5. posterior oblique 45°
6. anterior oblique 45°
7. AP L5-S1, 30-35° cephalad
8. AP right and left bending
9. lateral flexion and extension

##### D. Sacrum and Coccyx

1. AP sacrum, 15-25° cephalad
2. AP coccyx, 10-20° caudad
3. lateral sacrum and coccyx, combined
4. lateral sacrum or coccyx, separate

##### E. Sacroiliac Joints

1. AP
2. posterior oblique
3. anterior oblique

##### F. Scoliosis Series

1. AP/PA scoliosis series (Ferguson)

#### V. Podiatric

##### A. Foot and Toes

1. dorsal plantar (DP)\*
2. medial oblique
3. lateral oblique
4. lateral
5. sesamoidal axial\*

##### B. Ankle\*

1. AP\*
2. mortise\*
3. AP medial oblique\*
4. AP lateral oblique\*
5. lateral\*

##### C. Calcaneus (os calcis)

1. axial calcaneal
2. Harris and Beath (ski-jump)

\*weightbearing

**Attachment B**  
**Standard Terminology**  
**for Positioning and Projection**

**Radiographic View:** Describes the body part as seen by the image receptor or other recording medium, such as a fluoroscopic screen. Restricted to the discussion of a *radiograph* or *image*.

**Radiographic Position:** Refers to a specific body position, such as supine, prone, recumbent, erect, or Trendelenburg. Restricted to the discussion of the *patient's physical position*.

**Radiographic Projection:** Restricted to the discussion of the *path of the central ray*.

POSITIONING TERMINOLOGY

A. Lying Down

1. *supine* – lying on the back
2. *prone* – lying face downward
3. *decubitus* – lying down with a horizontal x-ray beam
4. *recumbent* – lying down in any position

B. Erect or Upright

1. *anterior position* – facing the image receptor
2. *posterior position* – facing the radiographic tube
3. *oblique position* – erect or lying down


a. anterior (facing the image receptor)

- i. *left anterior oblique* body rotated with the left anterior portion closest to the image receptor
- ii. *right anterior oblique* body rotated with the right anterior portion closest to the image receptor


b. posterior (facing the radiographic tube)

- i. *left posterior oblique* body rotated with the left posterior portion closest to the image receptor
- ii. *right posterior oblique* body rotated with the right posterior portion closest to the image receptor


Anteroposterior Projection




Posteroanterior Projection




Right Lateral Position




Left Lateral Position




Left Posterior Oblique Position




Right Posterior Oblique Position



Left Anterior Oblique Position



Right Anterior Oblique Position



**Attachment C**  
**ARRT Standard Definitions**

Term	Film-Screen Radiography	Term	Digital Radiography
Recorded Detail	The sharpness of the structural lines as recorded in the radiographic image.	Spatial Resolution	The sharpness of the structural edges recorded in the image.
Density	Radiographic density is the degree of blackening or opacity of an area in a radiograph due to the accumulation of black metallic silver following exposure and processing of a film.  Density = $\text{Log} \frac{\text{incident light intensity}}{\text{transmitted light intensity}}$	Brightness	Brightness is the measurement of the luminance of a monitor calibrated in units of candela (cd) per square meter on a monitor or soft copy.  Density on a hard copy is the same as film.
Contrast	Radiographic contrast is defined as the visible differences between any two selected areas of density levels within the radiographic image.  <u>Scale of Contrast</u> refers to the number of densities visible (or the number of shades of gray).  <u>Long Scale</u> is the term used when slight differences between densities are present (low contrast) but the total number of densities is increased.  <u>Short Scale</u> is the term used when considerable or major differences between densities are present (high contrast) but the total number of densities is reduced.	Contrast	Image contrast of display contrast is determined primarily by the processing algorithm (mathematical codes used by the software to provide the desired image appearance). The default algorithm determines the initial processing codes applied to the image data.  <u>Scale of Contrast</u> is synonymous to "gray scale" and is linked to the bit depth of the system. "Gray scale" is used instead of "scale of contrast" when referring to digital images.
Film Latitude	The inherent ability of the film to record a long range of density levels on the radiograph.  Film latitude and film contrast depend upon the sensitometric properties of the film and the processing conditions, and are determined directly from the characteristic H and D curve.	Dynamic Range	The range of exposures that may be captured by a detector. The dynamic range for digital imaging is much larger than film.
Film Contrast	The inherent ability of the film emulsion to react to radiation and record a range of densities.	Receptor Contrast	The fixed characteristic of the receptor. Most digital receptors have an essentially linear response to exposure. This is impacted by <b>contrast resolution</b> (the smallest exposure change or signal difference that can be detected). Ultimately, contrast resolution is limited by the dynamic range and the <b>quantization</b> (number of bits per pixel) of the detector.
Exposure Latitude	The range of exposure factors which will produce a diagnostic radiograph.	Exposure Latitude	The range of exposures which produces quality images at appropriate patient dose.
Subject Contrast	The difference in the quantity of radiation transmitted by a particular part as a result of the different absorption characteristics of the tissues and structures making up that part.	Subject Contrast	The magnitude of the signal difference in the remnant beam.

**Attachment D**  
**Task Inventory for Limited Scope of Practice in Radiography**

<b>Activity</b>	<b>Content Categories</b>
1. Confirm patient's identity.	D.2.
2. Evaluate patient's ability to understand and comply with requirements for the requested examination.	D.2.
3. Examine imaging examination requisition to verify accuracy and completeness of information (e.g., patient history, clinical diagnosis).	D.1.B.
4. Responsible for medical equipment attached to patients (e.g., IVs, oxygen) during the imaging procedures.	D.4.B.
5. Provide for patient safety, comfort, and modesty.	D.1.C., D.4., D.1.A.
6. Communicate scheduling delays to waiting patients.	D.2.
7. Verify or obtain patient consent as necessary.	D.1.A.1.
8. Explain procedure instructions to patient or patient's family.	D.2.
9. Practice standard precautions.	D.3.B., D.3.C.
10. Follow appropriate procedures when in contact with patient in isolation.	D.3.C., D.3.D.
11. Select immobilization devices, when indicated, to prevent patient's movement and/or ensure patients safety.	D.1.B.4.
12. Use proper body mechanics and/or mechanical transfer devices when assisting patient.	D.4.A.1.
13. Use sterile or aseptic technique when indicated.	D.3.A.
14. Obtain vital signs.	D.4.C.
15. Recognize need for prompt medical attention and administer emergency care.	D.5., D.4.C.3.
16. Explain post-procedural instructions to patient or patient's family.	D.2.C.
17. Maintain confidentiality of patient's information.	D.1.A.2., D.1.C.
18. Clean, disinfect or sterilize facilities and equipment, and dispose of contaminated items in preparation for next examination.	D.3.A., D.3.E.
19. Document required information on patient's medical record (e.g., imaging procedure documentation, images). a. On paper b. Electronically	C.2.E., D.1.B.
20. Evaluate the need for and use of protective shielding.	A.2.B.
21. Take appropriate precautions to minimize radiation exposure to patient.	A.1., A.2.
22. Question female patient of child-bearing age about possible pregnancy and take appropriate action (i.e., document response, contact physician).	A.1.D., D.2.
23. Restrict beam to limit exposure area, improve image quality, and reduce radiation dose.	A.1., A.2.C., C.1.A.1.H., A.1., C.1.A.2.H.

Activity	Content Categories
24. Prevent all unnecessary persons from remaining in area during x-ray exposure.	A.1., A.4.C.2.
25. Take appropriate precautions to minimize occupational radiation exposure.	A.3.B.
26. Wear a personnel monitoring device while on duty.	A.4.B.
27. Evaluate individual occupational exposure reports to determine if values for the reporting period are within established limits.	A.4.C.
28. Determine appropriate exposure factors using: <ul style="list-style-type: none"> <li>a. Fixed kVp technique chart</li> <li>b. Variable kVp technique chart</li> <li>c. Calipers (to determine patient thickness for exposure)</li> </ul>	C.1.B.2.
29. Select radiographic exposure factors. <ul style="list-style-type: none"> <li>a. Automatic Exposure Control (AEC)*</li> <li>b. kVp and mAs (manual)</li> <li>c. Pre-programmed techniques (Anatomically Programmed Radiography)</li> </ul>	E.1. - 4. (focus 4) C.1.A. C.1.B.1.
30. Operate radiographic unit and accessories. <ul style="list-style-type: none"> <li>a. Fixed unit</li> <li>b. Mobile unit (portable)</li> </ul>	B.1., B.2.A., C.1.
31. Operate electronic imaging and record keeping devices. <ul style="list-style-type: none"> <li>a. Computerized Radiography (CR)</li> <li>b. Direct Digital Radiography (DR)</li> <li>c. Picture Archival and Communication System (PACS)</li> <li>d. Patient data management system</li> </ul>	C.2.C. B.2.C. B.2.C. C.2.E.1. C.2.E.2.
32. Prepare and operate specialized units (chest unit*).	E.1. (focus 4)
33. Remove all radiopaque materials from patient or table that could interfere with the image.	C.3.H.
34. Perform post-processing on digital images in preparation for interpretation (e.g., exposure indicator, brightness/contrast, window and level).	C.2.C., C.2.D.
35. Use radiopaque markers to indicate anatomical side, position or other relevant information (e.g., upright, decubitus).	C.2.A., C.3.F.
36. Add electronic annotations on digital images to indicate position, or other relevant information (e.g., upright, decubitus, standing, weight bearing).	C.2.A., C.3.F.
37. Use film-screen cassettes and automatic film processing.	C.1.A.1.G., C.1.A.3.G., C.2.B.
38. Select equipment and accessories (e.g., grid, compensating filter, shielding) for the examination requested.	A.2.B., E.1. (focus 4)
39. Explain breathing instructions prior to making the exposure.*	C.1.A.3.I., D.2.C., E.1.E.2.C., E.4.(focus 3)
40. Position patient to demonstrate the desired anatomy using body landmarks.	E., C.3.E.

\*Applies to specific modules

Activity	Content Categories
41. Modify exposure factors for circumstances such as involuntary motion, casts and splints, pathological conditions, or patient's inability to cooperate.	C.1.B.3., C.1.A.3.I., C.1.A.1.K., C.1.A.2.K., C.1.A.3.K., C.1.A.4.K.
42. Verify accuracy of patient identification on image.	C.3.F.
43. Evaluate images for diagnostic quality.	C.3.
44. Determine corrective measures if image is not of diagnostic quality and take appropriate action.	C.3.
45. Store and handle image receptor in a manner which will reduce the possibility of artifact production.	B.3.C., B.2.C.5., B.2.D.3., C.2., C.3.H., C.3.I.
46. Visually inspect, recognize, and report malfunctions in the imaging unit and accessories.	B.3.B.
47. Recognize the need for basic evaluations of radiographic equipment and accessories.	
a. Light field to radiation field alignment	B.3.A.1.
b. Central-ray alignment	B.3.A.2.
c. Shielding accessories (lead aprons and gloves)	B.3.D.
48. Perform routine maintenance on digital equipment.	
a. Perform start-up or shut-down	B.2.C.3.
b. Erase CR plate	B.2.C.4.
c. Equipment cleanliness (e.g., imaging plates, CR cassettes)	B.2.C.5.
d. Recognize and report malfunctions	B.3.B.
<b>Position patient, x-ray tube, and image receptor to produce the following diagnostic images:</b>	
49. Chest	E.1.A.
50. Cervical spine	E.4.A.
51. Thoracic spine	E.4.B.
52. Scoliosis series	E.4.C.
53. Lumbar spine	E.4.D.
54. Sacrum and coccyx	E.4.E.
55. Sacroiliac joints	E.4.F.
56. Skull	E.3.A.
57. Facial bones	E.3.C.
58. Nasal bones	E.3.C.
59. Orbits	E.3.C.
60. Paranasal sinuses	E.3.B.
61. Toes	E.2.A., E.5.A.
62. Foot	E.2.A., E.5.A.

Activity	Content Categories
63. Calcaneus (os calcis)	E.2.A., E.5.C.
64. Ankle	E.2.A., E.5.B.
65. Tibia, fibula	E.2.A.
66. Knee	E.2.A.
67. Patella	E.2.A.
68. Femur	E.2.A.
69. Fingers	E.2.A.
70. Hand	E.2.A.
71. Wrist	E.2.A.
72. Forearm	E.2.A.
73. Elbow	E.2.A.
74. Humerus	E.2.A.
75. Shoulder	E.2.A.
76. Scapula	E.2.A.
77. Clavicle	E.2.A.
78. Acromioclavicular joints	E.2.A.
79. Soft tissue/foreign body	E.2. (focus 3)