

## Cleburne County Health Profile Data

Indicator	Cleburne County	Arkansas	Comments
-----------	-----------------	----------	----------

<b>Age-Adjusted Heart Disease Mortality, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Heart disease mortality has consistently been lower in Cleburne County than in the state overall.	
	2002-2004	161	183		
	Trend	1999-2001	110		186
		1996-1998	119		207
		1993-1995	125		227
		1990-1992	166		234

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Heart Disease Mortality by Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Race</b>			There were no heart disease deaths among blacks in Cleburne County.
	White	161	178	
	Black	0	230	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rate for All Cancer, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Cancer mortality rates in Cleburne County have consistently been below state rates.	
	2002-2004	203	209		
	Trend	1999-2001	183		210
		1996-1998	179		214
		1993-1995	186		222
		1990-1992	207		222

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rate for All Cancer by Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Race</b>			There were no cancer deaths among blacks in Cleburne County during the period.
	White	203	204	
	Black	0	255	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rates for Cancer by Type, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Type</b>			Cleburne County's mortality rates for lung cancer and prostate cancer are higher than the state rates.
	Lung	78	69	
	Breast	26	25	
	Colorectal	18	21	
	Prostate	36	29	

*(Arkansas Center for Health Statistics)*

Indicator	Cleburne County	Arkansas	Comments
-----------	-----------------	----------	----------

<b>Age-Adjusted Mortality Rates for Cancer by Type and Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	Lung	White	78	-	There were no cancer deaths among blacks in Cleburne County in the period.
		Black	0	-	
	Breast	White	27	-	
		Black	0	-	
	Colorectal	White	19	-	
		Black	0	-	
	Prostate	White	37	-	
		Black	0	-	

*(Arkansas Center for Health Statistics)*

<b>Cancer Screening, 2004</b>  <i>(percent)</i>	<b>Type</b>			Rates of cancer screening in Cleburne County are at or slightly above the state rate, with the exception of colorectal cancer screening.
	Breast	74	71	
	Cervical	81	80	
	Colorectal	43	53	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Stroke Mortality Rate, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Stroke mortality rates were much higher in Cleburne County than in the state overall for most of the 15-year period. In the most recent years (2002-04), however, the county rate declined dramatically and was only somewhat higher than the state rate.	
	2002-2004	78	70		
	Trend	1999-2001	130		77
		1996-1998	204		83
		1993-1995	183		82
		1990-1992	134		81

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Stroke Mortality Rate by Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Race</b>			There were so few stroke deaths among blacks in Cleburne County that the calculated mortality rate for that group was unreliable.
	White	77	67	
	Black		96	

*(Arkansas Center for Health Statistics)*

Indicator		Cleburne County	Arkansas	Comments		
<b>Age-Adjusted Chronic Obstructive Pulmonary Disease Mortality Rate, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Mortality rates in Cleburne County from chronic obstructive pulmonary disease were lower than state rates but increasing through the period. In the most recent years (2002-04), the county mortality rate exceeds the state rate.		
		2002-2004	57		49	
	Trend		1999-2001		40	47
			1996-1998		33	42
			1993-1995		32	42
			1990-1992		22	37

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Mortality Rate for All External Injuries, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Injury mortality rates in Cleburne County have been variable.		
		2002-2004	75		75	
	Trend		1999-2001		67	72
			1996-1998		79	75
			1993-1995		90	76
			1990-1992		57	76

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Mortality Rate by Cause of External Injury, 1995-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Type</b>			County mortality rates associated with collisions and suicide are somewhat higher than state rates, while county rates for other external injuries are at or slightly below the state rate.	
		Collisions	29		25
		Falls	4		5
		Fire	1		2
		Homicide	6		8
		Suicide	16		13

(Arkansas Center for Health Statistics)

<b>Prevalence of Diabetes, 2005</b>  <i>(percent)</i>	<b>Year</b>			The percentage of Cleburne County adults with diabetes is at or slightly below the state rate.
		2005	7	

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Diabetes Mortality Rate, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Diabetes mortality rates have been variable in Cleburne County.		
		2002-2004	28		28	
	Trend		1999-2001		13	25
			1996-1998		10	22
			1993-1995		21	21
			1990-1992		14	20

(Arkansas Center for Health Statistics)

Indicator		Cleburne County	Arkansas	Comments
<b>Adult Immunizations, 2004</b>  (percent)	<b>Type</b>			The percentage of Cleburne County adults receiving flu shots is higher than the state overall, but the percentage receiving pneumonia vaccinations in the county is lower than the state rate.
	Influenza	73	66	
	Pneumonia	55	66	

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Mortality Rate for Influenza &amp; Pneumonia, 1990-2004</b>  (deaths per 100,000 population)	<b>Years</b>			Mortality rates for influenza & pneumonia have been lower than state rates.	
	2002-2004	20	27		
	Trend	1999-2001	11		31
		1996-1998	22		34
		1993-1995	19		23
1990-1992		15	38		

(Arkansas Center for Health Statistics)

<b>Prevalence of Arthritis, 2005</b>  (percent)	<b>Year</b>			The percentage of Cleburne County adults with arthritis is slightly lower than is seen in the state overall.
	2005	28	31	

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Infant Mortality Rate, 1990-2004</b>  (deaths per 1,000 live births)	<b>Years</b>			Infant mortality rates have been decreasing generally, with the exception of an increase in 1999-2001. County rates have consistently been lower than state rates.	
	2002-2004	1	8		
	Trend	1999-2001	7		8
		1996-1998	2		9
		1993-1995	5		9
1990-1992		7	10		

(Arkansas Center for Health Statistics)

<b>Low Birth Weight Births, 1990-2004</b>  (percent of live births)	<b>Years</b>			The percentage of births in Cleburne County that resulted in a low birth weight infant was lower than in the state overall through the 1990s. In the two most recent periods (1999-2004), however, the percentages in the county have been at or slightly above the state percentages.	
	2002-2004	10	9		
	Trend	1999-2001	10		9
		1996-1998	6		9
		1993-1995	5		8
1990-1992		7	8		

(Arkansas Center for Health Statistics)

Indicator	Cleburne County	Arkansas	Comments
<b>Behavioral Risk Factors, 2005</b> <i>(percent)</i>	<b>Risk Factor</b>		
	Overweight & Obese (BMI $\geq$ 25)	62	65
	No Physical Activity	31	31
	Current Smoker	21	24

*(Arkansas Center for Health Statistics)*

<b>Adult Overweight &amp; Obesity (BMI <math>\geq</math> 25), 1996-2004</b> <i>(percent)</i>	<b>Years</b>			In 2004, more than 60 percent of Arkansas adults were overweight or obese. This percentage continues to rise.	
	2004	-	63		
	Trend	2002	-		61
		2000	-		60
		1998	-		55
		1996	-		55

*(Arkansas Center for Health Statistics)*

<b>Adults Who Do Not Participate in Any Physical Activity, 1996-2004</b> <i>(percent)</i>	<b>Years</b>			Although there has been some improvement in recent years, in 2004, more than a quarter of Arkansas adults did not participate in any physical activity.	
	2004	-	27		
	Trend	2002	-		27
		2000	-		28
		1998	-		36
		1996	-		37

*(Arkansas Center for Health Statistics)*

<b>Adult Current Smokers, 1996-2004</b> <i>(percent)</i>	<b>Years</b>			The proportion of adults who smoke - a major risk factor for chronic diseases, such as cancer, heart disease and stroke - has remained fairly constant in recent years. In Arkansas, approximately one of every four adults reported being a current smoker in 2004.	
	2004	-	26		
	Trend	2002	-		26
		2000	-		25
		1998	-		26
		1996	-		26

*(Arkansas Center for Health Statistics)*

<b>Adult Who Do Not Consume 5 or More Fruits &amp; Vegetables a Day, 1996-2005</b> <i>(percent)</i>	<b>Years</b>			Between 1996 and 2005, in Arkansas there was an increasing trend of inadequate consumption of fruits and vegetables. In 2005, 79 percent of Arkansans reported that they did not eat the recommended five or more daily servings of fruits and vegetables.	
	2005	-	79		
	Trend	2002	-		80
		2000	-		79
		1998	-		73
		1996	-		69

*(Arkansas Center for Health Statistics)*

Indicator		Arkansas	U.S.	Comments
<b>Proportion of Arkansans with No Cholesterol Check (Ever), 2005</b>  <i>(percent)</i>	<b>Year</b>			In Arkansas, like in the U. S. overall, approximately one fourth of the adult population in 2003 had not ever had their blood cholesterol level checked contrary to general recommendations.
	2005	28	23	

*(Arkansas Center for Health Statistics)*

<b>Proportion of Arkansans Diagnosed with High Blood Pressure, 2005</b>  <i>(percent)</i>	<b>Year</b>			The overall prevalence of high blood pressure in Arkansas was 29 percent in 2005. This is higher than the national rate of 26 percent for the same year.
	2005	29	26	

*(Arkansas Center for Health Statistics)*

Indicator		Cleburne County	Arkansas	Comments
<b>County Population by Age Group, 2000</b>  <i>(percent)</i>	<b>Age Group</b>			
	< 18	21	25	
	18 - 44	31	38	
	45 - 64	27	23	
	65+	21	14	

*(2000, U.S. Census Bureau)*

<b>County Population By Race/Ethnicity, 2000</b>  <i>(percent)</i>	<b>Race/Ethnicity</b>			
	White	98	80	
	African American	1	16	
	Native American	1	1	
	Asian American	1	1	
	Hispanic	1	3	

*(2000, U.S. Census Bureau)*

<b>County Population by Educational Level, 2000</b>  <i>(percent)</i>	<b>Level</b>			
	Less than H.S.	25	25	
	H.S. Diploma/GED	36	34	
	Some College	25	25	
	College Graduate	14	17	

*(2000, U.S. Census Bureau)*

Indicator	Cleburne County	Arkansas	Comments
-----------	-----------------	----------	----------

<b>Median Household Income, 1990 &amp; 2000</b>  <i>(dollars)</i>	<b>Year</b>			
	2000	\$31,531	\$32,182	
	1990	\$19,438	\$21,147	

*(2000, U.S. Census Bureau)*

<b>County Population Below Poverty Level, 1990 &amp; 2000</b>  <i>(percent)</i>	<b>Year</b>			
	2000	13	16	
	1990	17	19	

*(2000, U.S. Census Bureau)*

<b>Access to Healthcare, 2004</b>  <i>(percent)</i>	<b>Indicator</b>			
	No Health Insurance	21	19	
	No Personal Doctor	15	17	

*(Arkansas Center for Health Statistics)*