

## Izard County Health Profile Data

Indicator	Izard County	Arkansas	Comments
-----------	--------------	----------	----------

<b>Age-Adjusted Heart Disease Mortality, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Heart disease mortality rates in Izard County have been declining and are currently below state rates.	
	2002-2004	167	183		
	Trend	1999-2001	177		186
		1996-1998	209		207
		1993-1995	226		227
		1990-1992	240		234

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Heart Disease Mortality by Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Race</b>			There were no deaths from heart disease among blacks in Izard County.
	White	168	178	
	Black	0	230	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rate for All Cancer, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Cancer mortality rates in Izard County have been decreasing since a peak in the mid-1990s. Current rates are lower than state rates.	
	2002-2004	198	209		
	Trend	1999-2001	222		210
		1996-1998	260		214
		1993-1995	224		222
		1990-1992	216		222

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rate for All Cancer by Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Race</b>			There were no cancer deaths among blacks in Izard County in the period.
	White	200	204	
	Black	0	255	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rates for Cancer by Type, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Type</b>			Mortality rates for lung and prostate cancer were higher in Izard County than in the state overall. For breast and colorectal cancer, county rates were lower than state rates.
	Lung	78	69	
	Breast	9	25	
	Colorectal	13	21	
	Prostate	47	29	

*(Arkansas Center for Health Statistics)*

Indicator	Izard County	Arkansas	Comments
-----------	--------------	----------	----------

<b>Age-Adjusted Mortality Rates for Cancer by Type and Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	Lung	White	79	-	There were no cancer deaths among blacks in IZARD County in the period.
		Black	0	-	
	Breast	White	9	-	
		Black	0	-	
	Colorectal	White	13	-	
		Black	0	-	
	Prostate	White	47	-	
		Black	0	-	

*(Arkansas Center for Health Statistics)*

<b>Cancer Screening, 2004</b>  <i>(percent)</i>	<b>Type</b>			Percentages of IZARD County adults screened for breast and cervical cancer were at or slightly higher than state rates. Percentages of county adults screened for colorectal cancer were lower than state rates.
	Breast	75	71	
	Cervical	81	80	
	Colorectal	42	53	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Stroke Mortality Rate, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Stroke mortality rates are lower in IZARD County than in the state overall.	
	2002-2004	60	70		
	Trend	1999-2001	61		77
		1996-1998	93		83
		1993-1995	79		82
		1990-1992	102		81

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Stroke Mortality Rate by Race, 2002-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Race</b>			There were no stroke deaths among blacks in IZARD County in the period.
	White	60	67	
	Black	0	96	

*(Arkansas Center for Health Statistics)*

Indicator		Izard County	Arkansas	Comments		
<b>Age-Adjusted Chronic Obstructive Pulmonary Disease Mortality Rate, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Mortality rates associated with chronic obstructive pulmonary disease have been increasing in Izard County since the mid-1990s and are currently higher than state rates.		
		2002-2004	57		49	
	Trend		1999-2001		45	47
			1996-1998		32	42
			1993-1995		47	42
			1990-1992		42	37

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Mortality Rate for All External Injuries, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Injury mortality rates have consistently been higher in Izard County than in the state overall.		
		2002-2004	109		75	
	Trend		1999-2001		87	72
			1996-1998		87	75
			1993-1995		108	76
			1990-1992		71	76

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Mortality Rate by Cause of External Injury, 1995-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Type</b>			Mortality rates for collisions are higher in Izard County than in the state, but rates for falls, fire, homicide and suicide are essentially comparable to state rates.	
		Collisions	37		25
		Falls	3		5
		Fire	4		2
		Homicide	4		8
		Suicide	12		13

(Arkansas Center for Health Statistics)

<b>Prevalence of Diabetes, 2005</b>  <i>(percent)</i>	<b>Year</b>			The percentage of Izard County adults with diabetes is greater than the percentage in the state overall.
		2005	12	

(Arkansas Center for Health Statistics)

<b>Age-Adjusted Diabetes Mortality Rate, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Diabetes mortality rates have been variable in Izard County.		
		2002-2004	21		28	
	Trend		1999-2001		12	25
			1996-1998		22	22
			1993-1995		21	21
			1990-1992		23	20

(Arkansas Center for Health Statistics)

Indicator	Izard County	Arkansas	Comments
-----------	--------------	----------	----------

<b>Adult Immunizations, 2004</b>  <i>(percent)</i>	<b>Type</b>			Percentages of Izard County adults receiving vaccinations for influenza and/or pneumonia are lower than percentages in the state overall.
	Influenza	59	66	
	Pneumonia	56	66	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Mortality Rate for Influenza &amp; Pneumonia, 1990-2004</b>  <i>(deaths per 100,000 population)</i>	<b>Years</b>			Mortality rates associated with influenza & pneumonia have been variable in Izard County.	
	2002-2004	55	27		
	Trend	1999-2001	23		31
		1996-1998	34		34
		1993-1995	24		23
		1990-1992	35		38

*(Arkansas Center for Health Statistics)*

<b>Prevalence of Arthritis, 2005</b>  <i>(percent)</i>	<b>Year</b>			The percentage of Izard County adults with arthritis is comparable to or slightly lower than the percentage in the state.
	2005	28	31	

*(Arkansas Center for Health Statistics)*

<b>Age-Adjusted Infant Mortality Rate, 1990-2004</b>  <i>(deaths per 1,000 live births)</i>	<b>Years</b>			Infant mortality rates have been variable in Izard County.	
	2002-2004	14	8		
	Trend	1999-2001	8		8
		1996-1998	13		9
		1993-1995	21		9
		1990-1992	3		10

*(Arkansas Center for Health Statistics)*

<b>Low Birth Weight Births, 1990-2004</b>  <i>(percent of live births)</i>	<b>Years</b>			Percentages of Izard County births resulting in a low birth weight infant have typically been comparable to state rates.	
	2002-2004	9	9		
	Trend	1999-2001	6		9
		1996-1998	9		9
		1993-1995	7		8
		1990-1992	9		8

*(Arkansas Center for Health Statistics)*

Indicator	Izard County	Arkansas	Comments
<b>Behavioral Risk Factors, 2005</b> <i>(percent)</i>	<b>Risk Factor</b>		
	Overweight & Obese (BMI $\geq$ 25)	70	65
	No Physical Activity	33	31
	Current Smoker	24	24

*(Arkansas Center for Health Statistics)*

<b>Adult Overweight &amp; Obesity (BMI <math>\geq</math> 25), 1996-2004</b> <i>(percent)</i>	<b>Years</b>			In 2004, more than 60 percent of Arkansas adults were overweight or obese. This percentage continues to rise.	
	2004	-	63		
	Trend	2002	-		61
		2000	-		60
		1998	-		55
		1996	-		55

*(Arkansas Center for Health Statistics)*

<b>Adults Who Do Not Participate in Any Physical Activity, 1996-2004</b> <i>(percent)</i>	<b>Years</b>			Although there has been some improvement in recent years, in 2004, more than a quarter of Arkansas adults did not participate in any physical activity.	
	2004	-	27		
	Trend	2002	-		27
		2000	-		28
		1998	-		36
		1996	-		37

*(Arkansas Center for Health Statistics)*

<b>Adult Current Smokers, 1996-2004</b> <i>(percent)</i>	<b>Years</b>			The proportion of adults who smoke - a major risk factor for chronic diseases, such as cancer, heart disease and stroke - has remained fairly constant in recent years. In Arkansas, approximately one of every four adults reported being a current smoker in 2004.	
	2004	-	26		
	Trend	2002	-		26
		2000	-		25
		1998	-		26
		1996	-		26

*(Arkansas Center for Health Statistics)*

<b>Adult Who Do Not Consume 5 or More Fruits &amp; Vegetables a Day, 1996-2005</b> <i>(percent)</i>	<b>Years</b>			Between 1996 and 2005, in Arkansas there was an increasing trend of inadequate consumption of fruits and vegetables. In 2005, 79 percent of Arkansans reported that they did not eat the recommended five or more daily servings of fruits and vegetables.	
	2005	-	79		
	Trend	2002	-		80
		2000	-		79
		1998	-		73
		1996	-		69

*(Arkansas Center for Health Statistics)*

Indicator		Arkansas	U.S.	Comments
<b>Proportion of Arkansans with No Cholesterol Check (Ever), 2005</b>  <i>(percent)</i>	<b>Year</b>			In Arkansas, like in the U. S. overall, approximately one fourth of the adult population in 2003 had not ever had their blood cholesterol level checked contrary to general recommendations.
	2005	28	23	

*(Arkansas Center for Health Statistics)*

<b>Proportion of Arkansans Diagnosed with High Blood Pressure, 2005</b>  <i>(percent)</i>	<b>Year</b>			The overall prevalence of high blood pressure in Arkansas was 29 percent in 2005. This is higher than the national rate of 26 percent for the same year.
	2005	29	26	

*(Arkansas Center for Health Statistics)*

Indicator		Izard County	Arkansas	Comments
<b>County Population by Age Group, 2000</b>  <i>(percent)</i>	<b>Age Group</b>			
	< 18	21	25	
	18 - 44	32	38	
	45 - 64	26	23	
	65+	21	14	

*(2000, U.S. Census Bureau)*

<b>County Population By Race/Ethnicity, 2000</b>  <i>(percent)</i>	<b>Race/Ethnicity</b>			
	White	96	80	
	African American	1	16	
	Native American	1	1	
	Asian American	1	1	
	Hispanic	1	3	

*(2000, U.S. Census Bureau)*

<b>County Population by Educational Level, 2000</b>  <i>(percent)</i>	<b>Level</b>			
	Less than H.S.	27	25	
	H.S. Diploma/GED	37	34	
	Some College	25	25	
	College Graduate	12	17	

*(2000, U.S. Census Bureau)*

Indicator	Izard County	Arkansas	Comments
-----------	--------------	----------	----------

<b>Median Household Income, 1990 &amp; 2000</b>  <i>(dollars)</i>	<b>Year</b>			
	2000	\$25,670	\$32,182	
	1990	\$16,910	\$21,147	

*(2000, U.S. Census Bureau)*

<b>County Population Below Poverty Level, 1990 &amp; 2000</b>  <i>(percent)</i>	<b>Year</b>			
	2000	17	16	
	1990	21	19	

*(2000, U.S. Census Bureau)*

<b>Access to Healthcare, 2004</b>  <i>(percent)</i>	<b>Indicator</b>			
	No Health Insurance	21	19	
	No Personal Doctor	12	17	

*(Arkansas Center for Health Statistics)*