

Lonoke County Health Profile Data

Indicator	Lonoke County	Arkansas	Comments
-----------	---------------	----------	----------

Age-Adjusted Heart Disease Mortality, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Heart disease mortality rates have been lower in Lonoke County than in the state overall.	
	2002-2004	153	183		
	Trend	1999-2001	159		186
		1996-1998	173		207
		1993-1995	194		227
		1990-1992	184		234

(Arkansas Center for Health Statistics)

Age-Adjusted Heart Disease Mortality by Race, 2002-2004 <i>(deaths per 100,000 population)</i>	Race			Heart disease mortality in Lonoke County is higher among blacks than whites.
	White	149	178	
	Black	221	230	

(Arkansas Center for Health Statistics)

Age-Adjusted Mortality Rate for All Cancer, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Cancer mortality rates in Lonoke County have been higher than state rates since the early 1990s but have been declining. In the most recent period (2002-04), the county rate was comparable to the state rate.	
	2002-2004	206	209		
	Trend	1999-2001	215		210
		1996-1998	233		214
		1993-1995	244		222
		1990-1992	209		222

(Arkansas Center for Health Statistics)

Age-Adjusted Mortality Rate for All Cancer by Race, 2002-2004 <i>(deaths per 100,000 population)</i>	Race			Cancer mortality rates in Lonoke County are higher among whites than blacks.
	White	209	204	
	Black	184	255	

(Arkansas Center for Health Statistics)

Age-Adjusted Mortality Rates for Cancer by Type, 2002-2004 <i>(deaths per 100,000 population)</i>	Type			In Lonoke County mortality rates associated with lung cancer are higher than state rates, but rates for other cancers (breast, colorectal, prostate) are at or below the state rate.
	Lung	76	69	
	Breast	19	25	
	Colorectal	22	21	
	Prostate	26	29	

(Arkansas Center for Health Statistics)

Indicator	Lonoke County	Arkansas	Comments
-----------	---------------	----------	----------

Age-Adjusted Mortality Rates for Cancer by Type and Race, 2002-2004 <i>(deaths per 100,000 population)</i>	Lung	White	81	-	Lung cancer mortality rates are higher in Lonoke County among whites than blacks. Mortality rates for breast and prostate cancers are higher among blacks.
		Black	21	-	
	Breast	White	19	-	
		Black	35	-	
	Colorectal	White	22	-	
		Black	18	-	
	Prostate	White	22	-	
		Black	89	-	

(Arkansas Center for Health Statistics)

Cancer Screening, 2004 <i>(percent)</i>	Type			Percentages of Lonoke County adults who were screened for breast, cervical and/or colorectal cancer are at or slightly above state rates.
	Breast	75	71	
	Cervical	83	80	
	Colorectal	53	53	

(Arkansas Center for Health Statistics)

Age-Adjusted Stroke Mortality Rate, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Stroke mortality rates have been declining sharply in Lonoke County, but remain higher than the state rate.	
	2002-2004	77	70		
	Trend	1999-2001	92		77
		1996-1998	111		83
		1993-1995	81		82
		1990-1992	161		81

(Arkansas Center for Health Statistics)

Age-Adjusted Stroke Mortality Rate by Race, 2002-2004 <i>(deaths per 100,000 population)</i>	Race			Stroke mortality rates are substantially higher for blacks than whites in Lonoke County.
	White	71	67	
	Black	163	96	

(Arkansas Center for Health Statistics)

Indicator		Lonoke County	Arkansas	Comments		
Age-Adjusted Chronic Obstructive Pulmonary Disease Mortality Rate, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Lonoke County's mortality rate for chronic obstructive pulmonary disease has been essentially stable and higher than the state rate since the early 1990s.		
		2002-2004	57		49	
	Trend		1999-2001		52	47
			1996-1998		55	42
			1993-1995		54	42
			1990-1992		34	37

(Arkansas Center for Health Statistics)

Age-Adjusted Mortality Rate for All External Injuries, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Injury mortality rates in Lonoke County have been variable. In the most recent two periods (1999-2004), the county rate has been below the state rate.		
		2002-2004	68		75	
	Trend		1999-2001		63	72
			1996-1998		79	75
			1993-1995		71	76
			1990-1992		79	76

(Arkansas Center for Health Statistics)

Age-Adjusted Mortality Rate by Cause of External Injury, 1995-2004 <i>(deaths per 100,000 population)</i>	Type			Mortality from collisions is higher in Lonoke County than in the state overall. County mortality rates for other causes of injury (falls, fire, homicide, suicide) are at or slightly below the state rate.	
		Collisions	30		25
		Falls	5		5
		Fire	2		2
		Homicide	6		8
		Suicide	11		13

(Arkansas Center for Health Statistics)

Prevalence of Diabetes, 2005 <i>(percent)</i>	Year			The percentage of Lonoke County adults with diabetes is at or slightly below the state rate.
		2005	7	

(Arkansas Center for Health Statistics)

Age-Adjusted Diabetes Mortality Rate, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Diabetes mortality rates in Lonoke County have generally been at or well above the state rate and appear to be increasing.		
		2002-2004	37		28	
	Trend		1999-2001		28	25
			1996-1998		22	22
			1993-1995		20	21
			1990-1992		28	20

(Arkansas Center for Health Statistics)

Indicator	Lonoke County	Arkansas	Comments
-----------	---------------	----------	----------

Adult Immunizations, 2004 <i>(percent)</i>	Type			The percentage of Lonoke County adults receiving an influenza vaccination is equal to the percentage in the state overall, but the percentage receiving a pneumonia vaccination is lower than the state rate.
	Influenza	66	66	
	Pneumonia	57	66	

(Arkansas Center for Health Statistics)

Age-Adjusted Mortality Rate for Influenza & Pneumonia, 1990-2004 <i>(deaths per 100,000 population)</i>	Years			Mortality rates for influenza and pneumonia have been variable in Lonoke County.	
	2002-2004	35	27		
	Trend	1999-2001	20		31
		1996-1998	33		34
		1993-1995	9		23
1990-1992		40	38		

(Arkansas Center for Health Statistics)

Prevalence of Arthritis, 2005 <i>(percent)</i>	Year			The percentage of Lonoke County adults with arthritis is slightly lower than the percentage in the state overall.
	2005	28	31	

(Arkansas Center for Health Statistics)

Age-Adjusted Infant Mortality Rate, 1990-2004 <i>(deaths per 1,000 live births)</i>	Years			Infant mortality rates in Lonoke County have been declining since the early 1990s and are currently at or slightly below the state rate.	
	2002-2004	7	8		
	Trend	1999-2001	7		8
		1996-1998	10		9
		1993-1995	13		9
1990-1992		7	10		

(Arkansas Center for Health Statistics)

Low Birth Weight Births, 1990-2004 <i>(percent of live births)</i>	Years			The percentage of births in Lonoke County resulting in a low birth weight infant has been at or slightly below the state rate.	
	2002-2004	7	9		
	Trend	1999-2001	8		9
		1996-1998	8		9
		1993-1995	8		8
1990-1992		7	8		

(Arkansas Center for Health Statistics)

Indicator	Lonoke County	Arkansas	Comments
Behavioral Risk Factors, 2005 <i>(percent)</i>	Risk Factor		
	Overweight & Obese (BMI \geq 25)	61	65
	No Physical Activity	27	31
	Current Smoker	21	24

(Arkansas Center for Health Statistics)

Adult Overweight & Obesity (BMI \geq 25), 1996-2004 <i>(percent)</i>	Years			In 2004, more than 60 percent of Arkansas adults were overweight or obese. This percentage continues to rise.	
	2004	-	63		
	Trend	2002	-		61
		2000	-		60
		1998	-		55
		1996	-		55

(Arkansas Center for Health Statistics)

Adults Who Do Not Participate in Any Physical Activity, 1996-2004 <i>(percent)</i>	Years			Although there has been some improvement in recent years, in 2004, more than a quarter of Arkansas adults did not participate in any physical activity.	
	2004	-	27		
	Trend	2002	-		27
		2000	-		28
		1998	-		36
		1996	-		37

(Arkansas Center for Health Statistics)

Adult Current Smokers, 1996-2004 <i>(percent)</i>	Years			The proportion of adults who smoke - a major risk factor for chronic diseases, such as cancer, heart disease and stroke - has remained fairly constant in recent years. In Arkansas, approximately one of every four adults reported being a current smoker in 2004.	
	2004	-	26		
	Trend	2002	-		26
		2000	-		25
		1998	-		26
		1996	-		26

(Arkansas Center for Health Statistics)

Adult Who Do Not Consume 5 or More Fruits & Vegetables a Day, 1996-2005 <i>(percent)</i>	Years			Between 1996 and 2005, in Arkansas there was an increasing trend of inadequate consumption of fruits and vegetables. In 2005, 79 percent of Arkansans reported that they did not eat the recommended five or more daily servings of fruits and vegetables.	
	2005	-	79		
	Trend	2002	-		80
		2000	-		79
		1998	-		73
		1996	-		69

(Arkansas Center for Health Statistics)

Indicator		Arkansas	U.S.	Comments
Proportion of Arkansans with No Cholesterol Check (Ever), 2005 <i>(percent)</i>	Year			In Arkansas, like in the U. S. overall, approximately one fourth of the adult population in 2003 had not ever had their blood cholesterol level checked contrary to general recommendations.
	2005	28	23	

(Arkansas Center for Health Statistics)

Proportion of Arkansans Diagnosed with High Blood Pressure, 2005 <i>(percent)</i>	Year			The overall prevalence of high blood pressure in Arkansas was 29 percent in 2005. This is higher than the national rate of 26 percent for the same year.
	2005	29	26	

(Arkansas Center for Health Statistics)

Indicator		Lonoke County	Arkansas	Comments
County Population by Age Group, 2000 <i>(percent)</i>	Age Group			
	< 18	29	25	
	18 - 44	39	38	
	45 - 64	22	23	
	65+	10	14	

(2000, U.S. Census Bureau)

County Population By Race/Ethnicity, 2000 <i>(percent)</i>	Race/Ethnicity			
	White	91	80	
	African American	6	16	
	Native American	1	1	
	Asian American	1	1	
	Hispanic	2	3	

(2000, U.S. Census Bureau)

County Population by Educational Level, 2000 <i>(percent)</i>	Level			
	Less than H.S.	22	25	
	H.S. Diploma/GED	36	34	
	Some College	27	25	
	College Graduate	15	17	

(2000, U.S. Census Bureau)

Indicator	Lonoke County	Arkansas	Comments
-----------	---------------	----------	----------

Median Household Income, 1990 & 2000 <i>(dollars)</i>	Year			
	2000	\$40,314	\$32,182	
	1990	\$23,831	\$21,147	

(2000, U.S. Census Bureau)

County Population Below Poverty Level, 1990 & 2000 <i>(percent)</i>	Year			
	2000	11	16	
	1990	15	19	

(2000, U.S. Census Bureau)

Access to Healthcare, 2004 <i>(percent)</i>	Indicator			
	No Health Insurance	15	19	
	No Personal Doctor	15	17	

(Arkansas Center for Health Statistics)