



ARKANSAS DEPARTMENT OF HEALTH
AUTHORIZED
ONSITE WASTEWATER
PRODUCTS LIST

ARKANSAS DEPARTMENT OF HEALTH
AUTHORIZED
ONSITE WASTEWATER
PRODUCTS LIST

TABLE OF CONTENTS

<u>AEROBIC BIOLOGICAL GENERATORS</u>	<u>3</u>
<u>COMPOSTING TOILETS</u>	<u>3</u>
<u>DISTRIBUTION BOXES</u>	<u>4</u>
<u>DIVERSION DEVICES</u>	<u>4</u>
<u>DOSING SIPHONS</u>	<u>4</u>
<u>DRIP DISPERSAL TUBING</u>	<u>4</u>
<u>EFFLUENT FILTERS</u>	<u>4</u>
<u>EFFLUENT FILTERS (PRESSURE)</u>	<u>5</u>
<u>EFFLUENT FLOW CONTROL DEVICES</u>	<u>5</u>
<u>HOLDING TANKS</u>	<u>5</u>
<u>INLET AND OUTLET SEALS</u>	<u>6</u>
<u>PUMP TANKS</u>	<u>6</u>
<u>PUMP BASINS</u>	<u>6</u>
<u>PUMP VAULTS</u>	<u>6</u>
<u>SEPTIC TANKS (FIBERGLASS)</u>	<u>7</u>
<u>SEPTIC TANKS (PLASTIC)</u>	<u>8</u>
<u>TRENCH MEDIA -GRAVEL SUBSTITUTES</u>	<u>8</u>
<u>WASTEWATER DISINFECTION PRODUCTS</u>	<u>11</u>
<u>WASTEWATER DISINFECTION UNITS</u>	<u>11</u>
<u>WASTEWATER TREATMENT UNITS</u>	<u>11</u>
<u>WASTEWATER TREATMENT UNITS W/UV</u>	<u>15</u>

**ARKANSAS DEPARTMENT OF HEALTH
 AUTHORIZED
 ONSITE WASTEWATER
 PRODUCTS LIST**

This is a listing of products authorized for use with standard, alternate, and experimental sewage disposal systems that are in addition to the products listed in the Rules and Regulations Pertaining to Onsite Wastewater Systems. All products shall be installed in accordance with manufacturers' directions.

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>AEROBIC BIOLOGICAL GENERATORS</p>	<p>AQUA TEST 800-221-3159</p> <p>BIO-MICROBICS 800-753-3278</p> <p>INFILTRATOR SYSTEMS, INC. 800-221-4436</p> <p>KNIGHT TREATMENT SYSTEMS 800-560-2454</p> <p>SLUDGE HAMMER 800-426-3349</p>	<p>Nibbler Models 1 CPB & 2 CPB</p> <p>High Strength FAST / commercial applications for effluent pre-treatment</p> <p>Retro FAST / renovation / enhancement of residential sewage systems</p> <p>Aquaworx Aerobic Biological Generator (Replaceable bacteria pack available)</p> <p>White Knight Aerobic Biological Generator. Replaceable bacteria pack available</p> <p>Sludge Hammer Models 46 & 86</p>
<p>COMPOSTING TOILETS</p>	<p>CLIVUS MULTRUM, INC. 508-794-1700</p> <p>SUN MAR CORP. 416-332-1314</p>	<p>Composting toilets are for human body wastes only. All other liquid wastes must be disposed of by a method and in a manner approved by the Arkansas Department of Health.</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>DISTRIBUTION BOXES (D-Boxes)</p> <p>*Leveling devices available</p>	<p>AMERICAN MANUFACTURING COMPANY, INC. 800-345-3132</p> <p>CLARUS ENVIRONMENTAL 501-513-4751</p> <p>INFILTRATOR SYSTEMS, INC. 800-221-4436</p> <p>POLYLOK 888-765-9565</p> <p>TUFF-TITE 800-382-7009</p>	<p>* 4-8 hole polyethylene D-boxes</p> <p>Model Tru-Flow 173-0001 / 5 outlet polyethylene D-box / can be re-leveled easily after installation</p> <p>* 4 hole polyethylene D-boxes</p> <p>* Model 3017-12 (4 Hole)</p> <p>* Model 3017 -20 (7 Hole)</p> <p>* 4-8 hole polyethylene D-boxes</p>
DIVERSION DEVICES	<p>AMERICAN MANUFACTURING COMPANY, INC. 800-345-3132</p> <p>QUANICS, INC. 877-782-6427</p>	<p>4 inch, PVC, two position Bull Run Valve supplied with direction control handle / water-tight</p> <p>GDS-ZS-300 D Flow Director / PVC, tee style construction / comes with direction control handle</p>
DOSING SIPHONS	ORENCO SYSTEMS, INC. 800-348-9843	2 & 3 inch siphons for residential / commercial sizes available
<p>DRIP DISPERSAL TUBING</p> <p>Note: All drip systems must be installed according to the procedures and specifications outlined in the current Rules & Regulations.</p>	<p>GEO-FLOW 800-828-3388</p> <p>NETAFIM 610-222-9989</p>	<p>All drip tubing must use pressure- compensating emitters.</p> <p>All drip tubing must use pressure- compensating emitters.</p>
EFFLUENT FILTERS	<p>BOWCO 800-232-9991</p> <p>CLARUS ENVIRONMENTAL 800-928-7867</p> <p>NORWECO, INC. 419-668-4471</p>	<p>EF-235</p> <p>Model WW4 P/N 5000-007 / up to 4000 gpm, WW1 P/N 170-0078</p> <p>BK 2000 Bio-Kinetic Wastewater Management System (includes an effluent filter and a disinfection unit)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
EFFLUENT FILTERS (CONTINUED)	<p>ORENCO SYSTEMS, INC. 800-348-9843</p> <p>POLYLOK, INC. 888-765-9565</p> <p>TUF-TITE, INC. 800-382-7009</p> <p>ZABEL, INC. / POLYLOK, INC. 800-221-5742</p>	<p>Biotube Effluent Filter. 4, 6, & 8 inch diameters for residential & small commercial applications.</p> <p>PL-122 Must attach to sch. 40 outlet pipe (not to tank wall)</p> <p>PL-68/fits into existing Sch. 40 outlet baffle</p> <p>PL-525 Septic Tank Effluent, PL-625 Grease Trap Effluent</p> <p>Model EF-4, Model EF-6/only use in tanks with 36-39 inch liquid depth, Model P/N 170-0078</p> <p>Models: A100-10X16, A100-10X30, A300-10X20, A300-10X30, A1800-4X18, A1800-4X22, A100-8X12, A100-8X18, A100-8X26, A100-8X32, A300-8X12, A300-8X18, A300-8X26, A300-8X32</p>
EFFLUENT FILTERS (PRESSURE)	<p>GAG SIM-TECH 888-999-3290</p> <p>POLYLOK, INC. 888-765-9565</p> <p>QUANICS, INC. 877-782-6427</p>	<p>STF-100 Series - For use with pumped (dosed) systems / installed downstream from pump in the dose chamber.</p> <p>Models 3014 PF & 3014 PFP / one micron filter sock available</p> <p>PDS-PF-1.5 & PDS-PF-2.0 / For use with pumped (dosed) systems / installed downstream from pump in the dose chamber</p>
EFFLUENT FLOW CONTROL DEVICES	<p>QUANICS, INC. 877-782-6427</p> <p>UNITED CONCRETE PRODUCTS / POLYLOK 203-269-3119</p>	<p>GDS-ZS-300 Flow Divider (divides effluent flow into two equal flows)</p> <p>Dipper box / 4 or 6 outlets</p>
HOLDING TANKS (PLASTIC)	NORWESCO, INC. 800-328-3420	Low Profile 1000, 1250, 1500 gallon

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
HOLDING TANKS (PLASTIC)	INFILTRATOR SYSTEMS, INC. 800-221-4436 ROTH GLOBAL PLASTICS 866-943-7256	IM-1060, IM-1530 RMT 1000,1060,1250,1500
INLET AND OUTLET SEALS FOR SEPTIC TANKS, DOSE TANKS, and DISTRIBUTION BOXES NOTE: Seals to be cast in concrete septic tanks during manufacture. All seals used with septic tanks & dose chambers must pass the ASTM 923 water tightness test. Seals not passing this test may be used in “no pressure” applications such as distribution boxes. * Designed to pass ASTM 923 watertight test	POLYLOK, INC. 888-765-9565 PRESS-SEAL GASKET CORPORATION 800-348-7325 TUF-TITE, INC. 800-382-7009	POLYLOK I – Black / Not designed to pass ASTM 923 water-tight test * POLYLOK II – Red * POLYLOK III – High pressure seal * POLYLOK IV – Rubber Boot Seal CAST-A-SEAL 402, 402F, 964 * TS-4PRO, TS-4, TS-402 – Rubber Boot Seal * TS-RB4 – Rubber Boot Seal TS-4NW - Not designed to pass ASTM 923 water-tight test
PUMP BASINS	STEELE PLASTICS, INC. 501-327-5122	Filament Wound Straight Wall Fiberglass Basin
PUMP TANKS Note: All tanks to be installed in accordance with manufactures’ directions.	INFILTRATOR SYSTEMS INC. 800-221-4436 NORWESCO, INC. 800-328-3420 ROTH GLOBAL PLASTICS 866-943-7256	IM-1060, TW Series 300, 500, 600, 900, 1050, 1250, 1500 gallon, IM Series-540 Bruiser heavy duty septic tank 1000, 1250, 1500 gallon Low Profile 750, 1000, 1250, 1500 gallon. Spherical; 200,200LP,300,325LP,500,525LP Rochester Rotational Molding 1000, 1250, 1500 gallon RMT 900, 1000E 1060, 1250, 1500 gallon heavy duty septic tank

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
	DEN HARTOG/ACE ROTO MOLD 712-752-8432	300 and 500 gallons, spherical
	PRO-GLAS 479-636-0560	300 and 500 gallons, spherical 1000- and 1500-gallon fiberglass
	SNYDER INDUSTRIES, INC. 402-467-5221	1050, 1250, 1500-gallon heavy duty septic tank 300 and 500 gallon spherical
	AK INDUSTRIES, INC 574-936-2542	300 Gallon Spherical
PUMP VAULTS	ADENUS 888-423-3687	Low volume pump vault ECV Models 43, 60, 72, & 96
PUMP VAULTS (CONTINUED)	CLARUS ENVIRONMENTAL 800-928-7867	Centrifugal STEP System, 5040 Series Turbine STEP System, 5041 Series
Note: Special use conditions apply including 250 gallon increase in septic tank size, 3 inch maximum draw-down, minimum of 3 feet from inlet baffle to vault, inlet of pump vault to fall between 35 to 45 percent of liquid level, and audio/visual alarm required.	CONCENTRIC PUMP VAULTS 406-227-6792	BPF-8 12 FI
	DELTA ENVIRONMENTAL 800-219-9183	DEPV-49-20-1 DEPV-57-20-1
	ORENCO, INC. 800-348-9843	Biotube pump vault - PVU Series
	QUANICS, INC. 877-782-6427	FPV-H-44-2 & FPV-H-A101 / May not be used in septic tanks where the inlet of the pump vault is less than 40% of the liquid depth
SEPTIC TANKS (FIBERGLASS)	ALPHA GENERAL SERVICES, INC. 863-382-1544	1050, 1200, 1350, 1500, 1650, 2200, 2700, 3200, 3700, 4300, 4800, 5300, 5800 gallon
Note: All tanks to be installed in accordance with manufactures' directions and be supplied with inlet and outlet baffles.	ARKANSAS COMPOSITES INC. 501-796-8469	250, 500, 1000, 1250, 1500, 2000, 3000, 4000, 5000 gallon
	CONTAINMENT SOLUTIONS 800-537-4730	Custom built up to 50,000 gallon
	DESERT SUN 623-869-0907	1000, 1250, 1500, 1750, 2000 gallon
	ORENCO, INC. 800-348-9843	Fiberglass tanks manufactured by Orenco Systems, Inc. in 500, 1000, 1500 and 2000 gallon sizes with or without baffle walls

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
	<p>PRO-GLASS 479-636-0560</p> <p>SOUTHERN MANUFACTURING 409-962-4501</p> <p>XERXES® ZCL, INC. 952-887-1890</p>	<p>1000 and 1500 gallon (holding tank option)</p> <p>1000 gallon</p> <p>Custom built up to 62,000 gallon</p>
<p>SEPTIC TANKS (PLASTIC)</p> <p>Note: All tanks to be installed in accordance with manufactures' directions and supplied with inlet and outlet baffles.</p>	<p>A.K. INDUSTRIES 219-936-6022</p> <p>COON MANUFACTURING 800-843-1532</p> <p>DEN HARTOG INDUSTRIES 712-752-8432</p> <p>INFILTRATOR SYSTEMS, INC. 800-221-4436</p> <p>NORWESCO, INC. 800-328-3420</p> <p>ROTH GLOBAL PLASTICS 866-943-7256</p> <p>SNYDER INDUSTRIES, INC. 870-358-3400</p>	<p>1000, 1300 gallon</p> <p>1000, 1500 gallon</p> <p>AST-1000-2, AST-1000-1,AST-1250-1,AST-1250-2,AST-1500-2,AST-1500-1, LPS-1000-1,LPS-1000-2,LPS-1250-1, LPS-1250-2,LPS-1500-1,LPS-1500-2</p> <p>TW series polyethylene septic tanks 1050, 1250, 1500 gallon IM-101060, IM-1530</p> <p>Bruiser heavy duty 1000, 1250, 1500 gallon / may be used as a holding tank</p> <p>Low Profile 1000, 1250, 1500 gallon</p> <p>Rochester Rotational Molding 1000, 1250, 1500 gallon</p> <p>1060, 1250, 1500 gallon heavy duty / may be used as holding tank</p> <p>1050, 1250, 1500 gallon</p> <p>1050, 1250, 1500 gallon / heavy duty / may be used as a holding tank under certain conditions</p>
<p>TRENCH MEDIA GRAVEL SUBSTITUTES CHAMBERS</p> <p>Note: All gravel substitutes to be installed in accordance with manufactures' directions.</p>	<p>ADVANCED DRAINAGE SYSTEMS, INC. 800-733-9987</p>	<p>Bio-Diffuser 2 / use with Bio-Diffuser end caps only (18 inch max. trench width)</p> <p>ARC-18 / articulated for curved trenches / use with ARC-18 end caps only (18 inch max. trench width)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>TRENCH MEDIA, GRAVEL SUBSTITUTES</p> <p>CHAMBERS (CONTINUED)</p> <p>Note: All gravel substitutes to be installed in accordance with manufactures' directions.</p>	<p>CULTEC, INC. 800-428-5832</p> <p>INFILTRATOR SYSTEMS, INC. 1-800-221-4436</p>	<p>ARC-24 / articulated for curved trenches / use with ARC-24 end caps only (24 inch max. trench width)</p> <p>Contactoer EZ- 24 / use with Contactoer end caps only (18 inch max. trench width)</p> <p>EQ-24 / use with Infiltrator end caps only (18 inch max. trench width)</p> <p>EQ-36 / use with infiltrator end caps only (24 inch max. trench width)</p> <p>Quick 4 EQ-24 / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 4 EQ-24 Low Profile / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p> <p>Quick 4 EQ-36 / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (24 inch max. trench width)</p> <p>Quick 4 EQ-36 Low Profile / articulated for curved trenches / use with Infiltrator Quick 4 end caps only (18 inch max. trench width)</p>
<p>CORRUGATED GRAVEL-LESS PIPE</p>	<p>A.D.S. INC. / HANCOR 800-733-7473</p> <p>MULTI-PIPE 800-780-5121</p>	<p>8 inch diameter, corrugated, perforated, polyethylene pipe with soil fabric wrap / use with ADS fittings only (12 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap / use with MPI fittings only (12 inch max. trench width)</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>TRENCH MEDIA, GRAVEL SUBSTITUTES</p> <p>CORRUGATED GRAVE-LESS PIPE (CONTINUED)</p>	<p>PLASTIC TUBING IND., INC. 800-780-5121</p> <p>PRINSCO, INC. 800-992-1725</p> <p>QUAIL PIPING PRODUCTS, INC. 888-919-7473</p> <p>SPRINGFIELD PLASTICS 800-252-3361</p>	<p>PTI MPS-9 only (24 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap / use with PRINSCO fittings only (12 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with perforated, polyethylene pipe with soil fabric wrap, use with SDR-35 PVC fitting only (12 inch max. trench width)</p> <p>8 inch diameter, corrugated, perforated, polyethylene pipe with elastic soil fabric wrap / use with SPRINGFIELD PLASTICS fittings only (12 inch max. trench width)</p>
<p>POLYSTYRENE AGGREGATE</p>	<p>INFILTRATOR SYSTEMS, INC. 800-221-4436</p>	<p>Model # FTSG 141 H-1 & Model # FTSG 121 H-1 (18 inch max. trench width)</p> <p>Model # FTSG 122 H-1 & Model # FTSG 103 T-1 (24 inch max. trench width)</p> <p>Smart Rock Models SR-12P, SR2-12H, SR3-10T</p> <p>EZ-1003T & EZ-1202 (24 inch max. trench width)</p> <p>EZ-1201 P (18 inch max. trench width)</p> <p>EZ-1201 P-GEO / factory installed geo-textile (18 inch max. trench width)</p>
<p>TIRE CHIPS (SHREDS)</p>	<p>DAVIS RUBBER COMPANY 501-374-1473</p>	<p>NOTE: Specifications for tire chips used in soil absorption systems are:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Nominal 2-inch size (may range from ½ inch to a

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
	<p>EATON MOERY ENVIRONMENTAL 870-755-5331</p> <p>JEFFERSON COUNTY RECYCLING 870-541-5358</p> <p>WEST RIVER VALLEY REGIONAL SOLID WASTE MANAGEMENT DISTRICT 479-785-2651</p>	<p>maximum of 4 inches in any one direction.</p> <ul style="list-style-type: none"> □ Exposed wire may protrude no more than ½ inch from chip. □ At least 95% of chips by weight must comply with specifications. □ Fines (dust, dirt, grit, etc.) less than 2mm in size are prohibited.
<p>WASTEWATER DISINFECTION PRODUCTS</p>	<p>Accu-Tab® Wastewater Calcium Hypochlorite Tablets PPG Industries 866-668-5280</p> <p>NORWECO, INC. NORWECO BIO SANITIZER NORWECO BLUECRYSTAL 419-668-4471</p>	<p>2 ½ inch tablets / available in 10-lb, 27.5-lb, 43.5-lb, 100-lb sizes</p> <p>2 ¾ inch tablets / for flows over 1500 gpd</p>
<p>WASTEWATER DISINFECTION UNITS</p>	<p>CLEARSTREAM 800-586-3656</p> <p>EXCELTEC / SANURIL 800-621-9189</p> <p>JET, INC. 501-835-2451 (Kuykendall Co.)</p> <p>NORWECO, INC. 419-668-4471</p>	<p>CLC-100, CLC-122 liquid feed</p> <p>Sanuril or Exceltec Model 200 / 2 ¾ inch tablet feed</p> <p>Jet-Chlor / 2 ¾ inch tablet feed</p> <p>Bio-Dynamic Series 1500 & 2000 / 2 ¾ inch tablet feed</p> <p>BK 2000 Bio-Kinetic Wastewater Management System (includes both an effluent filter and a disinfection unit)</p> <p>Bio-Dynamic LF 500</p>
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SURFACE DISCHARGE</u></p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>AERO-TECH 574-935-0908</p> <p>BIO-MICROBICS 800-753-3278</p> <p>CLEARSTREAM WASTEWATER SYSTEMS, INC. 800-586-3656</p>	<p>AT-500 Treatment System W/UV Disinfection Unit</p> <p>MicroFast ® 0.5 / with UV Disinfection and Post Aeration – Rated for 500 gpd</p> <p>Clearstream 500N+1100 Effluent Filter or a Post Aeration Tank – Rated for 500 gpd</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SURFACE DISCHARGE</u></p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>CONSOLIDATED TREATMENT SYSTEMS, INC. 937-746-1446</p> <p>ECOLOGICAL TANK, INC. 877-247-7643</p> <p>ENVIROGUARD 800-503-0163</p> <p>JET, INC.</p> <p>FUJI CLEAN USA, LLC 207-406-2927</p> <p>NORWECO, INC. 419-668-4471</p> <p>ORENCO SYSTEMS, INC. 800-348-9843</p>	<p>MultiFlo FTB-0.5 – Rated for 500 gpd Nyadic M6-A – Rated for 500 gpd</p> <p>AquaSafe 500 – Rated for 500 gpd</p> <p>ENV-0.75 – Rated for 750 gpd</p> <p>Jet BAT Media 1500 – Series Plants with Jet 952 UV Device and Jet 954 Re-Aeration Device</p> <p>CE5,CE7,CE10,CEN5,CEN7 AND CEN10 W/UV Disinfection and re-aeration</p> <p>Norweco (Singluar) 960 – Rated for 500/1000 gpd Norweco (Singluar) TNT-500 – Rated for 500 gpd</p> <p>Advantex AX-20 & AX-20RT Synthetic media filter treats effluent from septic tank with effluent filter - Rated for 500 gpd</p>
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SUBSURFACE DISPOSAL ONLY</u></p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>ACQUIRED WASTEWATER TECHNOLOGIES 318-746-5122</p> <p>AERO-TECH 574-935-0908</p> <p>AQUAKLEAR 877-936-7711</p> <p>BIO-MICROBICS 800-753-3278</p>	<p>Alliance - Rated at 500, 600, 750, 1000 gpd</p> <p>Cajun Aire - Rated at 500, 750, 1000 gpd</p> <p>Mighty Mac - Rated at 500 gpd</p> <p>AT Models - Rated at 500, 600, 750, 1000, 1500 gpd</p> <p>Models - Rated at 500, 600, 750, 1000, 1500 gpd (concrete, fiberglass, polyethylene tanks)</p> <p>Micro FAST 0.5, 0.625, 0.75, 0.9, 1.0, 1.5 - Rated at 500, 625, 750, 900, 1000, 1500 gpd</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SUBSURFACE DISPOSAL ONLY</u> (CONTINUED)</p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>		<p>BioBarrier Membrane Bioreactor 0.5,1.0,1.5 – Rated at 500, 1000, 1500 gpd</p>
	<p>CLEARSTREAM, INC. 800-586-3656</p>	<p>Models – Rated at 500, 600, 750, 800, 1000, 1200, 1500 gpd</p>
	<p>CLARUS ENVIRONMENTAL 800-928-7867</p>	<p>FUSION Models - Rated at 450, 600, 800 gpd (Aeration plus fixed media)</p>
	<p>CLEARSTREAM 800-586-3656</p>	<p>MODEL G 500-1500 gpd</p>
	<p>CONSOLIDATED TREATMENT SYSTEMS 937-746-1446</p>	<p>Enviro-Guard 0.75 – Rated at 750 gpd</p>
		<p>Multi-flow - Rated at 500 gpd</p>
		<p>Nyadic M6A - Rated at 500 gpd</p>
	<p>DELTA TREATMENT SYSTEMS 225-665-6162</p>	<p>DF40,DF50,DF60,DF75,DF150, E50,E60,E75,E100,E150</p>
	<p>ECOLOGICAL TANK CO. 877-247-7643</p>	<p>Aqua Safe - Rated at 500, 500L, 600, 600L, 750, 750L, 1000, 1000L, 1100L, 1500 gpd “L” is Lo-boy design</p>
	<p>ENVIROGUARD 800-503-0163</p>	<p>ENV-0.75 – Rated for 750 gpd</p>
	<p>HYDRO-ACTION, INC. 800-370-3749</p>	<p>Models - Rated at 500, 900, 1000, 1100, 1500 gpd</p>
<p>JET, INC. 440-461-2000</p>	<p>Jet-Aire – Models - Rated at 500, 600, 750, 800, 1000, 1250, 1500 gpd</p>	
<p>FUJI CLEAN USA,LLC 207-406-2927</p>	<p>CE5,CE7,CE10,CEN5,CEN7 and CEN10</p>	
<p>NORWECO, INC. 419-668-4471</p>	<p>Norweco (Singular) 960, TNT – Rated for 500,750, 1000, 1250, 1500 gpd, Singular Green</p>	
	<p>Fiberglass – Rated for 600 gpd</p>	
<p>ORENCO, INC. 800-348-9843</p>	<p>Advantex AX-20, AX-20RT</p>	
	<p>Synthetic media filter treats effluent from septic tank with effluent filter – Rated for 500 gpd</p>	
<p>PREMIER TECH 205-408-9691</p>	<p>Ecoflo Bio-Filter / Septic tank pretreatment / effluent filter recommended</p>	

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
<p>WASTEWATER TREATMENT UNITS FOR DOMESTIC WASTE</p> <p><u>SUBSURFACE DISPOSAL</u> ONLY (CONTINUED)</p> <p>Note: To be installed only by distributors licensed in Arkansas.</p>	<p>PRESBY ENVIRONMENTAL 800-473-5298</p>	<p>Enviro-Septic / Single point discharge prior subsurface disposal only</p>
	<p>PURAFLO</p>	<p>P150,P300,P450,P750</p>
	<p>ANUA INTERNATIONAL 336-557-9338</p>	<p>Pre-treat with septic tank equipped with Zabel A-100 filter and dose tank must be 75% capacity of required septic tank</p>
	<p>SOUTHERN MANUFACTURING 800-992-4501</p>	<p>Models - Rated at 500, 600, 750, 1000, 1500 gpd</p>
	<p>TEX-AIRE 318-752-3700</p>	<p>Models - Rated at 500, 750, 1000 gpd</p>
	<p>QUANICS, INC. 877-782-6427</p>	<p>AeroCell ATS-SCAT-8-AC-C500 – Rated at 500 gpd</p>
	<p>QUANICS, INC. (Continued) 877-782-6427</p>	<p>Open cell foam media / Models - Rated at 500, 750, 1000, 1250, 1500 gpd</p> <p>Bio-COIR ATS-SCAT-8-BC-C500 - Rated at 500 gpd</p> <p>Coconut husk media / Units - Rated at 500, 750, 1000, 1250, 1500 gpd</p>

PRODUCT CATEGORY	MANUFACTURER	COMMENTS
WASTEWATER TREATMENT UNITS USING ULTRAVIOLET LIGHT FOR FECAL REDUCTION	BIO-MICROBICS 800-753-3278	Micro FAST 0.5, 0.625 0.75, 0.9, 1.5 – Rated at 500, 625, 750, 900, 1500 gpd BioBarrier Membrane Bioreactor 0.5,1.0,1.5 – Rated at 500, 1000, 1500 gpd
	CLEARSTREAM 800-586-3656	Model G 500-1500 gpd
	CONSOLIDATED TREATMENT SYSTEMS 937-746-1446	Enviro-Guard 0.75 – Rated at 750 gpd
	DELTA WASTEWATER SYSTEM 225-665-6162	E50, E60, E75, E100, E125
	FUJI CLEAN USA, LLC 207-406-2927	CE5,CE7,CE10,CEN5,CEN7, CEN10
	NORWECO, INC. 419-668-4471	Singulair TNT-500 – Rated at 500 gpd
	ORENCO SYSTEMS, INC. 800-348-9843	Advantex AX-20, AX-20RT – Rated at 500 gpd
QUANICS, INC. 877-782-6427	Aerocell ATS-SCAT-8-AC-C500 – Rated at 500 gpd	
WASTEWATER TREATMENT GREYWATER RECYCLE NSF STD. 350	BIO-MICROBICS 800-753-3278	BioBarrier MBR 0.5,1.0,1.5
	NORWECO, INC 419-668-4471	R3 Model 500 gpd
WASTEWATER TREATMENT SEWAGE BLACKWATER AND GREYWATER COMBUSTION SYSTEM	ECOJOHN 866-3265646	WC5,WC32,WC48,WC64